

# The Curious Naturalist

## References

### FILLER 1: Life on Man

- Mofiz, E., Seemann, T., Currie, B. J., Fischer, K., & Papenfuss, A. T. (2016). Genomic resources and draft assemblies of the human and porcine varieties of scabies mites, *Sarcoptes scabiei* var. *Hominis* and Var. *Suis*. *Gigascience*, 5(1), 13742–016. <https://doi.org/10.1186/s13742-016-0129-2>
- Palopoli, M. F., Fergus, D. J., Minot, S., Pei, D. T., Simison, W. B., Fernandez-Silva, I., Thoemmes, M. S., Dunn, R. R., & Trautwein, M. (2015). Global divergence of the human follicle mite *Demodex folliculorum*: Persistent associations between host ancestry and mite lineages. *Proceedings of the National Academy of Sciences*, 112(52), 15958–15963. <https://doi.org/10.1073/pnas.1522641112>
- Reed, D. L., Light, J. E., Allen, J. M., & Kirchman, J. J. (2007). Pair of lice lost or parasites regained: The evolutionary history of anthropoid primate lice. *BMC Biology*, 5(1), 7. <https://doi.org/10.1186/1741-7007-5-7>
- Smith, G., Manzano-Marín, A., Reyes-Prieto, M., Antunes, C. S. R., Ashworth, V., Goselle, O. N., Jan, A. A. A., Moya, A., Latorre, A., Perotti, M. A., & Braig, H. R. (2022). Human follicular mites: Ectoparasites becoming symbionts. *Molecular biology and evolution*, 39(6), 125. <https://doi.org/10.1093/molbev/msac125>
- Thoemmes, M. S., Fergus, D. J., Urban, J., Trautwein, M., & Dunn, R. R. (2014). Ubiquity and diversity of human-associated *Demodex* mites. *PLoS One*, 9(8), 106265. <https://doi.org/10.1371/journal.pone.0106265>
- Toups, M. A., Kitchen, A., Light, J. E., & Reed, D. L. (2011). Origin of clothing lice indicates early clothing use by anatomically modern humans in Africa. *Molecular Biology and Evolution*, 28(1), 29–32. <https://doi.org/10.1093/molbev/msq234>
- ### Preface
- Collias, N. E., & Collias, E. C. (1967). A field study of the red jungle fowl in north-central India. *The Condor*, 69(4), 360–386. <https://doi.org/10.2307/1366199>
- Delacour, J., Harrison, J. C., & Digby, R. D. (1977). *The pheasants of the world* (2nd edn). Spur Publications.
- Dunbar, R. I. M. (1996). *Grooming, gossip, and the evolution of language*. Harvard University Press.
- Hirimuthugoda, N. Y., Adeola, A. C., Chen, X., Perera, P. W. A., Gunawardana, W. W. D. A., Gunwardana, H. G. T. N., Yin, T. T., Wang, M. S., Li, G. M., Peng, M. S., & Zhang, Y. P. (2018). Complete mitochondrial genome of Sri Lankan Junglefowl (*Gallus lafayetti*) and phylogenetic study. *Mitochondrial DNA Part B*, 3(1), 83–84. <https://doi.org/10.1080/023802359.2017.1422409>
- Lawal, R. A., Martin, S. H., Vanmechelen, K., Vereijken, A., Silva, P., Al-Atiyat, R. M., Aljumaah, R. S., Mwacharo, J. M., Wu, D. D., Zhang, Y. P., & Hocking, P. M. (2020). The wild species genome ancestry of domestic chickens. *BMC Biology*, 18(1), 13. <https://doi.org/10.1186/s12915-020-0738-1>

- Pares, J. (2012). Use of red ochre by early Neandertals. *Proceedings of the National Academy of Sciences of the United States of America*, 109(6), 1889–1894. <https://doi.org/10.1073/pnas.1112261109>
- Silva, P., Guan, X., Ho-Shing, O., Jones, J., Xu, J., Hui, D., Notter, D., & Smith, E. (2009). Mitochondrial DNA-based analysis of genetic variation and relatedness among Sri Lankan indigenous chickens and the Ceylon junglefowl (*Gallus lafayetti*). *Animal Genetics*, 40(1), 1–9. <https://doi.org/10.1111/j.1365-2052.2008.01783.x>

### Introduction

For references, see:

Pethiyagoda, R. & Sudasinghe, H. 2021. *Ecology and biogeography of Sri Lanka: a context for freshwater fishes*. WHT Publications, Colombo. <https://www.hiranya.me/uploads/1/2/1/5/121509091/pethiyagoda-sudasinghe-2021-the-ecology-and-biogeography-of-sri-lanka-lowr.pdf>

### 1 Incest, co-operation, altruism, nepotism

- Agnarsson, I., Avilés, L., & Maddison, W. P. (2013). Loss of genetic variability in social spiders: Genetic and phylogenetic consequences of population subdivision and inbreeding. *Journal of Evolutionary Biology*, 26(1), 27–37. <https://doi.org/10.1111/j.1420-9101.2012.02554.x>
- Beleyur, S., Murthy, T. G., Singh, S., Somanathan, H., & Uma, D. (2021). Web architecture, dynamics and silk investment in the social spider *Stegodyphus sarasinorum*. *Animal Behaviour*, 179, 139–146. <https://doi.org/10.1016/j.anbehav.2020.12.003>
- Deshmukh, U. S. (2017). Suicidal maternal care in spider *Stegodyphus sarasinorum* (family Eresidae). *International Journal of Fauna and Biological Studies*, 4(2), 114–116.
- Drisya-Mohan, O. M., Kashmeera, N. A., & Sudhikumar, A. V. (2019). Is cooperation in prey capture flexible in the Indian social spider *Stegodyphus sarasinorum*? *Arachnologische Mitteilungen / Arachnology Letters*, 58(1), 97–102. <https://doi.org/10.30963/aramit5813>
- Drisya-Mohan, O. M., Kavyamol, P., Sudhikumar, A. V., & Evans, R. (2019). Effect of kleptoparasitic ants on the foraging behaviour of a social spider (*Stegodyphus sarasinorum* Karsch, 1891). *Zoological Studies*, 58(3), 1–10. <https://doi.org/10.6620/ZS.2019.58-03>
- Guevara, R., & Avilés, L. (2005). Influence of body size and level of cooperation on the prey capture efficiency of two sympatric social spiders exhibiting an included niche pattern. *Functional Ecology*, 25(4), 754–764. <https://doi.org/10.1111/j.1365-2435.2005.00987.x>
- Jackson, D. E. (2006). Social spiders. *Current Biology*, 16(16), 650–652. <https://doi.org/10.1016/j.cub.2007.06.003>
- Jani, M., Caleb, J. T. D., Kapoor, V., Kulkarni, S., & Uma, D. (2023). Aliens in the society: Foreign arthropods and small vertebrates associated with the social spider *Stegodyphus sarasinorum* Karsch, 1892 (Araneae: Eresidae). *The Journal of Arachnology*, 51(1), 57–62. <https://doi.org/10.1636/JoA-S-22-004>
- Jeevan Chakravarthy, A. S., Jayashankar, M., & Ramakrishna, S. (2015). Autecological observations on the Indian cooperative spider *Stegodyphus sarasinorum* Karsch (Eresidae: Araneae). *International Journal of Pure and*

- Applied Zoology*, 3(1), 70–75. <https://doi.org/10.22271/ijpa.2015.3.1.19>
- Johannesen, J., & Lubin, Y. (1999). Group founding and breeding structure in the subsocial spider *Stegodyphus lineatus* (Eresidae). *Heredity*, 82, 677–686. <https://doi.org/10.1038/sj.hdy.6880706>
- Majer, M., Holm, C., Lubin, Y., & Bilde, T. (2018). Cooperative foraging expands dietary niche but does not offset intra-group competition for resources in social spiders. *Scientific Reports*, 8(1), 11828. <https://doi.org/10.1038/s41598-018-30199-x>
- Majer, M., Svenning, J. C., & Bilde, T. (2013). Habitat productivity constrains the distribution of social spiders across continents—case study of the genus *Stegodyphus*. *Frontiers in Zoology*, 10(1), 9. <https://doi.org/10.3389/fevo.2013.00101>
- Parthasarathy, B., & Somanathan, H. (2019). Behavioural responses vary with prey species in the social spider, *Stegodyphus sarasinorum*. *Behavioural Ecology*, 30(1), 1–10. <https://doi.org/10.1093/beheco/arz125>
- Ruch, J., Saunders, T., & Bilde, T. (2009). The evolution of social inbreeding mating systems in spiders: Limited male mating dispersal and lack of pre-copulatory inbreeding avoidance in a subsocial predecessor. *Biological Journal of the Linnean Society*, 96(4), 869–883. <https://doi.org/10.1111/j.1095-8312.2009.01261.x>
- Settepani, V., Grinsted, L., Granfeldt, J., Jensen, J. L., & Bilde, T. (2013). Task specialisation in two social spiders, *Stegodyphus sarasinorum* (Eresidae) and *Anelosimus eximius* (Theridiidae). *Journal of Evolutionary Biology*, 26(1), 51–62. <https://doi.org/10.1111/jeb.12024>
- Smith, D. R., & Engel, M. S. (1994). Population structure in an Indian cooperative spider, *Stegodyphus sarasinorum* Karsch (Eresidae). *The Journal of Arachnology*, 22(2), 108–113.
- Soysa, P., Silva, I. S., & Wijayabandara, J. (2014). Evaluation of antioxidant and antiproliferative activity of *Flueggea leucopyrus* Willd (katupila). *BMC Complementary and Alternative Medicine*, 14(1), 274. <https://doi.org/10.1186/1472-6882-14-274>
- Tong, L. (2021). Genomic signatures of recent convergent transitions to social life in spiders. *Nature Communications*, 13, 6967. <https://doi.org/10.1038/s41467-022-34446-8>
- Willey, M. B., & Jackson, R. R. (1993). Predatory behaviour of a social spider *Stegodyphus sarasinorum* (Araneae: Eresidae): Why attack first? *Canadian Journal of Zoology*, 71, 2220–2223. <https://doi.org/10.1139/z93-301>
- Yip, E. C., Powers, K. S., & Avilés, L. (2008). Cooperative capture of large prey solves scaling challenge faced by spider societies. *Proceedings of the National Academy of Sciences*, 105(33), 11818–11822. <https://doi.org/10.1073/pnas.0710603105>
- Zhang, X., Li, H., & Chen, Y. (2025). Molecular Phylogenetic Relationships Based on Mitogenomes of Spider: Insights Into Evolution and Adaptation to Extreme Environments. *Ecology and Evolution*, 15(1), 9294. <https://doi.org/10.1002/ece3.70774>
- Anip, M. H. M., & Market, P. S. (2007). Dominant factors influencing precipitation efficiency in a continental mid-latitude location. *Tellus A: Dynamic Meteorology and Oceanography*, 59(1), 122–126. <https://doi.org/10.1111/j.1600-0870.2006.00208.x>
- Brodie, H. J. (1956). Raindrops as plant dispersal agents. *Proceedings of the Indiana Academy of Science*, 66, 65–73.
- Chakraborty, S., Ade, S. S., Devsoth, L., Chandrala, L. D., Prabhakaran, T., Matar, O. K., & Sahu, K. C. (2025). Drop size distribution from laboratory experiments based on single-drop fragmentation and comparison with aerial in-situ measurements. *Journal of the Atmospheric Sciences*. <https://doi.org/10.1175/JAS-D-24-0248.1>
- Jaroš, J., Šamonil, P., Daněk, P., Adam, D., Tikhomirov, D., Ediriweera, S., Christl, M., & Egli, M. (2025). Trees slow down erosion and allow soil progression in an extremely high-rainfall old-growth mixed dipterocarp forest of southwest Sri Lanka. *Catena*, 254, 108911. <https://doi.org/10.1016/j.catena.2025.108911>
- Li, G., Wan, L., Cui, M., Wu, B., & Zhou, J. (2019). Influence of canopy interception and rainfall kinetic energy on soil erosion under forests. *Forests*, 10(6), 509. <https://doi.org/10.3390/f10060509>
- Marambe, B., Punyawardena, R., Silva, P., Premalal, S., Rathnabharathie, V., Kekulandala, B., Nidumolu, U., & Howden, M. (2014). Climate, climate risk, and food security in Sri Lanka: Need for strengthening adaptation strategies. In *Handbook of Climate Change Adaptation* (pp. 1–25). Springer. [https://doi.org/10.1007/978-3-642-40455-9\\_4-1](https://doi.org/10.1007/978-3-642-40455-9_4-1)
- Nakanishi, H. (2002). Splash seed dispersal by raindrops. *Ecological Research*, 17(6), 663–671. <https://doi.org/10.1046/j.1440-1703.2002.00524.x>
- Oorschot, B., Bryson, K. A., Danner, O., Eklof, J. F., Lopez, A., Wah-Blumberg, J., & Pepper, R. E. (2024). Dispersal distances from splash-cup plants depend on the cup's angle and contents. *Journal of the Royal Society Interface*, 21(218), 20240129. <https://doi.org/10.1098/rsif.2024.0129>
- Renné, D., George, R., Marion, B., Heimiller, D., & Gueymard, C. (2003). *Solar Resource Assessment for Sri Lanka and Maldives (NREL/TP-710-34645)*. National Renewable Energy Laboratory.

### 3 Archery or Snooker?

- Ben-Simon, A., Ben-Shahar, O., Vasserman, G., Ben-Tov, M., & Segev, R. (2012). Visual acuity in the archerfish: Behaviour, anatomy, and neurophysiology. *Journal of Vision*, 12(12), 18–18. <https://doi.org/10.1167/12.12.18>
- Dewenter, J., Gerullis, P., Hecker, A., & Schuster, S. (2017). Archerfish use their shooting technique to produce adaptive underwater jets. *Journal of Experimental Biology*, 220(6), 1019–1025. <https://doi.org/10.1242/jeb.146936>
- Girard, M. G., Davis, M. P., Tan, H. H., Wedd, D. J., Chakraborty, P., Ludt, W. B., Summers, A. P., & Smith, W. L. (2022). Phylogenetics of archerfishes (Toxotidae) and evolution of the toxotid shooting apparatus. *Integrative Organismal Biology*, 4(1), 013. <https://doi.org/10.1093/iob/obac013>
- Milburn, O., & Alexander, R. M. (1976). The performance of the muscles involved in spitting by the archerfish *Toxotes*. *Journal of Zoology*, 180(2), 243–251. <https://doi.org/10.1093/zool/180.2.243>

### 2 Droplet Size Matters

- [org/10.1111/j.1469-7998.1976.tb04676.x](https://doi.org/10.1111/j.1469-7998.1976.tb04676.x)
- Newport, C., & Schuster, S. (2020). Archerfish vision: Visual challenges faced by a predator with a unique hunting technique. *Seminars in Cell & Developmental Biology*, 106, 53–60. <https://doi.org/10.1016/j.semcdb.2020.05.017>
- Schuster, S. (2018). Hunting in archerfish—An ecological perspective on a remarkable combination of skills. *Journal of Experimental Biology*, 221(24), 159723. <https://doi.org/10.1242/jeb.159723>
- Shih, A. M., Mendelson, L., & Techet, A. H. (2017). Archer fish jumping prey capture: Kinematics and hydrodynamics. *Journal of Experimental Biology*, 220(8), 1411–1422. <https://doi.org/10.1242/jeb.145623>
- Temple, S. E. (2007). Effect of salinity on the refractive index of water: Considerations for archer fish aerial vision. *Journal of Fish Biology*, 70(5), 1626–1629. <https://doi.org/10.1111/j.1095-8649.2007.01423.x>
- Temple, S., Hart, N. S., Marshall, N. J., & Collin, S. P. (2010). A spitting image: Specialisations in archerfish eyes for vision at the interface between air and water. *Proceedings of the Royal Society B: Biological Sciences*, 277(1694), 2607–2615. <https://doi.org/10.1098/rspb.2010.0345>
- Vailati, A., Zinnato, L., & Cerbino, R. (2012). How archer fish achieve a powerful impact: Hydrodynamic instability of a pulsed jet in *Toxotes jaculatrix*. *PLoS One*, 7(10), 47867. <https://doi.org/10.1371/journal.pone.0047867>
- Volotsky, S., Donchin, O., & Segev, R. (2023). *The archerfish can use motor adaptation to correct for light refraction at the water air interface*. *Neuroscience*. <https://doi.org/10.7554/elife.92909>
- Weduwen, D., Jones, N. A., Dubosque, A., Schuster, S., Sillar, K. T., Webster, M., & Rendell, L. (2024). Archerfish foraging success varies with immediate competition level but not group size. *Behavioural Ecology*, 35(4), 040. <https://doi.org/10.1093/beheco/arae040>

#### 4 Island Colonization

- Agarwal, I., Biswas, S., Bauer, A. M., Greenbaum, E., Jackman, T. R., Silva, A., & Batuwita, S. (2017). Cryptic species, taxonomic inflation, or a bit of both? New species phenomenon in Sri Lanka as suggested by a phylogeny of dwarf geckos (Reptilia, Squamata, Gekkonidae, *Cnemaspis*). *Systematics and Biodiversity*, 15(5), 427–439. <https://doi.org/10.1080/14772000.2017.1282553>
- Andrade, J. L. (2024). *Rhpsalis baccifera*: A graceful epiphytic cactus that has jumped to the Old World. In H. C. Muller-Landau & S. J. Wright (Eds), *The First 100 Years of Research on Barro Colorado: Plant and Ecosystem Science* (Vol. 2, pp. 765–767). Smithsonian Institution Scholarly Press. <https://doi.org/10.5479/si.26048527>
- Cota-Sánchez, J. H., & Bomfim-Patricio, M. C. (2010). Seed morphology, polyploidy and the evolutionary history of the epiphytic cactus *Rhpsalis baccifera* (Cactaceae. *Poli-botánica*), 29, 107–129.
- Datta-Roy, A., Brandley, M. C., Austin, C. C., Bauer, A. M., Harris, D. J., Carranza, S., Ukuwela, K. D., Silva, A., Tolley, K. A., Karanth, K. P., & Sil, M. (2025). The Contemporary distribution of scincine lizards does not reflect their biogeographic origin. *Journal of Biogeography*, 52(3), 767–779. <https://doi.org/10.1111/jbi.15061>
- Farminhão, J. N., Verlynde, S., Kaymak, E., Droissart, V.,

- Simo-Droissart, M., Collobert, G., Martos, F., & Stévant, T. (2021). Rapid radiation of angraecoids (Orchidaceae, Angraecinae) in tropical Africa characterised by multiple karyotypic shifts under major environmental instability. *Molecular Phylogenetics and Evolution*, 159, 107105. <https://doi.org/10.1016/j.ympev.2021.107105>
- Sokolov, L.V., Sinelshchikova, A.Y. and Markovets, M.Y. (2024). Ultra-Long-Distance Migration of the Common Cuckoo (*Cuculus canorus* Cuculiformes, Cuculidae) from Kamchatka to Namibia. *Biology Bulletin*, 51(8), 2513-2522. <https://doi.org/10.1134/S106235902470119X>
- Szlachetko, D. L., Tukałło, P., Mytnik-Ejsmont, J., & Grochoccka, E. (2013). Reclassification of the Angraecum-alliance (Orchidaceae, Vandoideae) based on molecular and morphological data. *Biodiversity: Research and Conservation*, 29(1), 1–23. <https://doi.org/10.2478/biorc-2013-0004>

#### 5 Sri Lanka's Living Fossil

- Billen, J. (2017). The exocrine system of *Aneuretus simoni* (Formicidae, Aneuretinae). *Asian Myrmecology*, 9, 009011. <https://doi.org/10.20362/am.009011>
- Dias, R. K. S., & Udayakantha, W. S. (2016). Discovery of the Sri Lankan Relict Ant, *Aneuretus simoni* Emery (Formicidae, Aneuretinae) and the nest density of the species in a selected region of Meethirigala Forest Reserve, Sri Lanka. *Asian Myrmecology*, 8, 49–56. <https://doi.org/10.20362/am.008005>
- Dias, R. K., & Udayakantha, W. S. (2016). Nest density and other observations on a population of *Aneuretus simoni* Emery, 1893 (Formicidae, Aneuretinae) and other ants in Indikada Mukalana Forest Reserve in Sri Lanka. *Journal of Insect Biodiversity*, 4(12), 1–9. <https://doi.org/10.12976/jib/2016.4.12>
- Jayasuriya, A. K., & Traniello, J. F. A. (1985). The biology of the primitive ant *Aneuretus simoni* (Emery)(Formicidae: Aneuretinae) I distribution, abundance, colony structure, and foraging ecology. *Insectes Sociaux*, 32(4), 363–374. <https://doi.org/10.1007/BF02224014>
- Karunaratna, D. A. G. N. B. S., & Karunaratne, W. A. I. P. (2013). Two new localities of Sri Lankan Relict Ant *Aneuretus simoni* Emery, 1893 (Formicidae: Aneuretinae) with the very first record in the intermediate zone. *Journal of Threatened Taxa*, 5(11), 4604–4607. <https://doi.org/10.11609/JoTT.o3334.4604-7>
- Lapolla, J. S., & Barden, P. (2018). A new aneuretine ant from the Paleocene Paskapoo Formation of Canada. *Acta Palaeontologica Polonica*, 63(3). <https://doi.org/10.4202/app.00478.2018>
- Traniello, J. F. A., & Jayasuriya, A. K. (1985). The biology of the primitive ant *Aneuretus simoni* (Emery)(Formicidae: Aneuretinae) II. The social ethogram and division of labor. *Insectes Sociaux*, 32(4), 375–388. <https://doi.org/10.1007/BF02224015>
- 6 Animal Husbandry**
- A., W. J., & Barlow, G. W. (1967). The maturation and regulation of glancing off the parents by young orange chromides (*Etroplus maculatus*: Pisces: Cichlidae). *Behaviour*, 29, 1–56. <https://doi.org/10.1163/156853967X00253>
- Bindu, L., & Padmakumar, K. G. (2008). Food of the pearlspot

- Etroplus suratensis* (Bloch) in the Vembanad Lake, Kerala. *Journal of the Marine Biological Association of India*, 50(2), 156–160.
- Cole, J. E., & Ward, J. A. (1969). The communicative function of pelvic fin-flickering in *Etroplus maculatus* (Pisces, Cichlidae). *Behaviour*, 35, 179–199. <https://doi.org/10.1163/156853969X00189>
- Lamon, M. S., & Ward, J. A. (1983). Measurements of reproductive effort from successive reproductive cycles for the Asian cichlid *Etroplus maculatus*. *Environmental Biology of Fishes*, 8, 311–320. <https://doi.org/10.1007/BF00001097>
- McKaye, K. R., & McKaye, N. M. (1977). Communal care and kidnapping of young by parental cichlids. *Evolution*, 31, 674–681. <https://doi.org/10.1111/j.1558-5646.1977.tb01059.x>
- Silva, S. S., Maitipe, P., & Cumararatunge, R. T. (1984). Aspects of the biology of the euryhaline Asian cichlid, *Etroplus suratensis*. *Environmental Biology of Fishes*, 10(1), 77–87. <https://doi.org/10.1007/BF00001664>
- Tan, H. H., & Ng, L. C. S. (2016). Green chromides spawning at Sentosa. *Singapore Biodiversity Records*, 141–142.
- Ward, J. A., & Wyman, R. L. (1977). Ethology and ecology of cichlid fishes of the genus *Etroplus* in Sri Lanka: Preliminary findings. *Environmental Biology of Fishes*, 2(2), 137–145. <https://doi.org/10.1007/BF00005369>
- Wyman, R. L., & Ward, J. A. (1973). The development of behaviour in the cichlid fish *Etroplus maculatus* (Bloch). *Zeitschrift für Tierpsychologie [now Ethology]*, 33, 461–491. <https://doi.org/10.1111/j.1439-0310.1973.tb02111.x>
- 7 Dudes strut their stuff**
- Askwew, G. N. (2014). The elaborate plumage in peacocks is not such a drag. *Journal of Experimental Biology*, 217(18), 3237–3241. <https://doi.org/10.1242/jeb.107474>
- Caleb, J. T., Sanap, R. V., Patel, K. G., Sudhin, P. P., Nafin, K. S., & Sudhikumar, A. V. (2018). First description of the female of *Chrysilla volupe* (Karsch, 1879) (Araneae: Salticidae: Chrysillini) from India, with notes on the species' distribution and life history. *Arthropoda Selecta*, 27(2), 143–153. <https://doi.org/10.15298/arthsel>
- Dakin, R., McCrossan, O., Hare, J. F., Montgomerie, R., & Amador Kane, S. (2016). Biomechanics of the peacock's display: How feather structure and resonance influence multimodal signaling. *PLoS One*, 11(4), 0152759. <https://doi.org/10.1371/journal.pone.0152759>
- Heffner, R., Cumming, J. F., Koay, G., & Heffner, H. E. (2020). Hearing in Indian peafowl (*Pavo cristatus*): Sensitivity to infrasound. *Journal of Comparative Physiology A*, 206(6), 899–906. <https://doi.org/10.1007/s00359-020-01446-2>
- Kane, S. A., Beveren, D., & Dakin, R. (2018). Biomechanics of the peafowl's crest reveals frequencies tuned to social displays. *PLoS One*, 13(11), 0207247. <https://doi.org/10.1371/journal.pone.0207247>
- Kane, S. A., Wang, Y., Fang, R., Lu, Y., & Dakin, R. (2019). How conspicuous are peacock eyespots and other colorful feathers in the eyes of mammalian predators? *PLoS One*, 14(4), 0210924. <https://doi.org/10.1371/journal.pone.0210924>
- Pethiyagoda, R., Meegaskumbura, M., & Maduwage, K. (2012). A synopsis of the South Asian fishes referred to *Puntius* (Pisces: Cyprinidae). *Ichthyological Exploration of Freshwaters*, 23(1), 69–95.
- Petrie, M., Krupa, A., & Burke, T. (1999). Peacocks lek with relatives even in the absence of social and environmental cues. *Nature*, 401(6749), 155–157. <https://doi.org/10.1038/43651>
- Petrie, M., Tim, H., & Carolyn, S. (1991). Peahens prefer peacocks with elaborate trains. *Animal Behaviour*, 41(2), 323–331. [https://doi.org/10.1016/S0003-3472\(05\)80484-1](https://doi.org/10.1016/S0003-3472(05)80484-1)
- Takahashi, M., Arita, H., Hiraiwa-Hasegawa, M., & Hasegawa, T. (2008). Peahens do not prefer peacocks with more elaborate trains. *Animal Behaviour*, 75(4), 1209–1219. <https://doi.org/10.1016/j.anbehav.2007.10.004>
- Taylor, L. A., & McGraw, K. J. (2007). Animal colouration: Sexy spider scales. *Current Biology*, 17(15), 592–593. <https://doi.org/10.1016/j.cub.2007.05.064>
- Thavarajah, N. K., Tickle, P. G., Nudds, R. L., & Codd, J. R. (2016). The peacock train does not handicap cursorial locomotor performance. *Scientific Reports*, 6(1), 36512. <https://doi.org/10.1038/srep36512>
- Zhou, W., Yu, L., Kwek, B. Z., Jin, G., Zeng, H., & Li, D. (2021). Sexual selection on jumping spider color pattern: Investigation with a new quantitative approach. *Behavioural Ecology*, 32(4), 695–706. <https://doi.org/10.1093/beheco/arab008>
- 8 Judge Ye Not**
- Backwell, P. R., Christy, J. H., Telford, S. R., Jennions, M. D., & Passmore, J. (2000). Dishonest signalling in a fiddler crab. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 267(1444), 719–724. <https://doi.org/10.1098/rspb.2000.1062>
- Buss, D. M. (1989). Sex differences in human mate preferences: Evolutionary hypotheses tested in 37 cultures. *Behavioural and Brain Sciences*, 12(1), 1–14. <https://doi.org/10.1017/S0140525X00023992>
- Buss, D. M., & Schmitt, D. P. (1993). Sexual Strategies Theory: An evolutionary perspective on human mating. *Psychological Review*, 100(2), 204–232.
- Darwin, C. (1871). *The Descent of Man, and Selection in Relation to Sex*.
- Dixon, B. J., & Vasey, P. L. (2012). Beards augment perceptions of men's age, social status, and aggressiveness, but not attractiveness. *Behavioural Ecology*, 23(3), 481–490. <https://doi.org/10.1093/beheco/arr214>
- Etcoff, N. (1999). *Survival of the Prettiest: The Science of Beauty*. Doubleday.
- Hackney, A. C., Lane, A. R., Register-Mihalik, J., & O'Leary, C. B. (2017). Endurance exercise training and male sexual libido. *Medicine & Science in Sports & Exercise*, 49(7), 1383–1388. <https://doi.org/10.1249/MSS.0000000000001235>
- Khera, M., Bhattacharyya, S., & Miller, L. E. (2023). Effect of aerobic exercise on erectile function: Systematic review and meta-analysis of randomized controlled trials. *The Journal of Sexual Medicine*, 20(12), 1369–1375. <https://doi.org/10.1093/jsxmed/qdad130>
- Lewis, D. M., Russell, E. M., Al-Shawaf, L., & Buss, D. M. (2015). Lumbar curvature: A previously undiscovered standard of attractiveness. *Evolution and Human*

- Behaviour*, 36(5), 345–350. <https://doi.org/10.1016/j.evolhumbehav.2015.01.007>
- Liske, E., & Davis, W. J. (1987). Courtship and mating behaviour of the Chinese praying mantis, *Tenodera aridifolia* sinensis. *Animal Behaviour*, 35(5), 1524–1537. [https://doi.org/10.1016/S0003-3472\(87\)80024-6](https://doi.org/10.1016/S0003-3472(87)80024-6)
- Maxwell, M. R. (1999). Mating behaviour. In F. R. Prete (Ed.), *The Praying Mantids* (pp. 69–89). Johns Hopkins University Press.
- Penn, D.J. and Számadó, S. (2020). The Handicap Principle: how an erroneous hypothesis became a scientific principle. *Biological Reviews*, 95(1), 267–290. <https://doi.org/10.1111/brv.12563>
- Sundie, J. M., Kenrick, D. T., Griskevicius, V., Tybur, J. M., Vohs, K. D., & Beal, D. J. (2011). Peacocks, Porsches, and Thorstein Veblen: Conspicuous consumption as a sexual signaling system. *Journal of Personality and Social Psychology*, 100(4), 664. <https://doi.org/10.1037/a0021669>
- Trivers, R. L. (1972). Parental Investment and Sexual Selection. In B. Campbell (Ed.), *Sexual Selection and the Descent of Man* (pp. 136–179).
- Zahavi, A. (1975). Mate selection—A selection for a handicap. *Journal of Theoretical Biology*, 53(1), 205–214.
- 9 Turtle Hatcheries**
- Bell, C.D., Parsons, J., Austin, T.J., Broderick, A.C., Ebanks-Petrie, G. and Godley, B.J., 2005. Some of them came home: the Cayman Turtle Farm headstarting project for the green turtle *Chelonia mydas*. *Oryx*, 39(2), pp.137-148. <https://doi.org/10.1017/S0030605305000372>
- Celano, L., Sullivan, C., Field, A., & Salmon, M. (2018). Seafinding revisited: How hatchling marine turtles respond to natural lighting at a nesting beach. *Journal of Comparative Physiology A*, 204(12), 1007–1015. <https://doi.org/10.1007/s00359-018-1299-4>
- Kanghae, H., Thongprajukaew, K., Suraswadi, P., Namwang, A., Reungkhajorn, A., Wongwilai, G., Intaring, B. and Chamniviakpong, C., 2024. First successful head-start program of leatherback sea turtles (*Dermochelys coriacea*) in Thailand and proposed dietary strategy. *Zoo Biology*, 43(1), pp.110-122. <https://doi.org/10.1002/zoo.21800>
- Lohmann, K. J., & Lohmann, C. M. (2019). There and back again: Natal homing by magnetic navigation in sea turtles and salmon. *Journal of Experimental Biology*, 222(Suppl\_1), 184077. <https://doi.org/10.1242/jeb.184077>
- Porter, E., Booth, D. T., Limpus, C. J., Staines, M. N., & Smith, C. E. (2021). Influence of short-term temperature drops on sex-determination in sea turtles. *Journal of Experimental Zoology Part A: Ecological and Integrative Physiology*, 335(8), 649–658. <https://doi.org/10.1002/jez.2509>
- 10 The Original White Elephant**
- Cappellini, E., Gentry, A., Palkopoulou, E., Ishida, Y., Cram, D., Roos, A. M., Watson, M., Johansson, U. S., Fernholm, B., Agnelli, P., & Barbagli, F. (2014). Resolution of the type material of the Asian elephant, *Elephas maximus* Linnaeus, 1758 (Proboscidea, Elephantidae). *Zoological Journal of the Linnean Society*, 170(1), 222–232. <https://doi.org/10.1111/zoj.12084>
- International Commission of Zoological Nomenclature (1999). *International Code of Zoological Nomenclature* (4th edn). International Trust for Zoological Nomenclature.
- Linnaeus, C. (1758). *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis* (10th edn). Laurentii Salvii.
- Ray, J. (1693). *Synopsis methodica animalium quadrupedum et serpentinae generis*. S. Smith & B. Walford.
- Seba, A. (1734). *Locupletissimi rerum naturalium thesauri accurata descriptio, et iconibus artificiosissimis expressio, per universam physices historiam*. J. Wetstenium.
- 11 Georges Bizet's Pearl**
- Herdman, W. A. (1903). *Report to the Government of Ceylon on the Pearl Oyster Fisheries of the Gulf of Manaar*. Published for the Royal Society by Harrison & Sons.
- Kunze, G. F., & Stevenson, C. H. (1908). *The Book of the Pearl: Its History, Art, Science, and Industry*. Century Co.
- Mikimoto, K. (1920). *The Story of the Cultured Pearl*. Mikimoto Pearl Museum.
- North, F. (1805). *Despatches from the Governor of Ceylon to the Secretary of State*. British Colonial Records, Sri Lanka National Archives.
- Steuart, J. (1843). *Notes on Ceylon and Its Affairs: With Observations on the Antiquity of Mount Alexander, and the Pearl Fishery*.
- Suetonius. (2007). *The Twelve Caesars* (R. Graves, Trans.). Penguin Classics.
- 12 Stewed, grilled or poached, Madam?**
- Day, F. (1875). *The Fishes of India; being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma, and Ceylon*. Bernard Quaritch.
- Del Vecchio, M. (2013). *Cosmopolitan trout: The 1883 Fisheries Exhibition and the global expansion of fish culture*. <https://doi.org/10.5282/rcc/5653>.
- Jinadasa, J., Kothalawala, A. B., & Herath, H. M. B. K. (2005). Status of rainbow trout (*Oncorhynchus mykiss* Waldaum 1792) population after the cessation of stocking in waterways of Horton Plains, Sri Lanka. University of Sri Jayewardenepura. <http://dr.lib.sjp.ac.lk/handle/123456789/1041>
- Kelaart, E. F. (1852). *Prodromus Faunae Zeylanicae: Being Contributions to the Zoology of Ceylon*. Printed for the author.
- 13 Couldn't give a fig?**
- Cook, J. M., & Rasplus, J. Y. (2003). Mutualists with attitude: Coevolving fig wasps and figs. *Trends in Ecology & Evolution*, 18(5), 241-248. [10 1016 0169-5347 03 00062-4](https://doi.org/10.1016/0169-5347(03)00062-4).
- Coomaraswamy, A. K. (n.d.). & Buhot, J. (1956) *La Sculpture de Bharhut*. Van Oest.
- Geiger, W. (1912). *The Mahavamsa or The Great Chronicle of Ceylon*. Oxford University Press.
- Hill, D. S. (1967). Figs (*Ficus* spp.) and fig-wasps (Chalcidoidea). *Journal of Natural History*, 1(3), 413–434. <https://doi.org/10.1080/00222936700770401>
- Lüttge, U. (2004). Ecophysiology of Crassulacean Acid Metabolism (CAM). *Annals of Botany*, 93(6), 629–652. <https://doi.org/10.1093/aob/mch087>.
- Obeyesekere, G. (1981). *The Cult of the Goddess Pattini*. University of Chicago Press.

#### 14 Paragons of Sustainability?

- Dilhan, M. A. A. B., Weerasinghe, T. D., & Amarasinghe, J. (2006). Structure and composition of vegetation in the IFS-Popham Arboretum, Dambulla. *Journal of the Department of Wildlife Conservation*, 1, 33–45.
- Hettiarachchi, T. (1984). Some aspects of chena cultivation Sri Lanka. *Sri Lanka Journal of Agrarian Studies*, 5(1), 33–55.
- Nye, P. H., & Greenland, D. J. (1960). *The Soil Under Shifting Cultivation*. Commonwealth Agricultural Bureaux.
- Santiapillai, C., Wijeyamohan, S., Bandara, G., Samarasinghe, R., Kodituwakku, A., & Sooriyakumara, V. (2010). An assessment of the human-elephant conflict in Sri Lanka. *Ceylon Journal of Science (Biological Sciences)*, 39(1), 21–33.
- Silva, K. M. (2005). *A History of Sri Lanka*. Penguin Books.
- Ulluwishewa, R. (1991). Modernization versus sustainability: Disintegrating village agro-ecocomplexes in the Dry Zone of Sri Lanka. *Environmental Conservation*, 18(2), 103–109. <https://doi.org/10.1017/S0376892900021652>

#### 15 The Hitchhiker's Guide to the Syconium

- Cook, J. M., & Rasplus, J. Y. (2003). Mutualists with attitude: Coevolving fig wasps and figs. *Trends in Ecology & Evolution*, 18(5), 241–248. [https://doi.org/10.1016/S0169-5347\(03\)00062-4](https://doi.org/10.1016/S0169-5347(03)00062-4)
- Davies, K. A., Ye, W., Kanzaki, N., Bartholomaeus, F., Zeng, Y., & Giblin-Davis, R. M. (2015). A review of the taxonomy, phylogeny, distribution and co-evolution of *Schistonchus* Cobb, 1927 with proposal of *Ficophagus* n. *Nematology*, 17(7), 761–829. <https://doi.org/10.1163/15685411-00002907>
- Giblin-Davis, R. M. (1993). *Interactions of nematodes with insects* (M. W. Khan, Ed.). Chapman & Hall. <https://doi.org/10.1007/978-94-011-1488-2>
- Herre, E. A. (1993). Population structure and the evolution of virulence in nematode parasites of fig wasps. *Science*, 259(5100), 1442–1445. <https://doi.org/10.1126/science.259.5100.1442>
- Herre, E. A., & West, S. A. (1997). Conflict of interest in a mutualism: Documenting the elusive fig wasp–seed trade-off. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 264(1387), 1501–1507. <https://doi.org/10.1098/rspb.1997.0208>
- Jandér, K. C., & Herre, E. A. (2010). Host sanctions and pollinator cheating in the fig–fig wasp mutualism. *Proceedings of the Royal Society B: Biological Sciences*, 277, 1481–1488. <https://doi.org/10.1098/rspb.2009.2157>
- Poinar, G. O., & Herre, E. A. (1991). Speciation and adaptive radiation in the fig wasp–nematode association. *Revue de Nématologie*, 14(3), 441–458.
- Vanderplanck, M., Lapeyre, B., Lucas, S., & Proffit, M. (2021). Ozone induces distress behaviours in fig wasps with a reduced chance of recovery. *Insects*, 12(11), 995. <https://doi.org/10.3390/insects12110995>
- Weiblen, G. D. (2002). How to be a fig wasp. *Annual Review of Entomology*, 47(1), 299–330. <https://doi.org/10.1146/annurev.ento.47.091201.145213>

#### 16 Stinging me softly

- Abeyasinghe, R. R., Galappaththy, G. N., Smith Gueye, C.,

- Kahn, J. G., & Feachem, R. G. (2012). Malaria control and elimination in Sri Lanka: Documenting progress and success factors in a conflict setting. *PLoS ONE*, 7(8), 43162. <https://doi.org/10.1371/journal.pone.0043162>
- Athukorala, N., Wickramasinghe, S., Yatawara, L., & Weerakoon, K. (2024). A Systematic Review of Zoonotic Disease Prevalence in Sri Lanka (2000–2022). *Vector-Borne and Zoonotic Diseases*, 24(8), 453–472. <https://doi.org/10.1089/vbz.2023.01>
- Chandrasena, N., Premaratna, R., Gunaratna, I. E., & Silva, N. R. (2018). Morbidity management and disability prevention for lymphatic filariasis in Sri Lanka: Current status and future prospects. *PLoS Neglected Tropical Diseases*, 12(5), 0006472. <https://doi.org/10.1371/journal.pntd.0006472>
- Das, S., Mukhiya, I. A., Hazra, T., Roy, S., & Das, A. (2024). Mosquito Morphology: Anatomy to Adaptation in the Shadow of Evolution. In Omkar (Ed.), *Mosquitoes: Biology, Pathogenicity and Management* (pp. 37–104). Springer Nature Singapore. <https://doi.org/10.1007/978-981-97-4163-2>
- Environment, M., & Lanka, S. (2020). *National Action Plan for the Mitigation of Human-Elephant Conflict*.
- Gayan Dharmasiri, A. G., Perera, A. Y., Harishchandra, J., Herath, H., Aravindan, K., Jayasooriya, H. T. R., Ranawaka, G. R., & Hewavitharane, M. (2017). First record of *Anopheles stephensi* in Sri Lanka: A potential challenge for prevention of malaria reintroduction. *Malaria Journal*, 16(1), 326. <https://doi.org/10.1186/s12936-017-1977-7>
- Gill, C. (1936). Some points in the epidemiology of malaria arising out of the study of the malaria epidemic in Ceylon in 1934–1935. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 29(5), 427–433. [https://doi.org/10.1016/S0035-9203\(36\)90001-9](https://doi.org/10.1016/S0035-9203(36)90001-9)
- Gunawansa, T. D., Perera, K., Apan, A., & Hettiarachchi, N. K. (2023). The human-elephant conflict in Sri Lanka: History and present status. *Biodiversity and Conservation*, 32(10), 3025–3052. <https://doi.org/10.1007/s10531-023-02650-7>
- Jayadas, T. T. P., Silva, M., Senadheera, B., Gomes, L., Kuruppu, H., Rathnapriya, R., Bary, F., Madusanka, S., Wijewickrama, A., Idampitiya, D., & Manilgama, S. (2025). *The Re-emergence of Chikungunya in Sri Lanka: A Genomic investigation*. medRxiv. <https://doi.org/10.1101/2025.05.23.25328206>
- Organization, W. H. (2016). WHO certifies Sri Lanka malaria-free. *SEARO News Release*. <https://www.who.int/southeastasia/news/detail/05-09-2016-who-certifies-sri-lanka-malaria-free>
- Room, P. M., Gunatilaka, G. A., Shivanathan, P., & Fernando, I. V. S. (1989, September). Control of *Salvinia molesta* in Sri Lanka by *Cyrtobagous salviniae*. *Proceedings of the VII International Symposium on Biological Control of Weeds*. [https://bugwoodcloud.org/ibiococontrol/proceedings/pdf/7\\_285-290.pdf](https://bugwoodcloud.org/ibiococontrol/proceedings/pdf/7_285-290.pdf)
- Smallegange, R. C., Qiu, Y. T., Loon, J. J., & Takken, W. (2005). Synergism between ammonia, lactic acid and carboxylic acids as kairomones in the host-seeking behaviour of the malaria mosquito *Anopheles gambiae* sensu stricto (Diptera: Culicidae). *Chemical Senses*, 30(2), 145–152. <https://doi.org/10.1093/chemse/bji010>
- Unit, A.-F. (2023). *Weekly Epidemiological Report: Japanese*

- Encephalitis Surveillance*. Ministry of Health. [https://www.epid.gov.lk/storage/post/pdfs/vol\\_40\\_no\\_06\\_english.pdf](https://www.epid.gov.lk/storage/post/pdfs/vol_40_no_06_english.pdf)
- Unit, E., & Lanka, S. (2017). *Special Surveillance Reports on Dengue*. [https://www.epid.gov.lk/storage/post/pdfs/en\\_64912b0a89f59\\_Vol\\_50\\_no\\_23-english\\_1.pdf](https://www.epid.gov.lk/storage/post/pdfs/en_64912b0a89f59_Vol_50_no_23-english_1.pdf)
- Weerasinghe, N. L. C., Liyanage, G. Y., & Manage, P. M. (2024). Integrated Biological Control of *Eichhornia crassipes* (Mart.) Solms Using Phytopathogenic Fungi and Water Hyacinth Mites: *Orthogalumna terebrantis*. *International Journal of Multidisciplinary Studies*, 11(1), 127–139.
- Zhou, Y. H., Zhang, Z. W., Fu, Y. F., Zhang, G. C., & Yuan, S. (2018). Carbon dioxide, odorants, heat and visible cues affect wild mosquito landing in open spaces. *Frontiers in Behavioural Neuroscience*, 12, 86. <https://doi.org/10.3389/fnbeh.2018.00086>

### 17 Life in the Lavatory

- Garg, S., Senevirathne, G., Wijayathilaka, N., Phuge, S., Deuti, K., Manamendra-Arachchi, K., Meegaskumbura, M. and Biju, S.D. (2018). An integrative taxonomic review of the South Asian microhylid genus *Uperodon*. (2018). *Zootaxa*, 4384(1), 1–88. <https://doi.org/10.11646/zootaxa.4384.1.1>
- Luo, X., Deng, W., Han, W., Lo, N., Cai, J., Che, Y. and Wang, Z. (2025). Revision of the cockroach subfamily Blattinae based on morphological and molecular analyses. *Systematic Entomology*, 50(4), 836–854. <https://doi.org/10.1111/syen.12680>

### 18 Blood Transfusion

- Ediriweera, E. R. H. S. S. (2014). A review on leech application (jalaukacharana) in ayurveda and Sri Lankan traditional medicine. *Journal of Ayurveda and Holistic Medicine*, 2(1), 62–77.

### 19 Vanishing Whales

- Dalpadado, P., Roxy, M. K., Arrigo, K. R., Dijken, G. L., Chierici, M., Ostrowski, M., Skern-Mauritzen, R., Bakke, G., Richardson, A. J., & Sperfeld, E. (2024). Rapid climate change alters the environment and biological production of the Indian Ocean. *Science of the Total Environment*, 906, 167342. <https://doi.org/10.1016/j.scitotenv.2023.167342>
- Liyanage, U. S., Terney, P. K., Amarasinghe, U. S., Arulananthan, K., & Rasmussen, M. H. (2023). Seasonal occurrence of the Indian ocean blue whale (*Balaenoptera musculus indica*) off South Coast of Sri Lanka. *Journal of Marine Science and Engineering*, 11(8). <https://doi.org/10.3390/jmse11081523>
- Payne, S. (2025). Blue whale decline in Sri Lanka tied to climate and human activity. *Mongabay*. <https://news.mongabay.com/2025/04/blue-whale-decline-in-sri-lanka-tied-to-climate-and-human-activity/>

### 20 Pachyderm Paradise in Peril

- Dayaratne, P. W. C. (2025). Redefining Sri Lanka's Human-Elephant Conflict management strategy. *Sunday Times*. <https://www.sundaytimes.lk/250831/sunday-times-2/defining-sri-lankas-human-elephant-conflict-management-strategy-610514.html>
- Ranjeewa, A. D. G., Thomas, R. J., Weerakoon, D. K., Sandanayake, G. H. N. A., & Fernando, P. (2025). How did

the elephant cross the fence? Electric fence crossing by elephants in Udawalawe, Sri Lanka. *Animal Conservation*, 28(2), 197–207.

- Rodrigo, M. (2024). Sri Lanka completes first elephant census since 2011 amid uncertainty. *Mongabay*. <https://news.mongabay.com/2024/09/sri-lanka-completes-first-elephant-census-since-2011-amid-uncertainty/#:~:text=The%202011%20count%20estimated%20that,female%20ratio%20of%201%3A3>
- Shazuli, H. (2023). One elephant a day: Sri Lanka wildlife conflict deepens as death toll rises. *Mongabay*. <https://news.mongabay.com/2023/05/one-elephant-a-day-sri-lanka-wildlife-conflict-deepens-as-death-toll-rises/#:~:text=The%20committee>
- Sukumar, R. (1992). *The Asian elephant: Ecology and management*. Cambridge University Press.

### 21 Brainpower in the Plant Kingdom

- Abramson, C. I., & Chicas-Mosier, A. M. (2016). Learning in plants: Lessons from *Mimosa pudica*. *Frontiers in Psychology*, 7, 417. <https://doi.org/10.3389/fpsyg.2016.00417>
- Appel, H. M., & Cocroft, R. B. (2014). Plants respond to leaf vibrations caused by insect herbivore chewing. *Oecologia*, 175(4), 1257–1266. <https://doi.org/10.1007/s00442-014-2995-6>
- Gagliano, M., Abramson, C. I., & Depczynski, M. (2018). Plants learn and remember: Let's get used to it. *Oecologia*, 186(1), 29–31. <https://doi.org/10.1007/s00442-017-4029-7>

### 22 Dancing to Pop and Pirith

- Johnsson, A., Sharma, V. K., & Engelmann, W. (2012). The telegraph plant: *Codariocalyx motorius* (formerly also *Desmodium gyrans*). In A. G. Volkov (Ed.), *Plant electrophysiology: Signaling and responses* (pp. 85–123). Springer. <https://doi.org/10.1007/978-3-642-29110-4>
- Munasinghe, D. S. P., Weerakoon, S. R., & Somaratne, S. (2018). The effect of Buddhist pirith chanting and Western pop music on growth performance of “Pranajeewa”, *Codariocalyx motorius* (Houtt.) H. Ohashi. *Ceylon Journal of Science*, 47(4), 357–361. <https://doi.org/10.4038/cjs.v47i4.7553>
- Peter, P. K. (2021). *Do Plants sense music? An evaluation of the sensorial abilities of the Codariocalyx Motorius* [Doctoral dissertation,]. Universität zu Köln.
- Wang, M., Zheng, S., Han, J., Liu, Y., Wang, Y., Wang, W., Tang, X., & Zhou, C. (2023). Nyctinastic movement in legumes: Developmental mechanisms, factors and biological significance. *Plant, Cell & Environment*, 46(11), 3206–3217. <https://doi.org/10.1111/pce.14699>

### 23 The Original Paleo Diet

- Langley, M. C., Amano, N., Wedage, O., Deraniyagala, S., Pathmalal, M. M., Perera, N., Boivin, N., Petraglia, M. D., & Roberts, P. (2020). Bows and arrows and complex symbolic displays 48,000 years ago in the South Asian tropics. *Science Advances*, 6(24), 3831. <https://doi.org/10.1126/sciadv.aba383>
- Perera, N., Kourampas, N., Simpson, I. A., Deraniyagala, S. U., Bulbeck, D., Kamminga, J., Perera, J., Fuller, D. Q., Szabó, K., & Oliveira, N. V. (2011). People of the ancient rain-

- forest: Late Pleistocene foragers at the Batadomba-lena rockshelter, Sri Lanka. *Journal of Human Evolution*, 61(3), 254–269. <https://doi.org/10.1016/j.jhevol.2011.04.001>
- Picin, A., Wedage, O., Blinkhorn, J., Amano, N., Deraniyagala, S., Boivin, N., Roberts, P., & Petraglia, M. (2022). *Homo sapiens* lithic technology and microlithization in the South Asian rainforest at Kitulgala Beli-lena (c. 45–8,000 years ago). *Plos One*, 17(10), 0273450. <https://doi.org/10.1371/journal.pone.0273450>
- 24 Walls have ears**
- Hsu, M. H., Lin, J. W., Liao, C. P., Hsu, J. Y., & Huang, W. S. (2021). Trans-marine dispersal inferred from the salt-water tolerance of lizards from Taiwan. *PLoS One*, 16(2), 0247009. <https://doi.org/10.1371/journal.pone.0247009>
- Rocha, S., Trinks, A., Harris, D. J., Larson, G., & Cheke, A. S. (2022). The global and western Indian Ocean dispersal of house geckos from Asia using historical and mitochondrial DNA perspectives. *Frontiers in Ecology and Evolution*, 10, 791762. <https://doi.org/10.3389/fevo.2022.791762>
- 25 Predator Avoidance 2.0**
- Hendrick, L. K., Somjee, U., Rubin, J. J., & Kawahara, A. Y. (2022). A review of false heads in lycaenid butterflies. *The Journal of the Lepidopterists' Society*, 76(2), 140–148. <https://doi.org/10.18473/lepi.76i2.a6>
- Olofsson, M., Eriksson, S., Jakobsson, S., & Wiklund, C. (2012). Deimatic display in the European swallowtail butterfly as a secondary defence against attacks from great tits. *PLoS ONE*, 7(10), 47092. <https://doi.org/10.1371/journal.pone.0047092>
- Tan, E. J., Wilts, B. D., Tan, B. T., & Monteiro, A. (2020). What's in a band? The function of the color and banding pattern of the Banded Swallowtail. *Ecology and Evolution*, 10(4), 2021–2029. <https://doi.org/10.1002/ece3.6034>
- Zhang, Z. T., Yu, L., Chang, H. Z., Zhang, S. C., & Li, D. Q. (2024). Nature's disguise: Empirical demonstration of dead-leaf masquerade in Kallima butterflies. *Zoological Research*, 45(6). <https://doi.org/10.24272/j.issn.2095-8137.2024.025>
- 26 Blackface**
- Roscoe, C. J., Silva, M. A., Hapuarachchi, N. C., & Krishantha, P. R. (2013). A new color morph of the southern purple-faced langur (*Semnopithecus vetulus vetulus*) from the rainforests of southwestern Sri Lanka. *Primate Conservation*, 26(1), 115–124. <https://doi.org/10.1896/052.026.0110>
- 27 Not so fast**
- Pethiyagoda, R. (2007). *Pearls, spices and green gold: An Illustrated History of Biodiversity Exploration in Sri Lanka*. WHT Publications.
- 28 The allure of black panther**
- Pethiyagoda, R. (2025). *Foreword to Kotagama, S., The world of the black leopard*. Published by the Author.
- 29 Bounce**
- Pethiyagoda, R. (2023). The story of rubber. In R. Pethiyagoda (Ed.), *Green Gold—The Discovery of Sri Lanka's Biodiversity* (pp. 247–260). Dilmah Conservation.
- 30 What is a woman?**
- Avise, J. C. (2011). *Hermaphroditism: A primer on the biology, ecology, and evolution of dual sexuality*. Columbia University Press.
- Fresneau, N., Lee, Y. F., Lee, W. C., Kosztolányi, A., Székely, T., & Liker, A. (2021). Sex role reversal and high frequency of social polyandry in the pheasant-tailed jacana (*Hydrophasianus chirurgus*). *Frontiers in Ecology and Evolution*, 9, 742588. <https://doi.org/10.3389/fevo.2021.742588>
- Lehtonen, J., & Parker, G. A. (2014). Gamete competition, gamete limitation, and the evolution of the two sexes. *Molecular Human Reproduction*, 20(12), 1161–1168. <https://doi.org/10.1093/molehr/gau068>
- Lipshutz, S. E. (2017). Divergent competitive phenotypes between females of two sex-role-reversed species. *Behavioural Ecology and Sociobiology*, 71(7), 106. <https://doi.org/10.1007/s00265-017-2334-0>
- Lipshutz, S. E., Torneo, S. J., & Rosvall, K. A. (2023). How female-female competition affects male-male competition: Insights into postcopulatory sexual selection from socially polyandrous species. *The American Naturalist*, 201(3), 460–471. <https://doi.org/10.1086/722799>
- Pethiyagoda, R., & Gill, A. C. (2013). *Taxonomy and distribution of Indo-Pacific Lates. Biology and Culture of Asian Sea Bass—Lates calcarifer*. CRC Press.
- Sax, L. (2002). How common is Intersex? A response to Anne Fausto-Sterling. *Journal of Sex Research*, 39(3), 174–178. <https://doi.org/10.1080/00224490209552139>
- Trivers, R. L. (2017). Parental investment and sexual selection. In B. G. Campbell (Ed.), *Sexual selection and the descent of man* (pp. 136–179). <https://doi.org/10.4324/9781315129266>
- Whittington, C. M., & Friesen, C. R. (2020). The evolution and physiology of male pregnancy in syngnathid fishes. *Biological Reviews*, 95(5), 1252–1272. <https://doi.org/10.1111/brv.12607>
- 31 Lethal customs**
- Al Rashid, M. H., Bharawaj, P. V., Majumder, S., Mandal, V., Pal, M., & Mandal, S. C. (2018). Antioxidant and anticancer activity of extract and fractions obtained from *Diospyros melanoxylon* Roxb. Leaves and correlation with their polyphenolic profiles. *International Journal of Pharmacy and Pharmaceutical Science*, 10(11), 6–16.
- Amarasinghe, H. K., Usgodaarachchi, U. S., Johnson, N. W., Lalloo, R., & Warnakulasuriya, S. (2010). Betel-quid chewing with or without tobacco is a major risk factor for oral potentially malignant disorders in Sri Lanka: A case-control study. *Oral Oncology*, 46(4), 297–301. <https://doi.org/10.1016/j.oraloncology.2010.01.017>
- Guha, P. (2006). Betel leaf: The neglected green gold of India. *Journal of Human Ecology*, 19(2), 87–93.
- Gunjal, S., Pateel, D. G. S., Yang, Y. H., Doss, J. G., Bilal, S., Maling, T. H., Mehrotra, R., Cheong, S. C., & Zain, R. B. M. (2020). An overview on betel quid and areca nut practice and control in selected Asian and South East Asian countries. *Substance Use & Misuse*, 55(9), 1533–1544. <https://doi.org/10.1080/10816135.2020.1811111>

- [doi.org/10.1080/10826084.2019.1657149](https://doi.org/10.1080/10826084.2019.1657149)  
Jayawardena, P., Pathiraja, E., & Dissanayake, N. (2024). *Strategies to curb beedi and smokeless tobacco consumption in Sri Lanka*. Institute of Policy Studies. <https://www.ips.lk/wp-content/uploads/2024/12/Adaderana-Biz-English-27.06.2024.pdf>
- Lu, F., Yu, M., Chen, C., Liu, L., Zhao, P., Shen, B., & Sun, R. (2021). The emission of VOCs and CO from heated tobacco products, electronic cigarettes, and conventional cigarettes, and their health risk. *Toxics*, 10(1), 8. <https://doi.org/10.3390/toxics10010008>
- Molson, J. L., Sims, K., Murty, R., & Pickworth, W. B. (2001). Comparison of the nicotine content of tobacco used in bidis and conventional cigarettes. *Tobacco Control*, 10(2), 181–183. <https://doi.org/10.1136/tc.10.2.181>
- Marć, M., Bednarska, S., Hać, P., & Konieczka, P. (2024). Screening evaluation of the quality of commercially available cigars, cigarillos, and bidis based on emission levels of selected terpenes and terpenoids. *Microchemical Journal*, 205, 111366. <https://doi.org/10.1016/j.microc.2024.111366>
- Monographs, I. A. R. C. (2004). *Volume 85: Betel-quid and Areca-nut Chewing and Some Areca-nut-derived Nitrosamines*. World Health Organization.
- Senevirathna, K., Jayasinghe, Y. A., Jayawickrama, S. M., Amarasinghe, H., & Jayasinghe, R. D. (2023a). Oral cancer disease among the poor: A Sri Lankan context. *Oral*, 3(3), 420–436. <https://doi.org/10.3390/oral3030034>
- Senevirathna, K., Jayasinghe, Y. A., Jayawickrama, S. M., Amarasinghe, H., & Jayasinghe, R. D. (2023b). Oral cancer disease among the poor: A Sri Lankan context. *Oral*, 3(3), 420–436. <https://doi.org/10.3390/oral3030034>
- Seneviratne, H. L. (1978). *Rituals of the Kandyan state*. Cambridge University Press.
- Sumithrarachchi, S. R., Jayasinghe, R., & Warnakulasuriya, S. (2021). Betel quid addiction: A review of its addiction mechanisms and pharmacological management as an emerging modality for habit cessation. *Substance Use & Misuse*, 56(13), 2017–2025. <https://doi.org/10.1080/10826084.2021.1963990>
- Thilakarathne, B. K. G., Schensul, J. J., & DeMarsilis, A. (2025). Use of betel quid with and without tobacco and challenges to quitting among women attending a rural hospital in Sri Lanka. *BMC Oral Health*, 25(1), 966. <https://doi.org/10.1186/s12903-025-06338-y>
- Zain, R. B. (2001). Cultural and dietary risk factors of oral cancer and precancer—A brief overview. *Oral Oncology*, 37(3), 205–210. [https://doi.org/10.1016/S1368-8375\(00\)00133-0](https://doi.org/10.1016/S1368-8375(00)00133-0)
- 32 Tree of Life**
- Elevitch, C. R., & Manner, H. I. (2006). *Artocarpus heterophyllus* (jackfruit). *Species profiles for Pacific Island agroforestry*, 10(1). <https://growables.org/information/Tropical-Fruit/documents/Jackfruit.pdf>
- Gardner, E. M., Gagné, R. J., Kendra, P. E., Montgomery, W. S., Raguso, R. A., McNeil, T. T., & Zerega, N. J. (2018). A flower in fruit's clothing: Pollination of jackfruit (*Artocarpus heterophyllus*, Moraceae) by a new species of gall midge, *Clinodiplosis ultracrepidata* sp. nov. *International Journal of Plant Sciences*, 179(5), 350–367. <https://doi.org/10.1086/697115>
- Lin, X., Feng, C., Lin, T., Harris, A. J., Li, Y., & Kang, M. (2022). Jackfruit genome and population genomics provide insights into fruit evolution and domestication history in China. *Horticulture Research*, 9, 173. <https://doi.org/10.1093/hr/uhac173>
- Raguso, R. A. (2020). Functions of essential oils and natural volatiles in plant-insect interactions. In K. H. C. Baser (Ed.), *Handbook of Essential Oils* (pp. 481–496). CRC Press. <https://doi.org/10.1201/9781351246460>
- Ranasinghe, R. A. S. N., Maduwanthi, S. D. T., & Marapana, R. A. U. J. (2019). Nutritional and health benefits of jackfruit (*Artocarpus heterophyllus* Lam.): A review. *International journal of food science*, 2019(1), 4327183. <https://doi.org/10.1155/2019/4327183>
- Vankar, P. S., Shanker, R., & Wijayapala, S. (2011). Dyeing of cotton, silk and wool with bark extract of *Artocarpus heterophyllus* Lam. *Research Journal of Textile and Apparel*, 15(2), 52–60. <https://doi.org/10.1108/RJTA-15-02-2011-B006>
- Zerega, N. J., Ragone, D., & Motley, T. J. (2005). Systematics and species limits of breadfruit (*Artocarpus*, Moraceae). *Systematic Botany*, 30(3), 603–615. <https://doi.org/10.1600/0363644054782134>
- 33 Flexing it for the gals?**
- Jayasekara, E. G. D. P., Mahaulpatha, W. A. D., & Silva, A. (2018). Habitat utilization of endangered rhino horned lizard (*Ceratophora stoddartii*) (Sauria: Agamidae) in the Horton Plains National Park, Sri Lanka. *Journal of Entomology and Zoology Studies*, 6(4), 1544–1549.
- Johnston, G. R., Lee, M. S. Y., & Surasinghe, T. D. (2013). Morphology and allometry suggest multiple origins of rostral appendages in Sri Lankan agamid lizards. *Journal of Zoology*, 289(1), 1–9. <https://doi.org/10.1111/j.1469-7998.2012.00962.x>
- Macey, J. R., Schulte, J. A., Larson, A., Ananjeva, N. B., Wang, Y., Pethiyagoda, R., Rastegar-Pouyani, N., & Papenfuss, T. J. (2000). Evaluating trans-Tethys migration: An example using acrodont lizard phylogenetics. *Systematic Biology*, 49(2), 233–256. <https://doi.org/10.1093/sysbio/49.2.233>
- Pethiyagoda, R., & Manamendra-Arachchi, K. (1998). A revision of the endemic Sri Lankan agamid lizard genus *Ceratophora* Gray, 1835, with description of two new species. *Journal of South Asian Natural History*, 3(1), 1–50.
- Schulte, J. A., II, Macey, J. R., Pethiyagoda, R., & Larson, A. (2002). Rostral horn evolution among agamid lizards of the genus *Ceratophora* endemic to Sri Lanka. *Molecular Phylogenetics and Evolution*, 22(1), 111–117. <https://doi.org/10.1006/mpev.2001.1041>
- Somaweera, R., Wijayathilaka, N., Bowatte, G., & Meegaskumbura, M. (2015). Conservation in a changing landscape: Habitat occupancy of the critically endangered Tennent's leaf-nosed lizard (*Ceratophora tennentii*) in Sri Lanka. *Journal of Natural History*, 49(31–32), 1961–1985. <https://doi.org/10.1080/00222933.2015.1006280>
- 34 Cardamom Country**
- Debnath, S., & Vijayan, D. (2024). Diversity, phytogeographical distribution, endemism and conservation status of Zingib-

- eraceae in India. *Plant Science Today*, 11(2), 72–78.
- Jayasinghe, U., & Rambodagedara, M. (2016). *Cardamom Cultivation in Knuckles Conservation Forest: Environmental and Socio-economic Perspective*. Hector Kobbekaduwa Agrarian Research and Training Institute. [https://www.harti.gov.lk/images/download/reasearch\\_report/new/research\\_report\\_196\\_f.pdf](https://www.harti.gov.lk/images/download/reasearch_report/new/research_report_196_f.pdf)
- Poulsen, A. D., Fér, T., Marasinghe, L. D. K., Sabu, M., Hughes, M., Valderrama, E., & Leong-Škorničková, J. (2024). The cardamom conundrum resolved: Recircumscription and placement of *Elettaria* in the only pantropically distributed ginger lineage. *Taxon*, 73(5), 1187–1213. <https://doi.org/10.1002/tax.13242>
- Poulsen, A. D., Tom, D., Tarere, D., & Magun, T. (2024). A re-evaluation of generic placement of four names of *Phaeomeria* species (Zingiberaceae) east of Wallace's Line. *Blumea-Biodiversity, Evolution and Biogeography of Plants*, 69(2), 122–129. <https://doi.org/10.3767/blumea.2024.69.02.02>
- Preethy, T. T., Dhanya, M. K., Aswathy, T. S., Sathyan, T., Backiyarani, S., & Murugan, M. (2022). Assessment of genetic diversity of small cardamom (*Elettaria cardamomum* M.) in India. *Indian Journal of Plant Genetic Resources*, 35(02), 169–177. <https://doi.org/10.5958/0976-1926.2022.00017.1>
- Weerawardhena, S. R., & Russell, A. P. (2012). Historical land-use patterns in relation to conservation strategies for the Riverstone area, the Knuckles massif, Sri Lanka: Insights gained from the recovery of anuran communities. *Taprobanica: The Journal of Asian Biodiversity*, 4(2), 92–102.
- 35 Man bites dog**
- Alamsyah, F., & Ito, M. (2013). Phylogenetic analysis of Nepenthaceae, based on internal transcribed spacer nuclear ribosomal DNA sequences. *Acta Phytotaxonomica et Geobotanica*, 64(3), 113–126. <https://doi.org/10.18942/ajpg.KJ00008918921>
- Bainbrigge, F. T. (1907). Description of a new plume-moth from Ceylon, with some remarks upon its life-history. *Spolia Zeylanica* 5, 20–32. <https://www.biodiversitylibrary.org/page/11165984>
- Beaver, R. A. (1985). Geographical variation in food web structure in *Nepenthes* pitcher plants. *Ecological Entomology*, 10(3), 241–248. <https://doi.org/10.1111/j.1365-2311.1985.tb00720.x>
- Biswal, D. K., Debnath, M., Konhar, R., Yanthan, S., & Tandon, P. (2018). Phylogeny and biogeography of carnivorous plant family Nepenthaceae with reference to the Indian pitcher plant *Nepenthes khasiana* reveals an Indian subcontinent origin of *Nepenthes* colonization in South East Asia during the Miocene epoch. *Frontiers in Ecology and Evolution*, 6, 108. <https://doi.org/10.3389/fevo.2018.00108>
- Bittleston, L. S. (2018). Commensals of *Nepenthes* pitchers. In E. in, A.M., & L. Adamec (Eds), *Carnivorous plants: Physiology, ecology, and evolution* (pp. 314–332). Oxford University Press. <https://www.scribd.com/document/719402037/Carnivorous-Plants-Physiology-ecology-and-evolution-2018-OUP-Oxford>
- Gogoi, B., & Bhau, B. S. (2018). DNA barcoding of the genus *Nepenthes* (Pitcher plant): A preliminary assessment towards its identification. *BMC Plant Biology*, 18(1), 153. <https://doi.org/10.1186/s12870-018-1375-5>
- Juniper, B. E., Robins, R. J., & Joel, D. M. (1989). *The carnivorous plants*. Academic Press. [https://doi.org/10.1016/0169-5347\(89\)90030-X](https://doi.org/10.1016/0169-5347(89)90030-X)
- Meimberg, H., Wistuba, A., Ditttrich, P., & Heubl, G. (2001). Molecular phylogeny of Nepenthaceae based on cladistic analysis of plastid trnK intron sequence data. *Plant Biology*, 3(2), 164–175. <https://doi.org/10.1055/s-2001-12897>
- Roman-Palacios, C., Scholl, J. P., & Wiens, J. J. (2019). Evolution of diet across the animal tree of life. *Evolution Letters*, 3(4), 339–347. <https://doi.org/10.1002/evl3.127>
- Speed, J. D. M., Austrheim, G., & Solberg, E. J. (2023). *Trophic level biomass ratios*. <https://ninanor.github.io/ecosystemCondition/trophic-level-biomass-ratios.html>
- 36 You take the Sky Road**
- Ekanayake, K. B., Gnanapragasam, J. J., Ranawana, K., Vidanapathirana, D. R., Abeyawardhana, U. T., Fernando, C., McQueen, A., Weston, M. A., & Symonds, M. R. (2022). Ecological and environmental predictors of escape among birds on a large tropical island. *Behavioural Ecology and Sociobiology*, 76(2), 31. <https://doi.org/10.1007/s00265-022-03138-0>
- Laguë, S. L. (2017). High-altitude champions: Birds that live and migrate at altitude. *Journal of Applied Physiology*, 123(4), 942–950. <https://doi.org/10.1152/jappphysiol.00110.2017>
- Newton, I. (2025). Migration mortality in birds. *Ibis*, 167(1), 106–123. <https://doi.org/10.1111/ibi.13316>
- Panagoda, G., Wijethunge, I. K., Zhang, B., Meng, F., Chen, Y., Kotagama, S., Mundkur, T., Balachandran, S., Cao, L., & Seneviratne, S. S. (2025). From tropical shores to high-altitude lakes: Preliminary assessment of trans-Himalayan migration of Brown-headed Gulls *Chroicocephalus brunnicephalus* between Sri Lanka and the Tibetan Plateau. *Marine Ornithology*, 53, 315–330. <https://doi.org/10.5038/2074-1235.53.2.1660>
- Panagoda, G., Wijethunge, I. K., Zhang, B., Meng, F., Liu, Y., Kotagama, S., Mundkur, T., Balachandran, S., Cao, L., & Seneviratne, S. S. (2025). A transcontinental migratory passage linking the Indian Ocean with the Arctic Ocean: Migration of Heuglin's Gulls from tropics to Arctic. *Biotropica*, 57(3), 70045. <https://doi.org/10.1111/btp.70045>
- Ramsar Sites Information Service*. (2010, July 12). <https://rsis.ramsar.org/ris/1910>
- Zurell, D., Graham, C. H., Gallien, L., Thuiller, W., & Zimmermann, N. E. (2018). Long-distance migratory birds threatened by multiple independent risks from global change. *Nature Climate Change*, 8(11), 992–996. <https://doi.org/10.1038/s41558-018-0312-9>
- 37 Seeing Red**
- Archetti, M., Döring, T. F., Hagen, S. B., Hughes, N. M., Leather, S. R., Lee, D. W., Lev-Yadun, S., Manetas, Y., Ougham, H. J., Schaberg, P. G., & Thomas, H. (2009). Unravelling the evolution of autumn colours: An interdisciplinary approach. *Trends in Ecology & Evolution*, 24(3), 166–173.
- Borges, R.M., Gowda, V. and Zacharias, M. (2003). Butterfly

- pollination and high-contrast visual signals in a low-density distylous plant. *Oecologia*, 136(4), 571–573. <https://doi.org/10.1007/s00442-003-1336-y>
- Dominy, N. J., Lucas, P. W., Osorio, D., & Yamashita, N. (2001). The sensory ecology of primate food perception. *Evolutionary Anthropology*, 10(5), 171–186.
- Döring, T. F., Archetti, M., & Hardie, J. (2009). Autumn leaves seen through herbivore eyes. *Proceedings of the Royal Society B: Biological Sciences*, 276(1654), 121–127. <https://doi.org/10.1098/rspb.2008.0858>
- Hamilton, W. D., & Brown, S. P. (2001). Autumn tree colours as a handicap signal. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 268(1475), 1489–1493. <https://doi.org/10.1098/rspb.2001.1672>
- Hoch, W. A., Zeldin, E. L., & McCown, B. H. (2001). Physiological significance of anthocyanins during autumnal leaf senescence. *Tree Physiology*, 21(1), 1–8. <https://doi.org/10.1093/treephys/21.1.1>
- Janzen, D. H. (1974). Tropical blackwater rivers, animals, and mast fruiting by the Dipteroocarpaceae. *Biotropica*, 69–103. <https://doi.org/10.2307/2989823>
- Kursar, T. A., & Coley, P. D. (1992). Delayed greening in tropical leaves: An antiherbivore defence? *Biotropica*, 256–262. <https://doi.org/10.2307/2388520>
- Lev-Yadun, S. (n.d.). *Defensive (anti-herbivory) colouration in land plants: Anti-herbivory plant colouration and morphology*. Springer. <https://doi.org/10.1007/978-3-319-42096-7>
- Woodall, G. S., & Stewart, G. R. (1998). Do anthocyanins play a role in UV protection of the red juvenile leaves of *Syzygium*? *Journal of Experimental Botany*, 49(325), 1447–1450. <https://doi.org/10.1093/jxb/49.325.1447>
- 38 Someone sank the Ark**
- Anonymous. (2020). *The National Red List: Conservation status of the flora of Sri Lanka*. Biodiversity Secretariat. <https://lk.chm-cbd.net/sites/lk/files/2022-06/The%20National%20Red%20List%202020-The%20Conservation%20Status%20of%20the%20Flora%20of%20Sri%20Lanka.pdf>
- Deraniyagala, S. U. (1988). *The prehistory of Sri Lanka: An ecological perspective*. Harvard University.
- Gagan, M. K., Ayliffe, L. K., Puspaningrum, M. R., Bergh, G. D., Scroton, N., Hantoro, W. S., Scott-Gagan, H., Condie, S. A., Edwards, R. L., Cheng, H., & Zhao, J. X. (2025). Onset of summer aridification and the decline of *Homo floresiensis* at Liang Bua 61,000 years ago. *Communications Earth & Environment*, 6(1), 992. <https://doi.org/10.1038/s43247-025-02961-3>
- Jayasinghe, H. D. (2025). *Discovery: Additions to the flora of Ceylon*. Dilmah Conservation.
- Larramendi, A., 2015. Shoulder height, body mass, and shape of proboscideans. *Acta Palaeontologica Polonica*, 61(3), 537–574. <https://doi.org/10.4202/app.00136.2014>
- Larramendi, A., 2025. Estimating tusk masses in proboscideans: a comprehensive analysis and predictive model. *Historical Biology*, 37(1), 45–58. <https://doi.org/10.1080/08912963.2023.2286272>
- Manamendra-Arachchi, K. (2005). A second extinct big cat from the Late Quaternary of Sri Lanka. *Raffles Bulletin of Zoology, Supplement 12*, 423–434.
- Nanova, O., Cooper, D. M., Kitchener, A. C., Kerley, G. I., Gnoske, T. P., Kerbis Peterhans, J. C., Simeonovski, V., Patterson, B. D., Macdonald, D. W., & Yamaguchi, N. (2024). Skull morphology analysis suggests the extinct Cape lion, *Panthera leo melanochaita* (Smith, 1842), is not distinctive. *Scientific Reports*, 14(1), 24251. <https://doi.org/10.1038/s41598-024-74225-7>
- Premathilake, R., & Risberg, J. (2003). Late Quaternary climate history of the Horton Plains, central Sri Lanka. *Quaternary Science Reviews*, 22(14), 1525–1541. [https://doi.org/10.1016/S0277-3791\(03\)00128-8](https://doi.org/10.1016/S0277-3791(03)00128-8)
- Rodrigo, K., & Bohingamuwa, W. (2025). Revisiting *Panthera leo sinhaleyus*: Morphological insights and evolutionary implications from the holotype specimen from Sri Lanka. *Annales de Paléontologie*, 111(3), 102872. <https://doi.org/10.1016/j.annpal.2025.102872>
- 39 Top Cat**
- Chu, N., Cornwell, W. and Letnic, M., 2021. Mistletoes facilitate a desert herbivore by improving the quality of shade. *Ecosystems*, 24(6), 1393–1401. <https://doi.org/10.1007/s10021-020-00590-9>
- Kittle, A. M., & Watson, A. C. (2018). Density of leopards (*Panthera pardus kotiya*) in Horton Plains National Park in the Central Highlands of Sri Lanka. *Mammalia*, 82(2), 183–187. <https://doi.org/10.1515/mammalia-2016-0139>
- Kittle, A. M., Watson, A. C., & Fernando, T. S. P. (2017). The ecology and behaviour of a protected area Sri Lankan leopard (*Panthera pardus kotiya*) population. *Tropical Ecology*, 58(1), 71–86.
- Rodrigo, P., Anawarathna, C., Weerasinghe, H., Kumara, A., Gunathilake, C., Sigera, S., Wishmith, P., Mendis, V., Dhananjani, T., Dissanayaka, W., & Samaranyaka, D. (2025). Occupancy, population density, and activity patterns of endangered Sri Lankan leopard (*Panthera pardus kotiya*) in Kumana National Park, Sri Lanka. *Journal of Asia-Pacific Biodiversity*, 18, 416–426. <https://doi.org/10.1016/j.japb.2025.01.008>
- Samarasinghe, D. J., Wikramanayake, E. D., Gopaldaswamy, A. M., Jayewardene, R., Kumara, J., Fernando, J., Gunawardene, K., Alexander, J. S., & Braczkowski, A. (2022). Evidence for a critical leopard conservation stronghold from a large protected landscape on the island of Sri Lanka. *Global Ecology and Conservation*, 37, 02173. <https://doi.org/10.1016/j.gecco.2022.e02173>
- Santiapillai, C., Chambers, M. R., & Ishwaran, N. (1982). The leopard (*Panthera pardus fusca*) (Meyer 1794) in the Ruhuna National Park, Sri Lanka. *Biological Conservation*, 23(1), 5–14. [https://doi.org/10.1016/0006-3207\(82\)90050-7](https://doi.org/10.1016/0006-3207(82)90050-7)
- Silva, D., Wattegedera, M., Piyasena, M., Siriwardene, R., Hewage, S., Sooriyabandara, M. G. C., Marasinghe, M. S. L. R. P., Nilanthi, R. M., Wimaladasa, P., Ranasinghe, G., & Perera, K. (2025). A leopard cub (*Panthera pardus kotiya*) adopted by kin and non-kin leopards consecutively. *Ecology and Evolution*, 15(2), 70952. <https://doi.org/10.1002/ece3.70952>
- Uduman, A., Hagerman, S., Kroc, E., Watson, A., Kittle, A., & Burton, A. C. (2022). Attitudes towards the Sri Lankan leopard (*Panthera pardus kotiya*) in two rural communities. *Oryx*, 56(4), 528–536. <https://doi.org/10.1017/S0030605321000247>

Wattegedera, M., Silva, D., Sooriyabandara, C., Wimaladasa, P., Siriwardena, R., Piyasena, M., Marasinghe, R. M., Hathurusinghe, B. M., Nilanthi, R. M., Gunawardena, S., & Peiris, H. (2022). A multi-point identification approach for the recognition of individual leopards (*Panthera pardus kotiya*). *Animals*, 12(5), 660. <https://doi.org/10.3390/ani12050660>

#### 40 Sri Lanka's African Cousins

Lavoué, S. (2020). Origins of Afrotropical freshwater fishes. *Zoological Journal of the Linnean Society*, 188(2), 345–411. <https://doi.org/10.1093/zoolinnean/zl2039>

Nelson, J. S., Grande, T. C., & Wilson, M. V. (2016). *Fishes of the World*. John Wiley & Sons.

Pethiyagoda, R., & Sudasinghe, H. (2021). *Ecology and biogeography of Sri Lanka: A context for freshwater fishes*. WHT Publications. <https://www.hiranya.me/uploads/1/2/1/5/121509091/pethiyagoda-sudasinghe-2021-the-ecology-and-biogeography-of-sri-lanka-lowr.pdf>

Sudasinghe, H., Pethiyagoda, R., Raghavan, R., Dahanukar, N., Rueber, L., & Meegaskumbura, M. (2020). Diversity, phylogeny and biogeography of *Systemus* (Teleostei, Cyprinidae) in Sri Lanka. *Zoologica Scripta*, 49(6), 710–731. <https://doi.org/10.1111/zsc.12445>

Yang, L., Sado, T., Hirt, M. V., Pasco-Viel, E., Arunachalam, M., Li, J., Wang, X., Freyhof, J., Saitoh, K., Simons, A. M., & Miya, M. (2015). Phylogeny and polyploidy: Resolving the classification of cyprinine fishes (Teleostei: Cypriniformes). *Molecular Phylogenetics and Evolution*, 85, 97–116. <https://doi.org/10.1016/j.ympev.2015.01.014>

#### 41 Only here and nowhere else

Beardsworth, A., & Keil, T. (1997). *Sociology on the Menu: An Invitation to the Study of Food and Society*. Routledge.

Bligh, W. (1792). *A Voyage to the South Sea*. George Nicol.

Crowley, R. (2015). *Conquerors: How Portugal Forged the First Global Empire*. Faber & Faber.

Dassanayake, M. D., Fosberg, F. R., & Shaffer-Fehre, M. (Eds). (1980). *A Revised Handbook to the Flora of Ceylon* (Vol. 16). Oxford & IBH Publishing Co.

Gardens, K. R. B. (2024). *Plants of the World Online*. <https://powo.science.kew.org/>

Kostermans, A. J. G. H. (1980). Notes on Ceylonese plants I. *Miscellaneous Papers Landbouwhogeschool (Wageningen)*, 19, 205–230.

Peris, K. (2016). The mango in the Democratic Socialist Republic of Sri Lanka; Chapter: 19 in Sâlim, M.i.B.i. *Mango Tree Encyclopaedia*, 337–370.

Ragone, D. (1997). Breadfruit, *Artocarpus altilis* (Parkinson): Fosberg (Vol. 10). Biodiversity International.

World Conservation Monitoring Centre (1998) *Dovyalis hebecarpa*. *The IUCN Red List of Threatened Species*. (n.d.). Retrieved <https://www.iucnredlist.org/>

Zerega, N. J. C. (2003). *Molecular phylogenetic and genome-wide analyses of Artocarpus (Moraceae): Implications for the systematics, origins, human-mediated dispersal, and conservation of breadfruit*. New York University.

#### 42 With its head in the clouds

Bubb, P., May, I. A., Miles, L., & Sayer, J. (2004). *Cloud forest agenda*. UNEP World Conservation Monitoring Centre.

<https://www.ircwash.org/sites/default/files/Bubb-2004-Clouds.pdf>

Cuni-Sanchez, A., Martin, E. H., Uzabaho, E., Ngute, A. S., Bitariho, R., Kayijamahe, C., Marshall, A. R., Mohamed, N. A., Mseja, G. A., Nkwasiwe, A., & Rovero, F. (2024). Evidence of thermophilization in Afromontane forests. *Nature Communications*, 15(1), 5554. <https://doi.org/10.1038/s41467-024-48520-w>

Dunn, B., & Poudel, M. (2023). *Greenhouse Carbon Dioxide Supplementation*. <https://extension.okstate.edu/fact-sheets/greenhouse-carbon-dioxide-supplementation.html>

Duque, A., Stevenson, P. R., & Feeley, K. J. (2015). Thermophilization of adult and juvenile tree communities in the northern tropical Andes. *Proceedings of the National Academy of Sciences*, 112(34), 10744–10749. <https://doi.org/10.1073/pnas.1506570112>

Mao, J., Ribes, A., Yan, B., Shi, X., Thornton, P. E., Séférian, R., Ciais, P., Myneni, R. B., Douville, H., Piao, S., & Zhu, Z. (2016). Human-induced greening of the northern extratropical land surface. *Nature Climate Change*, 6(10), 959–963. <https://doi.org/10.1038/nclimate3056>

Pethiyagoda, R. (2012). *These magnificent Horton Plains*. WHT Publications. [https://www.hiranya.me/uploads/1/2/1/5/121509091/horton\\_plains\\_lr.pdf](https://www.hiranya.me/uploads/1/2/1/5/121509091/horton_plains_lr.pdf)

Pounds, J. A., Fogden, M. P., & Campbell, J. H. (1999). Biological response to climate change on a tropical mountain. *Nature*, 398(6728), 611–615. <https://doi.org/10.1038/19297>

Venter, Z. S., Cramer, M. D., & Hawkins, H. J. (2018). Drivers of woody plant encroachment over Africa. *Nature Communications*, 9(1), 2272. <https://doi.org/10.1038/s41467-018-04616-8>

Winkler, A. J., Myneni, R. B., Hannart, A., Sitch, S., Haverd, V., Lombardozi, D., Arora, V. K., Pongratz, J., Nabel, J. E., Goll, D. S., & Kato, E. (2021). Slowdown of the greening trend in natural vegetation with further rise in atmospheric CO<sub>2</sub>. *Biogeosciences*, 18(17), 4985–5010. <https://doi.org/10.5194/bg-18-4985-2021>

Xu, L. (2021). Changes in global terrestrial live biomass over the 21st century. *Science Advances*, 7, 9829. <https://doi.org/10.1126/sciadv.abe9829>

Xu, Z., Jiang, Y., Jia, B., & Zhou, G. (2016). Elevated-CO<sub>2</sub> response of stomata and its dependence on environmental factors. *Frontiers in Plant Science*, 7, 169580. <https://doi.org/10.3389/fpls.2016.00657>

Zhu, Z., Piao, S., Myneni, R. B., Huang, M., Zeng, Z., Canadell, J. G., Ciais, P., Sitch, S., Friedlingstein, P., Arneeth, A., & Cao, C. (2016). Greening of the Earth and its drivers. *Nature Climate Change*, 6(8), 791–795. <https://doi.org/10.1038/nclimate3004>

#### 43 The Road to Not Zero

Andersson, M., Nerlich, C., Pasqua, C., & Rusinova, D. (2024). Massive investment needs to meet EU green and digital targets. In “*Financial Integration and Structure in the Euro Area 2024*”. European Central Bank. [https://www.ecb.europa.eu/press/fie/box/html/ecb.fiebox202406\\_01.en.html](https://www.ecb.europa.eu/press/fie/box/html/ecb.fiebox202406_01.en.html)

Carle, H., Bauman, D., Evans, M. N., Coughlin, I., Binks, O., Ford, A., Bradford, M., Nicotra, A., Murphy, H., & Meir, P. (2025). Aboveground biomass in Australian tropical

- forests now a net carbon source. *Nature*, 646(8085), 611–618. <https://doi.org/10.1038/s41586-025-09497-8>
- Costa, W. A. J. M. (2008). Climate change in Sri Lanka: Myth or reality? Evidence from long-term meteorological data. *Journal of the National Science Foundation of Sri Lanka*, 36, 63–88.
- Ediriweera, S., Bandara, C., Lakkana, T., Jayasinghe, S., Woodbury, D., Dayanandan, A., Singhakumara, B. M. P., Mi, X., Gunatilleke, I. A. U. N., Gunatilleke, C. V. S., & Ashton, M. S. (2024). Old-growth mixed dipterocarp forests show variable losses and gains in aboveground biomass and standing carbon over forty years. *Forest Ecosystems*, 11, 100163. <https://doi.org/10.1016/j.fecs.2023.100163>
- Environment, M. (2023). *Carbon Net Zero 2050 Roadmap and strategic plan. Ministry of Environment, Colombo*. [https://www.climatechange.lk/CN22050\\_Synthesis%20Report.pdf](https://www.climatechange.lk/CN22050_Synthesis%20Report.pdf)
- Mitchard, E. T. (2018). The tropical forest carbon cycle and climate change. *Nature*, 559(7715), 527–534. <https://doi.org/10.1038/s41586-018-0300-2>
- Oppenheimer, M., Glavovic, B. C., Hinkel, J., Wal, R., Magnan, A. K., Abd-Elgawad, A., Cai, R., Cifuentes-Jara, M., DeConto, R. M., Ghosh, T., Hay, J., Isla, F., Marzeion, B., Meyssignac, B., & Sebesvari, Z. (2019). Sea level rise and implications for low-lying islands, coasts and communities (Chapter 4. In H.-O. Pörtner (Ed.), *IPCC special report on the ocean and cryosphere in a changing climate* (pp. 321–446). Cambridge University Press. <https://doi.org/10.1017/9781009157964.006>
- Palamakumbure, L., Ratnayake, A. S., Premasiri, H. R., Ratnayake, N. P., Katupotha, J., Dushyantha, N., Weththasinghe, S., & Weerakoon, W. P. (2020). Sea-level inundation and risk assessment along the south and southwest coasts of Sri Lanka. *Geoenvironmental Disasters*, 7(1), 17. <https://doi.org/10.1186/s40677-020-00154-y>
- #### 44 Sapiens
- Aragon, J. A. U., Bandyopadhyay, E., Fernando, A. S., Fuente Castro, C., Welikala, A. H., Biddanda, A., Witonsky, D., Sander, N., Kotelawala, J. T., Pasupuleti, N., & Steinrück, M. (2025). Population histories of the Indigenous Adivasi and Sinhalese from Sri Lanka using whole genomes. *Current Biology*, 35(11), 2554–2566. <https://doi.org/10.1016/j.cub.2025.04.039>
- Deraniyagala, S. U. (1992). *The prehistory of Sri Lanka: An ecological perspective*. Department of Archaeological Survey.
- Dharmadasa, K. N. O. (1990). The Veddas' Struggle for Survival: Problems, Policies and Responses. In K. N. O. Dharmadasa (Ed.), *The vanishing aborigines* (pp. 141–176). Vikas Publications.
- Gandini, F., Almeida, M., Foody, M. G. B., Nagle, N., Bergström, A., Olivieri, A., Rodrigues, S., Fichera, A., Oteo-Garcia, G., Torroni, A., & Achilli, A. (2025). Genomic evidence supports the “long chronology” for the peopling of Sahul. *Science Advances*, 11(48), 9493.
- Kulatilake, S. (2016). *The peopling of Sri Lanka from pre-historic to historic times: Biological and archaeological evidence. A companion to South Asia in the past* (pp. 426–436). <https://doi.org/10.1002/9781119055280.ch27>
- Kushniarevich, A., Utevska, O., Chuhryaeva, M., Agdzhoian, A., Dibirova, K., Uktveryte, I., Möls, M., Mulahasanovic, L., Pshenichnov, A., Frolova, S., & Shanko, A. (2015). Genetic heritage of the Balto-Slavic speaking populations: A synthesis of autosomal, mitochondrial and Y-chromosomal data. *PLoS One*, 10(9), 0135820. <https://doi.org/10.1371/journal.pone.0135820>
- Metspalu, M., Mondal, M., & Chaubey, G. (2018). The genetic makings of South Asia. *Current Opinion in Genetics & Development*, 53, 128–133. <https://doi.org/10.1016/j.gde.2018.09.003>
- Ranaweera, L., Kaewsutthi, S., Win Tun, A., Boonyarit, H., Poolsuwan, S., & Lertrit, P. (2014). Mitochondrial DNA history of Sri Lankan ethnic people: Their relations within the island and with the Indian subcontinental populations. *Journal of Human Genetics*, 59(1), 28–36. <https://doi.org/10.1038/jhg.2013.112>
- Seligmann, C. G., & Seligmann, B. Z. (1911). *The Veddas*. Cambridge University Press.
- Welikala, A., Desai, S., Singh, P. P., Fernando, A., Thangaraj, K., Driem, G., Adikari, G., Tennekoon, K., Chaubey, G., & Ranasinghe, R. (2024). The genetic identity of the Vedda: A language isolate of South Asia. *Mitochondrion*, 76, 101884. <https://doi.org/10.1016/j.mito.2024.101884>
- #### 45 Life Everlasting
- Dai, X., Li, X., Tyshkovskiy, A., Zuckerman, C., Cheng, N., Lin, P., Paris, D., Qureshi, S., Kruglyak, L., Mao, X., & Nandakumar, J. (2025). Regeneration leads to global tissue rejuvenation in aging sexual planarians. *Nature Aging*, 5, 780–798. <https://doi.org/10.1038/s43587-025-00847-9>
- Handberg-Thorsager, M., Fernandez, E., & Salo, E. (2008). Stem cells and regeneration in planarians. *Frontiers in Bioscience*, 13, 6374–6394.
- Ogren, R. E., & Sluys, R. (2001). The genus *Humbertium* gen. Nov., a new taxon of the land planarian family Bipalidae (Tricladida, Terricola). *Belgian Journal of Zoology*, 131(Supplement 1), 201–204.
- Selvamurugan, S., Balasubramanian, U., & Vasanthi, K. (2021). New record of *Humbertium proserpina* (Humbert, 1862) from Tenkasi District, Tamil Nadu, India. *International Journal of Agricultural and Applied Sciences*, 2(1), 137–140. <https://doi.org/10.52804/ijaas2021.2117>
- Stokes, A. N., Ducey, P. K., Neuman-Lee, L., Hanifin, C. T., French, S. S., Pfreder, M. E., & Brodie. (2014). Confirmation and distribution of tetrodotoxin for the first time in terrestrial invertebrates: Two terrestrial flatworm species (*Bipalium adventitium* and *Bipalium kewense*). *PLoS One*, 9(6), 100718. <https://doi.org/10.1371/journal.pone.0100718>
- #### 46 No sex please, we're Indian
- Ali, S., & Ripley, S. D. (1996). *Handbook of the Birds of India and Pakistan: Together with those of Bangladesh* (2nd edn, Vol. 7). Oxford University Press.
- Andersson, M. (1982). Female choice selects for extreme tail length in a widowbird. *Nature*, 299(5886), 818–820. <https://doi.org/10.1038/299818a0>
- Bristol, R. M., Fabre, P. H., Irestedt, M., Jønsson, K. A., Shah, N. J., Tatayah, V., Warren, B. H., & Groombridge, J. J. (2013). Molecular phylogeny of the Indian Ocean *Terpsiphone* paradise flycatchers: Undetected evolutionary diversity revealed amongst island populations. *Molecular Phy-*

- logenetics and Evolution*, 67(2), 336–347. <https://doi.org/10.1016/j.ympev.2013.01.019>
- Harrison, J. (2011). *A field guide to the birds of Sri Lanka*. Oxford University Press.
- Hawkins, G. L., Hill, G. E., Mercadante, A., Hawkins, G. L., Hill, G. E., & Mercadante, A. (2012). Delayed plumage maturation and delayed reproductive investment in birds. *Biological Reviews*, 87(2), 257–274.
- Lank, D. B. (2002). Diverse processes maintain plumage polymorphisms in birds. *Journal of Avian Biology*, 33(4), 327–330.
- Mizuta, T. (2002). Breeding biology of the Madagascar Paradise Flycatcher, *Terpsiphone mutata*, with special reference to plumage variation in males. *Ostrich-Journal of African Ornithology*, 73(1–2), 67–69. <https://doi.org/10.2989/00306520209485358>
- Mizuta, T. (2003). The development of plumage polymorphism in male Madagascar paradise flycatcher *Terpsiphone mutata*. *African Journal of Ecology*, 41(2), 124–130. <https://doi.org/10.1046/j.1365-2028.2003.00384.x>
- Mizuta, T., & Yamagishi, S. (1998). Breeding biology of monogamous Asian Paradise Flycatcher *Terpsiphone paradisi* (Aves: Monarchinae): A special reference to colour dimorphism and exaggerated long tails in male. *Raffles Bulletin of Zoology*, 46(1), 101–112.
- Mulder, R. A., Ramiarison, R., & Emahalala, R. E. (2002a). Ontogeny of male plumage dichromatism in Madagascar paradise flycatchers *Terpsiphone mutata*. *Journal of Avian Biology*, 33(4), 342–348. <https://doi.org/10.1034/j.1600-048X.2002.02888.x>
- Mulder, R. A., Ramiarison, R., & Emahalala, R. E. (2002b). Ontogeny of male plumage dichromatism in Madagascar paradise flycatchers *Terpsiphone mutata*. *Journal of Avian Biology*, 33(4), 342–348. <https://doi.org/10.1034/j.1600-048X.2002.02888.x>
- Rasmussen, P. C., & Anderton, J. C. (2005). *Birds of south Asia: The Ripley guide* (Vol. 2, pp. 1–378).
- Rodrigo, M. (2025). A migrating flycatcher returning to the same Sri Lankan garden sparks interest in birders. *Mongabay*. <https://news.mongabay.com/2025/05/a-migrating-flycatcher-returning-to-the-same-sri-lankan-garden-sparks-interest-in-birders/#:~:text=Share%20this%20article,bird%20enthusiasts%20in%20Sri%20Lanka>.
- 47 Wait until dark**
- Aluthwattha, S. T. (2013). Family Saturniidae (Insecta: Lepidoptera) of Sri Lanka: An overview. *The Journal of Tropical Asian Entomology*, 2(1), 11.
- Barber, J. R., Leavell, B. C., Keener, A. L., Breinholt, J. W., Chadwell, B. A., McClure, C. J., Hill, G. M., & Kawahara, A. Y. (2015). Moth tails divert bat attack: Evolution of acoustic deflection. *Proceedings of the National Academy of Sciences*, 112(9), 2812–2816. <https://doi.org/10.1073/pnas.1421926112>
- Barghini, A., Augusto, B., & Medeiros, S. D. (2012). UV radiation as an attractor for insects. *Leukos*, 9, 47–56. <https://doi.org/10.1582/LEUKOS.2012.09.01.003>
- Langevelde, F., Ettema, J. A., Donners, M., WallisDeVries, M. F., & Groenendijk, D. (2011). Effect of spectral composition of artificial light on the attraction of moths. *Biological Conservation*, 144, 2274–2281. <https://doi.org/10.1016/j.biocon.2011.06.004>
- Moth species richness in an upland tropical rainforest: A citizen scientist assisted study.* (2021). <https://doi.org/10.1101/2021.11.07.467659>
- Rydell, J. (1992). Exploitation of insects around streetlamps by bats in Sweden. *Functional Ecology*, 6, 744–750. <https://doi.org/10.2307/2389972>
- 48 Chamaeleo**
- Karunaratna, D. S., Nawaratne, M. S., & Amarasinghe, A. T. (2009). A review of the distribution and conservation status of *Chamaeleo zeylanicus* Laurenti, 1768 (Reptilia: Chamaeleonidae) in North-Western, Sri Lanka. *Taprobanica*, 1(2), 115–122.
- Main, D. C., Vuuren, B. J., Tilbury, C. R., & Tolley, K. A. (2022). Out of southern Africa: Origins and cryptic speciation in *Chamaeleo*, the most widespread chameleon genus. *Molecular Phylogenetics and Evolution*, 175, 107578.
- Raxworthy, C. J., Forstner, M. R. J., & Nussbaum, R. A. (2002). Chameleon radiation by oceanic dispersal. *Nature*, 415(6873), 784–787. <https://doi.org/10.1038/415784a>
- Reuter, M., Harzhauser, M., & Piller, W. E. (2021). The role of sea-level and climate changes in the assembly of Sri Lankan biodiversity: A perspective from the Miocene Jaffna Limestone. *Gondwana Research*, 91, 152–165. <https://doi.org/10.1016/j.gr.2020.12.014>
- 49 When First We Practice to Deceive**
- Bahir, M. M. (1999). Scaring the enemy—The slender coral snake. *Sri Lanka Nature*, 22–24.
- Katoh, M., Tatsuta, H., & Tsuji, K. (2017). Rapid evolution of a Batesian mimicry trait in a butterfly responding to arrival of a new model. *Scientific Reports*, 7(1), 6369. <https://doi.org/10.1002/ece3.4207>
- Kitamura, T., & Imafuku, M. (2010). Behavioural Batesian mimicry involving intraspecific polymorphism in the butterfly *Papilio polytes*. *Zoological Science*, 27(3), 217–221. <https://doi.org/10.2108/zsj.27.217>
- Kitamura, T., & Imafuku, M. (2015). Behavioural mimicry in flight path of Batesian intraspecific polymorphic butterfly *Papilio polytes*. *Proceedings of the Royal Society B: Biological Sciences*, 282, 20150483. <https://doi.org/10.1098/rspb.2015.0483>
- Palmer, D. H., Tan, Y. Q., Finkbeiner, S. D., Briscoe, A. D., Monteiro, A., & Kronforst, M. R. (2018). Experimental field tests of Batesian mimicry in the swallowtail butterfly *Papilio polytes*. *Ecology and Evolution*, 8(15), 7657–7666. <https://doi.org/10.1002/ece3.4207>
- Praveen, J., & Lowther, P. (2020). Avian brood parasitism in South Asia. *Indian Birds*, 16(4), 103–119.
- Smith, E. N., Manamendra-Arachchi, K., & Somaweera, R. (2008). A new species of coral snake of the genus *Calliophis* (Squamata: Elapidae) from the Central Province of Sri Lanka. *Zootaxa*, 1847(1), 19–33. <https://doi.org/10.11646/zootaxa.1847.1.2>
- 50 More Bark than Bite?**
- Barlow, A., Pook, C. E., Harrison, R. A., & Wüster, W. (2009). Coevolution of diet and prey-specific venom activity

supports the role of selection in snake venom evolution. *Proceedings of the Royal Society B: Biological Sciences*, 276(1666), 2443–2449. <https://doi.org/10.1098/rspb.2009.0048>

- Gnanathasan, A., Rodrigo, C., Peranantharajah, T., & Coonghe, A. (2012). Saw-scaled viper bites in Sri Lanka: Is it a different subspecies? Clinical evidence from an authenticated case series. *The American Journal of Tropical Medicine and Hygiene*, 86(2), 254. <https://doi.org/10.4269/ajtmh.2012.11-0447>
- Menon, J. C., Bharti, O. K., MS, A., Bawaskar, H. S., Mohapatra, A., Punde, D., Gajbhiye, R. K., Mohapatra, B. N., Majhi, C., Dhikav, V., & Bhaskar, M. (2025). Cross-sectional survey of the incidence, mortality and socioeconomic burden of snakebite envenoming in India. *Nature Communications*, 16(1), 9871. <https://doi.org/10.1038/s41467-025-64849-2>
- Warrell, D. A., Davidson, N. M., Greenwood, B. M., Ormerod, L. D., Pope, H. M., Watkins, B. J., & Prentice, C. R. M. (1977). Poisoning by bites of the saw-scaled or carpet viper (*Echis carinatus*) in Nigeria. *QJM: An International Journal of Medicine*, 46(1), 33–62. <https://doi.org/10.1093/oxfordjournals.qjmed.a067493>

### 51 Double Deception

- Hölldobler, B., Wilson, E. O., Hölldobler, B., & Wilson, E. O. (1977). Weaver ants: Social establishment and maintenance of territory. *Science*, 195(4281), 900–902.
- Leong, T. M., & D’Rozario, V. (2012). Mimicry of the weaver ant *Oecophylla smaragdina* by the moth caterpillar, *Homodes bracteigutta*, the crab spider, *Amyciaea lineatipes*, and the jumping spider, *Myrmarachne platalaeoides*. *NiS*, 5, 39–56.
- Mathew, A. P. (1954). Observations on the habits of two spider mimics of the red ant, *Oecophylla smaragdina* (Fabr.) *Journal of the Bombay Natural History Society*, 52, 249–263. <https://doi.org/10.1126/science.841318>
- Ramachandra, P., & Hill, D. E. (2018). Predation by the weaver ant *Oecophylla smaragdina* (Hymenoptera: Formicidae: Formicinae) on its mimic jumping spider *Myrmarachne platalaeoides* (Araneae: Salticidae: Astioida: Myrmarachnini). *Peckhamia*, 174, 1–8.

### 52 Come one, come all

- Gaume, L., Shenoy, M., Zacharias, M., & Borges, R. M. (2006). Co-existence of ants and an arboreal earthworm in a myrmecophyte of the Indian Western Ghats: Anti-predation effect of the earthworm mucus. *Journal of Tropical Ecology*, 22(3), 341–344. <https://doi.org/10.1017/S0266467405003111>
- Gaume, L., Zacharias, M., Grosbois, V., & Borges, R. M. (2005). The fitness consequences of bearing domatia and having the right ant partner: Experiments with protective and non-protective ants in a semi-myrmecophyte. *Oecologia*, 145(1), 76–86. <https://doi.org/10.1007/s00442-005-0107-3>
- Gunawardene, N. R., Majer, J. D., & Edirisinghe, J. P. (2012). Correlates of ant (Hymenoptera: Formicidae) and tree species diversity in Sri Lanka. *Myrmecological News*, 17(17), 81–90.
- Krombein, K. V., & Norden, B. B. (1997). Bizarre nesting

behaviour of *Krombeinictus nordenae* Leclercq (Hymenoptera: Sphecidae, Crabroninae). *Journal of South Asian Natural History*, 2, 145–154.

- Krombein, K. V., Norden, B. B., Rickson, M. M., & Rickson, F. R. (1999). Biodiversity of the domatia occupants (ants, wasps, bees, and others) of the Sri Lankan myrmecophyte *Humboldtia laurifolia* Vahl (Fabaceae). *Smithsonian Contributions to Zoology*, 603, 1–34.
- Marazzi, B., Gonzalez, A. M., Delgado-Salinas, A., Luckow, M. A., Ringelberg, J. J., & Hughes, C. E. (2019). Extrafloral nectaries in Leguminosae: Phylogenetic distribution, morphological diversity and evolution. *Australian Systematic Botany*, 32(6), 409–458. <https://doi.org/10.1071/SB19012>
- Shenoy, M., & Borges, R. M. (2010). Geographical variation in an ant–plant interaction correlates with domatia occupancy, local ant diversity, and interlopers. *Biological Journal of the Linnean Society*, 100(3), 538–551. <https://doi.org/10.1111/j.1095-8312.2010.01459.x>

### 53 Great Snakes

- Anita, S., Hamidy, A., Mulyadi, & Mori, A. (2020). An Investigation of Chemical Prey Discrimination by *Rhabdophis subminiatus* Hints the Source of Nuchal Gland Toxins. *Current Herpetology*, 43(1), 22–30. <https://doi.org/10.5358/hsj.43.22>
- Fukuda, M., Ujiie, R., Inoue, T., Chen, Q., Cao, C., Ding, L., Mori, N., & Mori, A. (2022). Do predators prefer toxic animals? A case of chemical discrimination by an Asian snake that sequesters firefly toxins. *Current Zoology*, 68(6), 627–634. <https://doi.org/10.1093/cz/zoab102>
- Hutchinson, D. A., Mori, A., & Savitzky, A. H. (2007). Dietary sequestration of defensive steroids in nuchal glands of the Asian snake *Rhabdophis tigrinus*. *Proceedings of the National Academy of Sciences*, 104(46), 17794–17799. <https://doi.org/10.1073/pnas.0610785104>
- Matsuura, K., & Inoue, Y. (2022). Venom ophthalmia (keratoconjunctivitis) caused by nuchal gland secretion of *Rhabdophis tigrinus*: Case report. *Journal of Ophthalmic Inflammation and Infection*, 12(32). <https://doi.org/10.1186/s12348-022-00308-z>
- Mori, A., & Burghardt, G. M. (2017). Do Tiger Keelback Snakes (*Rhabdophis tigrinus*) Recognise How Toxic They Are? *Journal of Comparative Psychology*, 131(1), 49–57. <https://doi.org/10.1037/com0000075>
- Mori, A., Burghardt, G. M., Savitzky, A. H., Roberts, K. A., Hutchinson, D. A., & Goris, R. C. (2012). Nuchal glands: A novel defensive system in snakes. *Chemoecology*, 22(3), 187–198. <https://doi.org/10.1007/s00049-011-0086-2>
- Mori, A., Layne, D., & Burghardt, G. M. (1996). Description and preliminary analysis of antipredator behaviour of *Rhabdophis tigrinus tigrinus*, a colubrid snake with nuchal glands. *Japanese Journal of Herpetology*, 16(3), 94–107. [https://doi.org/10.5358/hsj1972.16.3\\_94](https://doi.org/10.5358/hsj1972.16.3_94)
- Smith, M. A. (1938). The nuchal-dorsal glands of snakes. *Proceedings of the Zoological Society of London Series B*, 100, 575–583.
- Takeuchi, H., Savitzky, A. H., Ding, L., Silva, A., Das, I., Nguyen, T. T., Tsai, T. S., Jono, T., Zhu, G. X., Mahaulpatha, D., & Tang, Y. (2018). Evolution of nuchal glands, unusual defensive organs of Asian natricine snakes (Serpentes: Colub-

ridae), inferred from a molecular phylogeny. *Ecology and Evolution*, 8(20), 10219–10232. <https://doi.org/10.1002/ece3.4497>

Yoshida, T., Ujiie, R., Savitzky, A. H., Jono, T., Inoue, T., Yoshinaga, N., Aburaya, S., Aoki, W., Takeuchi, H., Ding, L., & Chen, Q. (2020). Dramatic dietary shift maintains sequestered toxins in chemically defended snakes. *Proceedings of the National Academy of Sciences*, 117(11), 5964–5969. <https://doi.org/10.1073/pnas.1919065117>

#### 54 Tadpoles? No, thank you!

Bahir, M. M., Meegaskumbura, M., Manamendra-Arachchi, K., Schneider, C. J., & Pethiyagoda, R. (2005). Reproduction and terrestrial direct development in Sri Lankan shrub frogs (Ranidae: Rhacophorinae: *Philautus*). *The Raffles Bulletin of Zoology, Supplement 12*, 339–350.

Manamendra-Arachchi, K., & Pethiyagoda, R. (2005). The Sri Lankan shrub-frogs of the genus *Philautus* Gistel, 1848 (Ranidae: Rhacophorinae), with description of 27 new species. *The Raffles Bulletin of Zoology, Supplement 12*, 163–303.

Meegaskumbura, M., & Manamendra-Arachchi, K. (2005). Description of eight new species of shrub frogs (Ranidae: Rhacophorinae: *Philautus*) from Sri Lanka. *The Raffles Bulletin of Zoology, Supplement 12*, 305–338.

Meegaskumbura, M., & Manamendra-Arachchi, K. (2011). Two new species of shrub frogs (Rhacophoridae: *Pseudophilautus*) from Sri Lanka. *Zootaxa*, 2747(1), 1–18.

Meegaskumbura, M., Manamendra-Arachchi, K., Schneider, C. J., & Pethiyagoda, R. (2007). New species amongst Sri Lanka's extinct shrub frogs (Amphibia: Rhacophoridae: *Philautus*). *Zootaxa*, 1397(1), 1–15.

#### 55 High-Flying Birth Tourists

Anderson, R. C. (2009). Do dragonflies migrate across the western Indian Ocean? *Journal of Tropical Ecology*, 25(4), 347–358. <https://doi.org/10.1017/S0266467409006087>

Corbet, P. S. (1999). *Dragonflies: Behaviour and ecology of Odonata*. Harley Books.

Hobson, K. A., Anderson, R. C., Soto, D. X., & Wassenaar, L. I. (2012). Isotopic evidence that dragonflies (*Pantala flavescens*) migrating through the Maldives come from the northern Indian subcontinent. *PLoS One*, 7(12), 52594. <https://doi.org/10.1371/journal.pone.0052594>

May, M. L. (2013). A critical overview of progress in studies of migration of dragonflies (Odonata: Anisoptera), with emphasis on North America. *Journal of Insect Conservation*, 17(1), 1–15. <https://doi.org/10.1007/s10841-012-9540-x>

Sjöstedt, Y. (1910). *Wissenschaftliche Ergebnisse der schwedischen zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaistuppen Deutsch-Ostafrikas 1905-1906*. P. Palmquists Aktiebolag.

#### 56 A virgin shall conceive

Ryder, O. A., Thomas, S., Judson, J. M., Romanov, M. N., Dandekar, S., Papp, J. C., Sidak-Loftis, L. C., Walker, K., Stalis, I. H., Mace, M., & Steiner, C. C. (2021). Facultative parthenogenesis in California condors. *Journal of Heredity*, 112(7), 569–574. <https://doi.org/10.1093/jhered/esab052>

Wallach, V. (2020). How to easily identify the flowerpot

blindsnake, *Indotyphlops braminus* (Daudin, 1803), with proposal of a new genus (Serpentes: Typhlopidae). *Pod@rcis*, 11(1), 4–12.

Wickramasinghe, N., Wickramasinghe, L. M., Vidanapathirana, D. R., Tennakoon, K. H., Samarakoon, S. R., & Gower, D. J. (2022). A molecular-genetics perspective on the systematics of the parthenogenetic flowerpot blindsnake *Indotyphlops braminus* (Daudin, 1803). *Systematics and Biodiversity*, 20(1), 1–16. <https://doi.org/10.1080/14772000.2022.2062478>

#### 57 Heading swiftly to extinction?

Ali, S., & Ripley, S. D. (1983). *Handbook of the Birds of India and Pakistan: Together with those of Bangladesh, Nepal, Bhutan and Sri Lanka* (2nd edn). Oxford University Press.

Brinkløv, S., Fenton, M. B., & Ratcliffe, J. M. (2013). Echolocation in oilbirds and swiftlets. *Frontiers in Physiology*, 4, 123. <https://doi.org/10.3389/fphys.2013.00123>

Chantler, P., Wells, D. R., & Schuchmann, K. L. (2000). Family Apodidae (Swifts). In J. Del Hoyo, A. Elliot, & J. Sargatal (Eds), 1999. *Handbook of the Birds of the World* (Vol. 5, pp. 338–457). Lynx Edicions.

Customs, S. L. (n.d.). *Detection of Edible Bird Nests*. Retrieved <https://www.customs.gov.lk/detection-of-edible-bird-nests/>

Jordan Price, J., Johnson, P., Clayton, H., & D. (2004). The evolution of echolocation in swiftlets. *Journal of Avian Biology*, 35(2), 135–143. <https://doi.org/10.1111/j.0908-8857.2004.03182.x>

Lee, T.H., Wani, W.A., Lee, C.H., Cheng, K.K., Shreaz, S., Wong, S., Hamdan, N. and Azmi, N.A. (2021). Edible bird's nest: The functional values of the prized animal-based bioproduct from Southeast Asia—A review. *Frontiers in Pharmacology*, 12, 626233. <https://doi.org/10.3389/fphar.2021.626233>

Lewis, F. (1898). Field-notes on the land-birds of Sabaragamuwa Province, Ceylon. *Ibis*, 7(4), 354–355.

#### 58 Emasculated

Campbell-Staton, S. C., Arnold, B. J., Gonçalves, D., Granli, P., Poole, J., Long, R. A., & Pringle, R. M. (2021). Ivory poaching and the rapid evolution of tusklessness in African elephants. *Science*, 374(6566), 483–487. <https://doi.org/10.1126/science.abe7389>

Dugatkin, L. A., & Trut, L. (2017). *How to tame a fox (and build a dog): Visionary scientists and a Siberian tale of jump-started evolution*. University of Chicago Press.

Kaminski, J., Waller, B. M., Diogo, R., Hartstone-Rose, A., & Burrows, A. M. (2019). Evolution of facial muscle anatomy in dogs. *Proceedings of the National Academy of Sciences*, 116(29), 14677–14681. <https://doi.org/10.1073/pnas.182065311>

Kurt, F., Hartl, G. B., & Tiedemann, R. (1995). Tuskless bulls in Asian elephant *Elephas maximus*. History and population genetics of a man-made phenomenon. *Acta Theriologica*, 40(Suppl. 3), 125–143.

#### 59 One Tree doth not a Forest Make

MacArthur, R. H., & Wilson, E. O. (1967). *The Theory of Island Biogeography*. Princeton University Press.

- Ministry of Environment, M. (2023). *Sri Lanka's Nationally Determined Contributions Implementation Plan*. [https://env.gov.lk/web/images/pdf/policies/Final\\_NDC\\_IP\\_-\\_10072023.pdf](https://env.gov.lk/web/images/pdf/policies/Final_NDC_IP_-_10072023.pdf)
- Neate-Clegg, M. H., Morshuis, E. C., & Banks-Leite, C. (2016). Edge effects in the avifaunal community of riparian rain-forest tracts in Tropical North Queensland. *Journal of Tropical Ecology*, 32(4), 280–289. <https://doi.org/10.1017/S0266467416000249>
- Sarre, A. (Ed.). (2020). *Global forest resources assessment, 2020: Main report*. Food and Agriculture Organization of the United Nations. <https://doi.org/10.4060/ca9825en>

## 60 A Biological Clock

- Ishida, A., Nakamura, T., Saiki, S. T., Yoshimura, J., & Kakishima, S. (2021). Evolutionary loss of thermal acclimation accompanied by periodic monocarpic mass flowering in *Strobilanthes flexicaulis*. *Scientific Reports*, 11(1), 14273. <https://doi.org/10.1038/s41598-021-93833-1>
- Kakishima, S., Liang, Y. S., Ito, T., Yang, T. Y. A., Lu, P. L., Okuyama, Y., Hasebe, M., Murata, J., & Yoshimura, J. (2019). Evolutionary origin of a periodical mass-flowering plant. *Ecology and Evolution*, 9(8), 4373–4381. <https://doi.org/10.1002/ece3.4881>
- Kakishima, S., Yoshimura, J., Murata, H., & Murata, J. (2011). 6-year periodicity and variable synchronicity in a mass-flowering plant. *PLoS One*, 6(12), 28140. <https://doi.org/10.1371/journal.pone.0028140>
- Kelly, D., & Sork, V. L. (2002). Mast seeding in perennial plants: Why, how, where? *Annual Review of Ecology and Systematics*, 33(1), 427–447. <https://doi.org/10.1146/annurev.ecolsys.33.020602.095433>

## 61 The Rainforest Archipelago

- Bandaratillake, H. M., & Durst, P. B. (2000). Impacts and effectiveness of logging bans in natural forests: Sri Lanka. In: *Forests out of bounds*. Asia-Pacific Forest Commission, Bangkok, Thailand (pp. 137–166). <https://apafri.org/activities/Bhutan2013/Publication/M3%20Forests%20out%20of%20bounds%20.pdf#page=146>
- Biodiversity Sri Lanka, B. S. (2022). *The Kanneliya Forest Restoration Project: A Public-Private Partnership Model*. <https://biodiversitysrilanka.org>
- Forestry Planning Unit (1995). *Forestry Sector Master Plan*. xix, 511 pp.
- Legg, C., & Jewell, N. (1995). A 1:50,000 Forest map of Sri Lanka: the basis for a national Forest geographic information system. *The Forester*, Forestry Information Service, Sri Lanka Forest Department.
- Løland, M. H., Krüger, Y., Fernandez, A., Buckingham, F., Carolin, S. A., Sodemann, H., Adkins, J. F., Cobb, K. M., & Meckler, A. N. (2022). Evolution of tropical land temperature across the last glacial termination. *Nature Communications*, 13(1), 5158. <https://doi.org/10.1038/s41467-022-32712-3>
- Wildlife & Nature Protection Society. (2024). *Project PLANT: Preserving Land and Nature Trust Progress Report*. WNPS. <https://www.wnpsl.org/pdf/annual-reports/wnps-ar-2024-final-1.pdf>

## 62 The Blind Shall See

- Belyaeva, N. V. (2021). Some special aspects of the biology of termites of *Hospitalitermes* spp. in Southern Vietnam. *Journal of Tropical Science and Engineering*, 24, 121–130. <https://doi.org/10.58334/vrtc.jtst.n24.13>
- Chuah, C. H., Goh, S. H., Prestwich, G. D., & Tho, Y. P. (1983). Soldier defence secretions of the Malaysian termite *Hospitalitermes umbrinus* (Isoptera, Nasutitermitinae). *Journal of Chemical Ecology*, 9(3), 347–356. <https://doi.org/10.1007/BF00988454>
- Jander, R., & Daumer, K. (1974). Guide-line and gravity orientation of blind termites foraging in the open (Termitidae: *Macrotermes*, *Hospitalitermes*). *Insectes Sociaux*, 21(1), 45–69. <https://doi.org/10.1007/BF0222979>
- Miura, T., & Matsumoto, T. (1997). Diet and nest material of the processional termite *Hospitalitermes*, and cohabitation of *Termes* (Isoptera, Termitidae) on Borneo Island. *Insectes Sociaux*, 44(3), 267–275. <https://doi.org/10.1007/s000400050047>
- Miura, T., & Matsumoto, T. (1998). Foraging organization of the open-air processional lichen-feeding termite *Hospitalitermes* (Isoptera, Termitidae) in Borneo. *Insectes Sociaux*, 45(1), 17–32. <https://doi.org/10.1007/s000400050065>
- Poovoli, A., Keloth, R., & Chenthamarakshan, B. (2014). Foraging activity of *Hospitalitermes monoceros* (König) (Termitidae: Isoptera) in Western Ghats, India. *Journal of Entomological and Zoological Studies*, 2(2), 138–143.

## 63 Half the Battle

- Morgan-Davies, A. M. (1955). The reserves and sanctuaries of Ceylon. *Oryx*, 3(3), 129–133.
- Premakantha, K. T., Chandani, R. P. D. S., Kingsly, S. A. D., Dias, H. U., & Kekulandara, N. S. B. (2021). Forest cover assessment in Sri Lanka using high resolution satellite images. *The Sri Lanka Forester*, 40, 1–16.
- Premakantha, K. T., Chandani, R. P. D. S., Silva, G. G. J. R., Gunatilaka, R. P. S. I. K., & Pushpakumara, D. K. N. G. (2023). Assessment of tree cover density of Sri Lanka using visual interpretation of open-source high-resolution imagery and geographic information system interface mapping. *Journal of the National Science Foundation of Sri Lanka*, 51(4), 661–674. <https://doi.org/10.4038/jnsfr.v51i4.11429>
- Samarasinghe, D. J., Wikramanayake, E. D., Jayakody, S., Fernando, S., Gunawardana, J., & Braczkowski, A. (2021). A biodiversity hotspot in turmoil: Doing away with circular 5/2001 could have catastrophic consequences for Sri Lanka's forests. *Conservation Science and Practice*, 3(8), 466. <https://doi.org/10.1111/csp2.466>

## 64 Risk and Reward

- Agrawal, A. A., & Rutter, M. T. (1998). Dynamic anti-herbivore defence in ant-plants: The role of induced responses. *Oikos*, 227–236. <https://doi.org/10.2307/3546834>
- Delabie, J. H. (2001). Trophobiosis between Formicidae and Hemiptera (Sternorrhyncha and Auchenorrhyncha): An overview. *Neotropical Entomology*, 30(4), 501–516. <https://doi.org/10.1590/S1519-566X2001000400001>
- Lohman, D. J., Liao, Q., & Pierce, N. E. (2006). Convergence of

- chemical mimicry in a guild of aphid predators. *Ecological Entomology*, 31(1), 41–51. <https://doi.org/10.1111/j.0307-6946.2006.00758.x>
- Pierce, N. E., Braby, M. F., Heath, A., Lohman, D. J., Mathew, J., Rand, D. B., & Travassos, M. A. (2002). The ecology and evolution of ant association in the Lycaenidae (Lepidoptera). *Annual Review of Entomology*, 47(1), 733–771. <https://doi.org/10.1146/annurev.ento.47.091201.145257>
- Saikia, N., Dutta, R. B., & Hatibaruah, D. (2021). Bionomics of predatory butterfly, apefly (*Spalgis epius*) (Lepidoptera: Lycaenidae) on mealybug, *Paracoccus marginatus* (Hemiptera: Pseudococcidae) in Mulberry. *Journal of Entomology and Zoology Studies*, 2. <https://doi.org/10.22271/j.ento.2021.v9.i5f.8861>
- Stadler, B., & Dixon, A. F. G. (2008). *Mutualism: Ants and their insect partners*. Cambridge University Press.
- 65 Orphanage or Torture Chamber?**
- Rees, P. A. (2024). Stereotypic behaviour in elephants. *Animal Behaviour and Welfare Cases*, 20240002. <https://doi.org/10.1079/abwcases.2024.0002>
- 66 Snakebite**
- Dayasiri, K., Jayamanne, S., Jayasinghe, S., & Buckley, N. (2025a). Caught between fear and tradition: Parental knowledge, beliefs and emergency responses to paediatric snakebites in rural Sri Lanka. *BMJ Paediatrics Open*, 9(1), 003658. <https://doi.org/10.1136/bmjpo-2025-003658>
- Dayasiri, K., Jayamanne, S., Jayasinghe, S., & Buckley, N. (2025b). Preventive practices and parental attitudes towards snakebites in children in snakebite hotspots of rural Sri Lanka. *BMJ Paediatrics Open*, 9(1), 003543. <https://doi.org/10.1136/bmjpo-2025-003543>
- Dayasiri, K., Jayamanne, S., Jayasinghe, S., & Buckley, N. (2025c). When the bite is not the threat: Non-venomous snakebites and their impact on rural child health. *BMJ Paediatrics Open*, 9(1). <https://doi.org/10.1136/bmjpo-2025-003583>
- Ediriweera, D. S., Kasturiratne, A., Pathmeswaran, A., Gunawardena, N. K., Wijayawickrama, B. A., Jayamanne, S. F., Isbister, G. K., Dawson, A., Giorgi, E., Diggle, P. J., & Laloo, D. G. (2016). Mapping the risk of snakebite in Sri Lanka—a national survey with geospatial analysis. *PLoS Neglected Tropical Diseases*, 10(7), 0004813. <https://doi.org/10.1371/journal.pntd.0004813>
- Ediriweera, D. S., Kasturiratne, A., Pathmeswaran, A., Gunawardena, N. K., Wijayawickrama, B. A., Jayamanne, S. F., Isbister, G. K., Dawson, A., Giorgi, E., Diggle, P. J., Laloo, D. G., & Silva, H. J. (2017). Health seeking behaviour following snakebites in Sri Lanka: Results of an island wide community based survey. *PLoS Neglected Tropical Diseases*, 11(4), 0006073. <https://doi.org/10.1371/journal.pntd.0006073>
- Ediriweera, D. S., Kasturiratne, A., Pathmeswaran, A., Gunawardena, N. K., Wijayawickrama, B. A., Jayamanne, S. F., Isbister, G. K., Dawson, A., Giorgi, E., Diggle, P. J., Laloo, D. G., & Silva, H. J. (2019). Adjusting for spatial variation when assessing individual-level risk: A case-study in the epidemiology of snake-bite in Sri Lanka. *PLoS ONE*, 14(1), 0208711. <https://doi.org/10.1371/journal.pone.0223021>
- Jayawardana, S., Arambepola, C., Jayasinghe, S., Isbister, G. K., & Dawson, A. (2020). Prevalence, vulnerability and epidemiological characteristics of snakebite in agricultural settings in rural Sri Lanka: A population-based study from South Asia. *PLoS ONE*, 15(12), 0243991. <https://doi.org/10.1371/journal.pone.0243991>
- Karunanayake, P., Kularatne, S. A. M., Kumarasiri, P. V. R., Disasanayake, D. M. K. D., & Maduwage, K. (2014). A study of snake bite among children presenting to a paediatric ward in the main Teaching Hospital of North Central Province of Sri Lanka. *BMC Research Notes*, 7(1), 482. <https://doi.org/10.1186/1756-0500-7-482>
- Kasturiratne, A., Pathmeswaran, A., Fonseka, M. M. D., Jayamanne, S. F., Laloo, D. G., & Silva, H. J. (2017). The socio-economic burden of snakebite in Sri Lanka. *PLoS Neglected Tropical Diseases*, 11(7), 0005647. <https://doi.org/10.1371/journal.pntd.0005647>
- Maduwage, K., Buckley, N. A., Silva, H. J., Laloo, D. G., & Isbister, G. K. (2020). Enzyme immunoassays for detection and quantification of venoms of Sri Lankan snakes: Application in the clinical setting. *PLoS Neglected Tropical Diseases*, 14(9), 0008668. <https://doi.org/10.1371/journal.pntd.0008668>
- Patra, A., Kalita, B., Chanda, A., & Mukherjee, A. K. (2021). Assessment of quality and pre-clinical efficacy of a newly developed polyvalent antivenom against the medically important snakes of Sri Lanka. *Scientific Reports*, 11(1), 14731. <https://doi.org/10.1038/s41598-021-97501-2>
- Patra, A., & Mukherjee, A. K. (2020). Proteomic analysis of Sri Lanka *Echis carinatus* venom: Immunological cross-reactivity and enzyme neutralization potency of Indian polyvalent venom. *Journal of Proteome Research*, 19(9), 3821–3836. <https://doi.org/10.1021/acs.jproteome.0c00054>
- Puthra, J. T., Weerasinghe, V. S., Disasanayake, D. M. K. D., & Alvitigala, B. Y. (2020). Thrombotic microangiopathy following hump-nosed viper ‘*Hypnale*’ envenomation. *SAGE Open Medical Case Reports*, 8, 2050313 20944308. <https://doi.org/10.1177/2050313X20944308>
- Shahmy, S., Dawson, A., Jayamanne, S., Buckley, N. A., & Isbister, G. K. (2023). Compliance with national snakebite treatment guidelines in rural Sri Lankan hospitals: A cluster randomized controlled trial of a brief educational intervention. *BMC Medical Education*, 23(1), 380. <https://doi.org/10.1186/s12909-023-04375-1>
- Shahmy, S., Dawson, A., Mohamed, F., Gawarammana, I., Jayamanne, S., Buckley, N. A., & Isbister, G. K. (2017). A prospective cohort study of the effectiveness of the primary hospital management of all snakebites in Kurunegala district of Sri Lanka. *PLoS Neglected Tropical Diseases*, 11(8), 0005847. <https://doi.org/10.1371/journal.pntd.0005847>
- Simpson, I. D., & Norris, R. L. (2007). Snakes of medical importance in India: Is the concept of the ‘Big 4’ still relevant and useful? *Wilderness and Environmental Medicine*, 18(1), 2–9. <https://doi.org/10.1580/06-WEME-CO-023R>
- Waidyanatha, S., Silva, A., Siribaddana, S., Isbister, G. K., & Buckley, N. A. (2022). Long-term health effects perceived by snakebite patients in rural Sri Lanka: A cohort study. *PLoS Neglected Tropical Diseases*, 16(9), 0010723. <https://doi.org/10.1371/journal.pntd.0010723>

Wijayasekara, A., Silva, A., Weerakoon, K., Waiddyanatha, S., Wedasingha, S., Siribaddana, S., & Isbister, G. (2026). Snakebite patterns in rural Sri Lanka and their implications for preventive measures. *PLOS Neglected Tropical Diseases*, 20(3), 0014092. <https://doi.org/10.1371/journal.pntd.0014092>

### 67 Religion vs Rights

Fabbri, T. P. (2020). *Elephants. Not commodities. Taken for a ride 2*. World Animal Protection. [https://www.worldanimalprotection.org.uk/cdn/ff/f\\_m\\_WnfaSOkqb8SFAgyiW-z2F3JZ3wxhGoZmpmSM16A/1597220651/public/media/Taken-For-a-Ride-2.pdf](https://www.worldanimalprotection.org.uk/cdn/ff/f_m_WnfaSOkqb8SFAgyiW-z2F3JZ3wxhGoZmpmSM16A/1597220651/public/media/Taken-For-a-Ride-2.pdf)

Harvey, P. (2000). *An introduction to Buddhist ethics: Foundations, Values and Issues*. Cambridge University Press.

Schmidt-Burbach, J. (2020). *Taken for a Ride: The Welfare of Elephants Used in Tourism in Asia*. World Animal Protection. <https://www.worldanimalprotection.org/globalassets/pdfs/reports/english/taken-for-a-ride.pdf>

Seethawaka, D. (2024). *Punished on religious grounds: A critical analysis on the legal protection granted for temple elephants in Sri Lanka*. Springer Nature.

Seneviratne, H. L. (1978). *Rituals of the Kandy State*. Cambridge University Press.

### 68 Demise of the Ceylon Aquarium

Pethiyagoda, R. (1991). *Freshwater fishes of Sri Lanka*. Wildlife Heritage Trust, Colombo.

Pethiyagoda, R. (1994). Threats to the indigenous freshwater fishes of Sri Lanka and remarks on their conservation. *Hydrobiologia*, 285(1), 189–201.

Senanayake, F. R., & Moyle, P. B. (1982). Conservation of freshwater fishes of Sri Lanka. *Biological Conservation*, 22(3), 181–195.

Wijesekara, R. G. S., & Yakupitiyage, A. (2001). Ornamental fish industry in Sri Lanka: Present status and future trends. *Aquarium Sciences and Conservation*, 3(4), 241–252.

### 69 Miracle Cures and Horticultural Goldmines

Environment, M., & Resources, W. (2019). *National Policy on Access to Genetic Resources and the Fair and Equitable Sharing of Benefits Arising from their Utilization*. Ministry of Environment and Wildlife Resources. [https://www.env.gov.lk/web/images/downloads/policies/ABS\\_Policy\\_-\\_English.pdf](https://www.env.gov.lk/web/images/downloads/policies/ABS_Policy_-_English.pdf)

Imran, Y., Wijekoon, N., Gonawala, L., Chiang, Y. C., & Silva, K. R. D. (2021). Biopiracy: Abolish corporate hijacking of indigenous medicinal entities. *The Scientific World Journal*, 2021(1), 8898842. <https://doi.org/10.1155/2021/8898842>

Peiris, D. S. H. S., Fernando, D. T. K., Senadeera, S. P. N. N., & Ranaweera, C. B. (2023). A comprehensive review of *Salacia reticulata*: Botanical, ethnomedicinal, phytochemical, and pharmacological insights. *Asian Plant Research Journal*, 11(6), 27–43. <https://doi.org/10.9734/aprj/2023/v11i6228>

Perera, M. (2024). Utilizing Traditional Knowledge for Development in Sri Lanka: A Legal Analysis with a Special Emphasis on Intellectual Property Law. *KDU Journal of Multidisciplinary Studies*, 6(2), 128–140.

Stohs, S. J., & Ray, S. (2015). Anti-diabetic and anti-hyperlipidemic effects and safety of *Salacia reticulata* and related

species. *Phytotherapy Research*, 29(7), 986–995. <https://doi.org/10.1002/ptr.5382>

Yoshikawa, M., Murakami, T., Yashiro, K., & Matsuda, H. (1998). Kotalanol, a potent  $\alpha$ -glucosidase inhibitor with thiosugar sulfonium sulfate structure, from antidiabetic Ayurvedic medicine *Salacia reticulata*. *Chemical and Pharmaceutical Bulletin*, 46(8), 1339–1340. <https://doi.org/10.1248/cpb.46.1339>

### 70 The Toxicity of Good Intentions

Medaglia, J. C., Phillips, P. W. B., & Onwuekwe, C. B. (2007). *Bioprocessing partnerships in practice: A decade of experiences at INBio in Costa Rica*. Springer Netherlands.

Merson, J. (2000). Bio-prospecting or bio-piracy: Intellectual property rights and biodiversity in a colonial and postcolonial context. *Osiris*, 15, 282–296. <https://doi.org/10.1086/649331>

Moran, K., King, S. R., & Carlson, T. J. (2001). Biodiversity prospecting: Lessons and prospects. *Annual Review of Anthropology*, 30(1), 505–526. <https://doi.org/10.1146/annurev.anthro.30.1.505>

Pethiyagoda, R. (2004). Biodiversity law has had some unintended effects. *Nature*, 429(6988), 129.

Pethiyagoda, R., Gunatilleke, N., Silva, M., Kotagama, S., Gunatilleke, S., Silva, P., Meegaskumbura, M., Fernando, P., Ratnayake, S., Jayewardene, J., & Raheem, D. (2007). Science and biodiversity: The predicament of Sri Lanka. *Current Science*, 92(4), 426–427.

Prathapan, K. D., Pethiyagoda, R., Bawa, K. S., Raven, P. H., & Rajan, P. D. (2018). And 172 Co-Signatories from 35 Countries. *Science*, 360(6396), 1405–1406.

Stokes, J. M., Yang, K., Swanson, K., Jin, W., Cubillos-Ruiz, A., Donghia, N. M., MacNair, C. R., French, S., Carfrae, L. A., Bloom-Ackermann, Z., & Tran, V. M. (2020). A deep learning approach to antibiotic discovery. *Cell*, 180(4), 688–702. <https://doi.org/10.1016/j.cell.2020.01.021>

Ten Kate, K., & Laird, S. A. (1999). *The Commercial Use of Biodiversity: Access to Genetic Resources and Benefit-Sharing*. Earthscan.

Wilson, E. O. (1992). *The Diversity of Life*. Harvard University Press.

World Records, G. B. (2017). *Longest time headstand yoga*. <https://goldenbookofworldrecords.com/longest-time-head-stand-yoga/>

### 71 Bizarre Birds

Birdlife International, B. (2024). Species factsheet: *Loriculus beryllinus*. <https://datazone.birdlife.org/species/factsheet/sri-lanka-hanging-parrot-loriculus-beryllinus>

Cliffe, R. N., Avey-Arroyo, J. A., Arroyo, F. J., Holton, M. D., & Wilson, R. P. (2014). Mitigating the squash effect: Sloths breathe easily upside down. *Biology Letters*, 10(4). <https://doi.org/10.1098/rsbl.2014.0172>

Salgado, A. (2006). Notes on sexing Sri Lanka Frogmouth (*Batrachostomus moniliger*) by ventral & front on view in Sri Lanka. *Siyoth: Journal of the Field Ornithology Group of Sri Lanka*, 1, 29–33.

### 72 Mythos Mutated

Abeysekara, A. (2002). *Colors of the Robe: Religion, Identity,*

- and *Difference*. University of South Carolina Press.
- Carnegie, A. (1879). *Notes of a Trip Round the World*. Carnegie & Co.
- Edirisinghe, A. (2025). Legal personhood and the rights of nature: Bridging relational Buddhist worldviews and Sri Lankan law. *Jindal Global Law Review*, 16(1), 51–76. <https://doi.org/10.1007/s41020-025-00268-0>
- Schrijver, N. (2008). *Evolution of Sustainable Development in International Law: Inception, Meaning and Status*. Martinus Nijhoff Publishers.
- Toynbee, A. J. (1934). *A Study of History*. Oxford University Press.
- Weeramantry, C. G. (1997). *Gabčíkovo-Nagymaros Project (Hungary/Slovakia) Separate Opinion of Vice-President Weeramantry*, ICJ Reports 1997. <https://www.icj-cij.org/sites/default/files/case-related/92/092-19970925-JUD-01-03-EN.pdf>

### 73 Life in a Hole

- Bahir, M. M., Ng, P. K., Crandall, K., & Pethiyagoda, R. (2005). A conservation assessment of the freshwater crabs of Sri Lanka. *Raffles Bulletin of Zoology Supplement*, 12, 121–126.
- Kariyawasam, C. S., & Wegiriya, H. C. E. (2022). Species diversity and coexistence of mosquito larvae breeding in phytotelmata microhabitats; a cross-sectional study from Kalutara district, Western Province, Sri Lanka. *Ceylon Journal of Science*, 51(1), 63–72. <https://doi.org/10.4038/cjs.v51i1.7980>
- Karunaratna, D.M.S.S. and Amarasinghe, A.T. (2009). Mutualism in *Ramanella nagaoui* Manamendra-Arachchi & Pethiyagoda, 2001 (Amphibia: Microhylidae) and *Poecilotheria* species (Aracnida: Theroposidae) from Sri Lanka. *Taprobanica*, 1(1), 16-18.
- Kitching, R. L. (2000). *Food Webs and Container Habitats: The Natural History and Ecology of Phytotelmata*. Cambridge University Press.
- Kulasekera, V. L., & Amerasinghe, F. P. (1990). A survey of the mosquito fauna (Diptera: Culicidae) of Sinharaja Forest, Sri Lanka. *Ceylon Journal of Science, Biological Sciences*, 20(1), 55–74.
- Kumar, A. B., Raj, S., & Ng, P. K. (2017). Description of a new genus and new species of a fully arboreal crab (Decapoda: Brachyura: Gecarcinucidae) from the Western Ghats, India, with notes on the ecology of arboreal crabs. *Journal of Crustacean Biology*, 37(2), 157–167. <https://doi.org/10.1093/jcibi/rux012>
- Manamendra-Arachchi, K., & Pethiyagoda, R. (2001). *Ramanella nagaoui*, a new tree-hole frog (Microhylidae) from southern Sri Lanka. *Journal of South Asian Natural History*, 5(2), 121–133.
- Ng, P. K. (1995a). *Ceylonthelphusa scansor*, a new species of tree-climbing crab from Sinharaja Forest in Sri Lanka (Crustacea: Decapoda: Brachyura: Parathelphusidae). *Journal of South Asian Natural History*, 1(2), 175–184.
- Ng, P. K. (1995b). *Ceylonthelphusa scansor*, a new species of tree-climbing crab from Sinharaja Forest in Sri Lanka (Crustacea: Decapoda: Brachyura: Parathelphusidae). *Journal of South Asian Natural History*, 1(2), 175–184.
- Poorten, N. (2009). *Lyriothemis defonsekai* spec. Nov. From Sri

- Lanka, with a review of the known species of the genus (Anisoptera: Libellulidae). *Odonatologica*, 8(1), 15–27.
- Wijayathilaka, N., Senevirathne, G., Bandara, C., Rajapakse, S., Pethiyagoda, R., & Meegaskumbura, M. (2018). Integrating bioacoustics, DNA barcoding and niche modeling for frog conservation—The threatened balloon frogs of Sri Lanka. *Global Ecology and Conservation*, 16, 00496. <https://doi.org/10.1016/j.gecco.2018.e00496>
- Wijerathne, I., & Wickramasinghe, S. (2018). Behavioural pattern of endemic Sri Lanka Grey Hornbill (*Ocyrceros galensis*) within the breeding and nonbreeding seasons. *International Journal of Biodiversity*, 2018(1), 9509785. <https://doi.org/10.1155/2018/9509785>

### 74 Jackhammer or Freight Train?

- Gans, C., Dessauer, H. C., & Baic, D. (1978). Axial differences in the musculature of uropeltid snakes: The freight-train approach to burrowing. *Science*, 199(4325), 189–192.

### 75 Environmentalism Gone Berserk

- Chandrajith, R., Dissanayake, C. B., Ariyaratna, T., Herath, H. M. J. M. K., & Padmasiri, J. P. (2011). Dose-dependent Na and Ca in fluoride-rich drinking water—Another major cause of chronic renal failure in tropical arid regions. *Science of the Total Environment*, 409(4), 671–675. <https://doi.org/10.1016/j.scitotenv.2010.10.046>
- Dissanayake, C. B., & Chandrajith, R. (2017). Groundwater fluoride as a geochemical marker in the etiology of chronic kidney disease of unknown origin in Sri Lanka. *Ceylon Journal of Science*, 46(2). <https://doi.org/10.4038/cjs.v46i2.7425>
- Hewawasam, T. (2019). A review on weathering, erosion and denudation in the critical zone of central highlands of Sri Lanka—the state under natural and man-made environments. *Transactions, Japanese Geomorphological Union*, 40(3), 203–228.
- Hewawasam, T., Blanckenburg, F., Schaller, M., & Kubik, P. (2003). Increase of human over natural erosion rates in tropical highlands constrained by cosmogenic nuclides. *Geology*, 31(7), 597–600. [https://doi.org/10.1130/0091-7613\(2003\)031](https://doi.org/10.1130/0091-7613(2003)031)
- Jayasumana, C., Fonseka, S., Fernando, A., Jayalath, K., Amarasinghe, M., Siribaddana, S., Gunatilake, S., & Paranagama, P. (2015). Phosphate fertilizer is a main source of arsenic in areas affected with chronic kidney disease of unknown etiology in Sri Lanka. *SpringerPlus*, 4(1), 90. <https://doi.org/10.1186/s40064-015-0868-z>
- Jayasumana, C., Gunatilake, S., & Senanayake, P. (2014). Glyphosate, hard water and nephrotoxic metals: Are they the culprits behind the epidemic of chronic kidney disease of unknown etiology in Sri Lanka? *International Journal of Environmental Research and Public Health*, 11(2), 2125–2147. <https://doi.org/10.3390/ijerph110202125>
- Rajapakse, S., Shivanthan, M. C., & Selvarajah, M. (2016). Chronic kidney disease of unknown etiology in Sri Lanka. *International Journal of Occupational and Environmental Health*, 22(3), 259–264. <https://doi.org/10.1080/10773525.2016.1203097>
- Séralini, G. E., Clair, E., Mesnage, R., Gress, S., Defarge, N., Malatesta, M., Hennequin, D., & Vendômois, J. (2012).

RETRACTED: Long term toxicity of a Roundup herbicide and a Roundup-tolerant genetically modified maize. *Food and Chemical Toxicology*, 50(11), 4221–4231. <https://doi.org/10.1016/j.fct.2012.08.005>

- W.H.O. (2016). *International expert consultation on chronic kidney disease of unknown etiology*. World Health Organization, Country Office for Sri Lanka. <https://iris.who.int/handle/10665/255137>
- Williams, G. M., Kroes, R., & Munro, I. C. (2000). RETRACTED: Safety Evaluation and Risk Assessment of the Herbicide Roundup and Its Active Ingredient, Glyphosate, for Humans. *Regulatory Toxicology and Pharmacology*, 31(2), 117–165. <https://doi.org/10.1006/rtp.1999.1371>

## 76 Death by a thousand cuts

- Gunatilake, H. M. (1998). *An economic analysis of soil conservation in the Upper Mahaweli Watershed of Sri Lanka*. University of Hawai'i at Manoa.
- Gunatilake, H. M., Gopalakrishnan, C., Gunatilake, H. M., & Gopalakrishnan, C. (1999). The economics of reservoir sedimentation: A case study of Mahaweli reservoirs in Sri Lanka. *International Journal of Water Resources Development*, 15(4), 511–526.
- Hewawasam, T. (2010). Effect of land use in the upper Mahaweli catchment area on erosion, landslides and siltation in hydropower reservoirs of Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 38(1), 3–14. <https://doi.org/10.4038/jnsfsv38i1.1721>
- Hewawasam, T. (2019). A review on weathering, erosion and denudation in the critical zone of central highlands of Sri Lanka—the state under natural and man-made environments. *Transactions, Japanese Geomorphological Union*, 40(3), 203–228. [https://doi.org/10.60380/tjgu.40.3\\_203](https://doi.org/10.60380/tjgu.40.3_203)
- Hewawasam, T., Blanckenburg, F., Schaller, M., & Kubik, P. (2003). Increase of human over natural erosion rates in tropical highlands constrained by cosmogenic nuclides. *Geology*, 31(7), 597–600. [https://doi.org/10.1130/0091-7613\(2003\)031](https://doi.org/10.1130/0091-7613(2003)031)
- Nayakekorale, H. B. (2020a). Soil Degradation. In R. Mapa (Ed.), *The Soils of Sri Lanka*. World Soils Book Series. Springer. [https://doi.org/10.1007/978-3-030-44144-9\\_9](https://doi.org/10.1007/978-3-030-44144-9_9)
- Nayakekorale, H. B. (2020b). Soil degradation. In R. Mapa (Ed.), *The Soils of Sri Lanka* (pp. 103–118). Springer International Publishing. [https://doi.org/10.1007/978-3-030-44144-9\\_9](https://doi.org/10.1007/978-3-030-44144-9_9)
- Paranage, K. (2018). The consequences of restricting rights to land: Understanding the impact of state-land tenure policies in Sri Lanka. *Sustainability: Science, Practice and Policy*, 14(1), 46–54. <https://doi.org/10.1080/15487733.2018.1545556>
- Samarakoon, S. M. M., & Abeygunawardena, P. (1996). An economic assessment of on-site effects of soil erosion in potato lands in Nuwara Eliya district of Sri Lanka. *Journal of Sustainable Agriculture*, 6(2–3), 81–92. [https://doi.org/10.1300/J064v06n02\\_09](https://doi.org/10.1300/J064v06n02_09)
- Senanayake, S., Pradhan, B., Huete, A., & Brennan, J. (2020). Assessing soil erosion hazards using land-use change and landslide frequency ratio method: A case study of Sabaragamuwa province, Sri Lanka. *Remote Sensing*, 12(9). <https://doi.org/10.3390/rs12091483>

Weerasinghe, R. N. N., Jayawardana, J. M. C. K., & Udayakumara, E. P. N. (2016). *Quantitative assessment of soil erosion and its association with river health in Uma Oya watershed in Sri Lanka*. ISAE. <http://viduketha.nsf.gov.lk:8585/slsipr/PR6943/PR6943-137.pdf>

## 77 Team Players

- Crozier, R. H., Newey, P. S., Schluens, E. A., & Robson, S. K. (2010). A masterpiece of evolution—*Oecophylla* weaver ants (Hymenoptera: Formicidae). *Myrmecological News*, 13(5), 57–71.
- Hölldobler, B., & Wilson, E. O. (1990). *The Ants*. Belknap Press of Harvard University Press.
- Kirton, L. (2008). Host plants and associated trophobionts of the weaver ants *Oecophylla* spp. (Hymenoptera: Formicidae). *CAB Reviews Perspectives in Agriculture Veterinary Science Nutrition and Natural Resources*. <https://doi.org/10.1079/PAVSNNR20083035>
- Mele, P. (2008). A historical review of research on the weaver ant *Oecophylla* in biological control. *Agricultural and Forest Entomology*, 10(1), 13–22. <https://doi.org/10.1111/j.1461-9563.2007.00350.x>
- Schlüns, E. A., Wegener, B. J., Schlüns, H., Azuma, N., Robson, S. K. A., & Crozier, R. H. (2009). Breeding system, colony and population structure in the weaver ant *Oecophylla smaragdina*. *Molecular Ecology*, 18(1), 156–167. <https://doi.org/10.1111/j.1365-294X.2008.04020.x>
- Way, M. J. (1954). Studies on the association of the ant *Oecophylla longinoda* (Latr.) (Formicidae) with the scale insect *Saissetia zanzibarensis* Williams (Coccidae). *Bulletin of Entomological Research*, 45(1), 113–134. <https://doi.org/10.1017/S0007485300026833>

## 78 India's Gift to Asia

- Ashton, P. S., Morley, R. J., Heckenhauer, J., & Prasad, V. (2021). The magnificent Dipterocarps: Précis for an Epitaph? *Kew Bulletin*, 76(2), 87–125. <https://doi.org/10.1007/s12225-021-09934-7>
- Bansal, M., Morley, R. J., Nagaraju, S. K., Dutta, S., Mishra, A. K., Selveraj, J., Kumar, S., Niyolia, D., Harish, S. M., Abdelrahim, O. B., & Hasan, S. E. (2022). Southeast Asian Dipterocarp origin and diversification driven by Africa-India floristic interchange. *Science*, 375(6579), 455–460. <https://doi.org/10.1126/science.abk2177>
- Dayanandan, S., Ashton, P. S., Williams, S. M., & Primack, R. B. (1999). Phylogeny of the tropical tree family Dipterocarpaceae based on nucleotide sequences of the chloroplast *rbcl* gene. *American Journal of Botany*, 86(8), 1182–1190. <https://doi.org/10.2307/2656982>
- Janzen, D.H. (1971). Seed predation by animals. *Annual Review of Ecology and Systematics*, 1, 465–492.
- Greller, A. M., Gunatilleke, I. A. U. N., Jayasuriya, A. H. M., Gunatilleke, C. V. S., Balasubramaniam, S., & Dassanayake, M. D. (1987). *Stemonoporus* (Dipterocarpaceae)-dominated montane forests in the Adam's Peak Wilderness, Sri Lanka. *Journal of Tropical Ecology*, 3(3), 243–253. <https://doi.org/10.1017/S0266467400002108>
- Heckenhauer, J., Samuel, R., Ashton, P. S., Turner, B., Barfuss, M. H., Jang, T. S., Temsch, E. M., Mccann, J., Salim, K. A., Attanayake, A. A. S., & Chase, M. W. (2017). Phylogenetic

- analyses of plastid DNA suggest a different interpretation of morphological evolution than those used as the basis for previous classifications of Dipterocarpaceae (Malvales). *Botanical Journal of the Linnean Society*, 185(1), 1–26. <https://doi.org/10.1093/botlinnean/box044>
- Hoorn, C., & Lim, J. Y. (2022). The African trees that conquered Asia. *Science*, 375(6579), 380–381. <https://doi.org/10.1126/science.abn6191>
- Sanil, M. S., Balakrishnan, S., Sreekumar, V. B., & Dev, S. A. (2022). Dipterocarps used India as a raft from Gondwana to Eurasia. *Taxon*, 71(6), 1214–1229. <https://doi.org/10.1002/tax.12794>
- 79 Dodging a Bullet**
- Baker, J. R. (1937). The Sinharaja Rain-Forest, Ceylon. *The Geographical Journal*, 89(6), 539–551.
- Bandaratilake, H. M., Durst, P. B., Waggener, T. R., Enters, T., Tan LayCheng, T. L., Reid, A., Yang YueXian, Y. Y., Guiang, E. S., Bandaratilake, H. M., Lakanavichian, S., & Vu Huu Tuynh, V. H. T. (2001). Impacts and effectiveness of logging bans in natural forests: Sri Lanka. *Food and Agricultural Organization of the United Nations, Regional Office for Asia and the Pacific*, (08), 137–166.
- Cader, M. L. A. (1975). *State Industrial Corporations in Sri Lanka: Some Aspects of Their Development and Administration*. Australian National University.
- Chazdon, R. L. (2014). *Second growth: The promise of tropical forest regeneration in an age of deforestation*. University of Chicago Press.
- Ekanayake, E. R. M., & Abeygunawardena, P. (1994). Valuation of conservation commodity of the Sinharaja Forest: Towards total economic value. *Sri Lankan Journal of Agricultural Economics*, 2, 1–22.
- Ishwaran, N., & Erdelen, W. (1990). Conserving Sinharaja: An experiment in sustainable development in Sri Lanka. *Ambio*, 237–244.
- Samarasinghe, D. J., Wikramanayake, E. D., Jayakody, S., Fernando, S., Gunawardana, J., & Brackowski, A. (2021). A biodiversity hotspot in turmoil: Doing away with circular 5/2001 could have catastrophic consequences for Sri Lanka's forests. *Conservation Science and Practice*, 3(8), 466. <https://doi.org/10.1111/csp2.466>
- Siddiqui, K. M. (1997). *Asia-pacific forestry sector outlook study. Forestry Policy and Planning Division, Food and Agricultural Organization of the United Nations*.
- U.N.E.S.C.O. (1988). *Sinharaja Forest Reserve (reference for 1988 World Heritage status)*. <https://whc.unesco.org/en/list/405/#:~:text=More%20than%2060%25%20of%20the,insects%2C%20reptiles%20and%20rare%20amphibians>.
- 80 The Miracle Palm**
- Berry, E. W. (1926). *Cocos and Phymatocaryon in the Pliocene of New Zealand*. *American Journal of Science*, 5(69), 181–184.
- Gunn, B. F., Baudouin, L., & Olsen, K. M. (2011). Independent origins of cultivated coconut (*Cocos nucifera* L.) in the Old World tropics. *Plos One*, 6(6), 21143. <https://doi.org/10.1371/journal.pone.0021143>
- Harries, H. C. (1978). The evolution, dissemination and classification of *Cocos nucifera* L. *The Botanical Review*, 44(3), 265–319. <https://doi.org/10.1007/BF02957852>
- Newman, M., & Kirker, C. L. (2022). *Coconut: A Global History*. Reaktion Books.
- Srivastava, R., & Srivastava, G. (2014). Fossil fruit of *Cocos* L. (Arecaceae) from Maastrichtian-Danian sediments of central India and its phytogeographical significance. *Acta Palaeobotanica*, 54(1), 67–75. <https://doi.org/10.2478/acpa-2014-0003>
- 81 Herbal Medicines**
- Chu, M., & Seltzer, T. F. (2010). Myxedema coma induced by ingestion of raw bok choy. *New England Journal of Medicine*, 362(20), 1945–1946. <https://doi.org/10.1056/NEJMc0911005>
- Dolan, L. C., Matulka, R. A., & Burdock, G. A. (2010). Naturally occurring food toxins. *Toxins*, 2(9), 2289–2332. <https://doi.org/10.3390/toxins2092289>
- Gunatilake, M., Lokuhetty, M. D. S., Bartholameuz, N. A., Edirisuriye, D. T., Kularatne, M. U., & Date, A. (2012). *Aerva lanata* (Polpala): Its effects on the structure and function of the urinary tract. *Pharmacognosy Research*, 4(4), 181–188. <https://doi.org/10.4103/0974-8490.102259>
- Gunawardana, S. L. A., & Jayasuriya, W. J. A. B. N. (2019). Medicinally important herbal flowers in Sri Lanka. *Evidence-Based Complementary and Alternative Medicine*, 1, 2321961. <https://doi.org/10.1155/2019/2321961>
- Mirihagalla, M. K. P. N., & Fernando, K. M. C. (2021a). Medicinal plants use for home remedies in Sri Lanka: A review. *International Journal of Minor Fruits, Medicinal and Aromatic Plants*, 7(2), 29–39.
- Mirihagalla, M. K. P. N., & Fernando, K. M. C. (2021b). Medicinal plants use for home remedies in Sri Lanka: A review. *International Journal of Minor Fruits, Medicinal and Aromatic Plants*, 7(2), 29–39.
- Putra, I. M. W. A., Fakhruddin, N., Nurrochmad, A., & Wahyuono, S. (2021). Antidiabetic activity of *Coccinia grandis* (L.) Voigt: Bioactive constituents, mechanisms of action, and synergistic effects. *Journal of Applied Pharmaceutical Science*, 12(1), 041–054. <https://doi.org/10.7324/JAPS.2021.120103>
- Sengül, M., Keleş, F., & Keleş, M. S. (2004). The effect of storage conditions (temperature, light, time) and variety on the glycoalkaloid content of potato tubers and sprouts. *Food Control*, 15(4), 281–286. [https://doi.org/10.1016/S0956-7135\(03\)00077-X](https://doi.org/10.1016/S0956-7135(03)00077-X)
- Taylor, E. N., & Curhan, G. C. (2007). Oxalate intake and the risk for nephrolithiasis. *Journal of the American Society of Nephrology*, 18(7), 2198–2204. <https://doi.org/10.1681/ASN.2007020219>
- Wasana, K. G. P., Attanayake, A. P., Weerathna, T. P., & Jayatilaka, K. A. P. W. (2021). Efficacy and safety of a herbal drug of *Coccinia grandis* (Linn.) Voigt in patients with type 2 diabetes mellitus: A double blind randomized placebo controlled clinical trial. *Phytomedicine*, 81, 153431. <https://doi.org/10.1016/j.phymed.2020.153431>
- Wijewickrama, A., Idampitiya, D., Karunarathne, M., Pahalagamage, S., Sellahewa, K., Govindapala, D., Kalambarachchi, H., Sooriyachchi, R., Chandrarathne, N., Goonaratna, C., & Perera, J. (2024). Efficacy and safety of

link natural Sudarshana, an ayurvedic herbal preparation in COVID-19 patients: A phase II multicenter double-blind randomized placebo-controlled trial. *Journal of Ethnopharmacology*, 323, 117535. <https://doi.org/10.1016/j.jep.2023.117535>

## 82 Coconut Royalty

- Burman, J. (1737). *Thesaurus Zeylanicus, exhibens plantas in insula Zeylana nascentes*. Janssonio-Waesbergios & Salomonem Schouten.
- Chodat, R. (1906). *Cocos nucifera* var. *aurantiaca*. *Bulletin de l'Herbier Boissier, 2nd Series*, 6, 10.
- Ekanayake, G. K., Perera, S. A. C. N., Dassanayake, P. N., & Everard, J. M. D. T. (2012). Varietal classification of new coconut (*Cocos nucifera* L.) forms identified from Southern Sri Lanka. *Cocos*, 19(1), 41–50. <https://doi.org/10.4038/cocos.v19i1.4749>.
- Geiger, W. (1912). *The Mahavamsa or The Great Chronicle of Ceylon*. Oxford University Press.
- Hermann, P. (1717). *Museum Zeylanicum, sive Catalogus Plantarum in Zeylana sponte nascentium*. Isaacum Severinum.
- Jayasinghe, M. D., Gunasekara, M. M. N. P., Perera, M. G. D. S., Karunaratna, K. D. S. M., Chandrasiri, G. U., & Hewajulige, I. G. N. (2023). Study on compositional changes of king coconut (*Cocos nucifera* var. *aurantiaca*) water and kernel during maturation and evaluation of optimum quality characteristics targeting commercial applications. *Journal of the National Science Foundation of Sri Lanka*, 51(2), 273–285. <https://doi.org/10.4038/jnsfsr.v51i2.11127>
- V, L. D. (1958). Varieties and forms of the coconut palm grown in Ceylon. *Ceylon Coconut Quarterly*, 9, 1–10.

## 83 Treasured Ferals

- Gupta, S. K., Kumar, A., Angom, S., Singh, B., Ghazi, M. G. U., Tuboi, C., & Hussain, S. A. (2018). Genetic analysis of endangered hog deer (*Axis porcinus*) reveals two distinct lineages from the Indian subcontinent. *Scientific Reports*, 8(1), 16308. <https://doi.org/10.1038/s41598-018-34482-9>
- Heckeberg, N. S. (2020). The systematics of the Cervidae: A total evidence approach. *PeerJ*, 8, 8114. <https://doi.org/10.7717/peerj.8114>
- Hill, E., Linacre, A., Toop, S., Murphy, N., & Strugnell, J. (2019). Widespread hybridization in the introduced hog deer population of Victoria, Australia, and its implications for conservation. *Ecology and Evolution*, 9(18), 10828–10842. <https://doi.org/10.1002/ece3.5603>
- Mackiewicz, P., Matosiuk, M., Świśłocka, M., Zachos, F. E., Hajji, G. M., Saveljev, A. P., Seryodkin, I. V., Farahvash, T., Rezaei, H. R., Torshizi, R. V., & Mattioli, S. (2022). Phylogeny and evolution of the genus *Cervus* (Cervidae, Mammalia) as revealed by complete mitochondrial genomes. *Scientific Reports*, 12(1), 16381. <https://doi.org/10.1038/s41598-022-20763-x>
- Madhushanka, S., & Ranawana, K. B. (2025). Conservation status, crop damage and distribution of the Hog Deer (*Axis porcinus* Zimmermann, 1780) in Galle District, Sri Lanka. *University of Colombo Review*, 6(1), 4–23. <https://doi.org/10.4038/ucrv6i1.181>
- Mayze, R. J., & Moore, G. (1990). *The hog deer*. Australian

Deer Research Foundation.

- Vishvanath, N., Nanayakara, R. P., & Herath, H. M. J. C. B. (2014). Current status, distribution and conservation of the Sri Lankan Hog Deer *Hyelaphus porcinus* (Zimmermann, 1780) (Cetartiodactyla: Cervidae). *Journal of Threatened Taxa*, 6(12), 6515–6522. <https://doi.org/10.11609/JoTT.o3263.6515-22>

## 84 The Medicine Tree

- Baby, A. R., Freire, T. B., Marques, G. D. A., Rijo, P., Lima, F. V., Carvalho, J. C. M. D., Rojas, J., Magalhães, W. V., Velasco, M. V. R., & Morocho-Jácume, A. L. (2022). *Azadirachta indica* (Neem) as a potential natural active for dermocosmetic and topical products: A narrative review. *Cosmetics*, 9(3), 58. <https://doi.org/10.3390/cosmetics9030058>
- Campos, E. V., Oliveira, J. L., Pascoli, M., Lima, R., & Fraceto, L. F. (2016). Neem oil and crop protection: From now to the future. *Frontiers in Plant Science*, 7. <https://doi.org/10.3389/fpls.2016.01494>
- Debnath, S., Das, M., Mondal, S., Sarkar, B. K., & Babu, G. (2025). Neem (*Azadirachta indica* A. Juss): A multifaceted tree & an elixir in the traditional system of Indian medicine. *Discover Plants*, 2(1), 156. <https://doi.org/10.1007/s44372-025-00196-2>
- Ghoshal, G., & Sandal, S. (2024). Neem essential oil: Extraction, characterization, and encapsulation. *Food Chemistry Advances*, 4, 100702. <https://doi.org/10.1016/j.focha.2024.100702>
- Subapriya, R., & Nagini, S. (2005). Medicinal properties of neem leaves: A review. *Current Medicinal Chemistry-Anti-Cancer Agents*, 5(2), 149–156. <https://doi.org/10.2174/1568011053174828>

## 85 All the perfumes of Arabia

- Barden, A., Anak, N. A., Mulliken, T., & Song, M. (2000). *Heart of the matter: Agarwood use and trade and CITES implementation for Aquilaria malaccensis*. Traffic International.
- Guenther, E., Kulka, K., & Rogers, J. A. (1959). Essential oils. *Analytical Chemistry*, 31(4), 679–687.
- Subasinghe, S. M. C. U. P., & Hettiarachchi, D. S. (2015). Characterisation of agarwood type resin of *Gyrinops walla* Gaertn growing in selected populations in Sri Lanka. *Industrial Crops and Products*, 69, 76–79. <https://doi.org/10.1016/j.indcrop.2015.01.060>
- Subasinghe, S. M. C. U. P., Hettiarachchi, D. S., & Rathnamalla, E. (2012). Agarwood-type resin from *Gyrinops walla* Gaertn: A new discovery. *Journal of Tropical Forestry and Environment*, 2(2), 43–48.

## 86 A Majestic Beast is the Gaur

- D'Oyly, J. (1929). *A Sketch of the Constitution of the Kandyan Kingdom*. H.
- Forbes, J. (1840). *Eleven Years in Ceylon: Comprising Sketches of the Field Sports and Natural History of that Colony, and an Account of Its History and Antiquities*. Richard Bentley.
- Knox, R. (1681). *An Historical Relation of the Island Ceylon, in the East-Indies*. Richard Chiswell.
- Mehra, P. (2022). Wildlife Diplomacy: India Considers Sri Lanka's Request for Translocation of Gaurs. *The Hindu*. <https://www.thehindu.com/sci-tech/energy-and-environ->

[ment/india-considers-sri-lankas-request-for-translocation-of-gaurs/article65851853.ece](https://doi.org/10.1093/aesa/aaaf007).

Sumanarathna, A. R., Katupotha, K. N. J., Abeywardhana, K., & Madurapperuma, B. (2017). Extinction of Quaternary Mammalian Habitats of Megafauna in Sabaragamu Basin, Sri Lanka. *Journal of Eco Astronomy*, 1(1), 16–31.

### 87 Serial Killers

Kittle, A. M., Watson, A. C., & Prasad, T. (2021). Spatio-temporal insights into human-induced leopard mortality in Sri Lanka from 2001–2020. *WildLanka*, 9, 1, 136–149.

Kovařík, F., Lowe, G., Ranawana, K. B., Hoferek, D., Jayarathne, V. S., Plíšková, J., & Štáhlavský, F. (2016). Scorpions of Sri Lanka (Arachnida, Scorpiones: Buthidae, Chaerilidae, Scorpionidae) with description of four new species of the genera *Charmus* Karsch, 1879 and *Reddyanus* Vachon, 1972. *Euscorpius*, 220 (pp. 1–133).

Kularatne, S. A., Dinamithra, N. P., Sivansuthan, S., Weerakoon, K. G., Thillaimpalam, B., Kalyanasundram, V., & Ranawana, K. B. (2015). Clinico-epidemiology of stings and envenoming of *Hottentotta tamulus* (Scorpiones: Buthidae), the Indian red scorpion from Jaffna Peninsula in northern Sri Lanka. *Toxicon*, 93, 85–89. <https://doi.org/10.1016/j.toxicon.2014.11.225>

Ranawana, K. B., Dinamithra, N. P., Sivansuthan, S., Nagasena, I. I., Kovařík, F., & Kularatne, S. A. (2013). First report on *Hottentotta tamulus* (Scorpiones: Buthidae) from Sri Lanka, and its medical importance. *Euscorpius*, 155, 1–8.

Ratnayake, S., Manen, F. T., Pieris, R., & Pragash, V. S. (2014). Challenges of large carnivore conservation: Sloth bear attacks in Sri Lanka. *Human Ecology*, 42(3), 467–479. <https://doi.org/10.1007/s10745-014-9643-y>

Thalgaspitiya, S. P., Siriwardana, A., Chenthuran, V., & Wijerathne, B. T. (2022). Sri Lankan sloth bear (*Melursus ursinus inornatus*) attacks on humans. *Wilderness & Environmental Medicine*, 33(4), 446–453. <https://doi.org/10.1016/j.wem.2022.07.0>

Uluwaduge, P., Menike, K. E., Senevirathna, E. M. T. K., & Pathirana, G. C. L. (2018). Mitigating the human-crocodile conflict in Sri Lanka: A study based on the Nilwala River area in Matara District. *Procedia Engineering*, 212, 994–1001. <https://doi.org/10.1016/j.proeng.2018.01.128>

### 88 Mudpuddling

Arms, K., Feeny, P., & Lederhouse, R. C. (1974). Sodium: Stimulus for puddling behaviour by tiger swallowtail butterflies, *Papilio glaucus*. *Science*, 185(4148), 372–374. <https://doi.org/10.1126/science.185.4148.3>

Beck, J., Mühlenberg, E., & Fiedler, K. (1999). Mud-puddling behaviour in tropical butterflies: In search of proteins or minerals? *Oecologia*, 119(1), 140–148. <https://doi.org/10.1007/s004420050770>

Braby, M. F., & Jones, R. E. (1995). Reproductive patterns and resource allocation in tropical butterflies: Influence of adult diet and seasonal phenotype on fecundity, longevity and egg size. *Oikos*, 189–204. <https://doi.org/10.2307/3546221>

Lamie, E., Morton, E. R., & Parzer, H. F. (2025). Puddling in butterflies: Current knowledge and new directions. *Annals of the Entomological Society of America*, 118(2), 110–118.

<https://doi.org/10.1093/aesa/aaaf007>

Van der Poorten, G. M., & Van der Poorten, N. E. (2016). *The Butterfly Fauna of Sri Lanka*. Lepodon Books.

### 89 Pachyderm Preschool

Curtin, S., & Day, C. (2020). Alternative forms of elephant tourism. In E. Laws, N. Scott, X. Font, & J. Koldowski (Eds), *The elephant tourism business*. CABI (pp. 73–84).

Lorimer, J. (2010). Elephants as companion species: The lively biogeographies of Asian elephant conservation in Sri Lanka. *Transactions of the Institute of British Geographers*, 35(4), 491–506. <https://doi.org/10.1111/j.1475-5661.2010.00395.x>

Miththapala, S. (2009). The Uda Walawe Elephant Transit Home—another opportunity missed? *Gajah*, 30, 24–28.

Perera, B. V., Jayawardena, B. A. D. S., Prasad, G. A. T., & Silva-Flecher, A. (2018). Back to the wild—Rehabilitation of orphan Asian elephant calves in Sri Lanka. In P. S. Soorae (Ed.), *Global Re-introduction Perspectives: Case Studies from Around the Globe*. IUCN (pp. 170–173).

Perera, B. V., Silva-Fletcher, A., Thitaram, C., Kosaruk, W., & Brown, J. L. (2025). Rapid post-release adaptation of released orphan elephants from a rescue centre to a national park in Sri Lanka based on faecal glucocorticoid metabolite analyses. *Conservation Physiology*, 13(1), 044. <https://doi.org/10.1093/conphys/coaf044>

Perera, V., Silva-Flecher, A., Jayawardena, S., Kumudini, N., & Prasad, T. (2018). Rehabilitation of orphaned Asian elephant (*Elephas maximus maximus*) calves in Sri Lanka. *Journal of Wildlife Rehabilitation*, 38(2), 13–24.

Silva, S., Ranjeeewa, A. D., & Weerakoon, D. (2011). Demography of Asian Elephants (*Elephas maximus*) at Uda Walawe national park, Sri Lanka based on identified individuals. *Biological Conservation*, 144(5), 1742–1752. <https://doi.org/10.1016/j.biocon.2011.03.011>

Strödeck, R., & Häusler, N. (2021). Elephant visitor preferences and experiences in Sri Lanka. In E. Laws, N. Scott, X. Font, & J. Koldowski (Eds), *The elephant tourism business*. CABI (pp. 85–96).

### 90 Gondwanan Heritage

—

### 91 Madalanka

Cooray, G. P. (1984). *An Introduction to the Geology of Sri Lanka (Ceylon)* (2nd edn). National Museums of Sri Lanka.

Dissanayake, C. B., & Chandrajith, R. (1999). Sri Lanka–Madagascar Gondwana linkage: Evidence for a Pan-African mineral belt. *The Journal of Geology*, 107(2), 223–235. <https://doi.org/10.1086/314342>

Jain, P. K. (2025). The Graphite Processing Sector: A Global Perspective on Practices, Applications, Trade, and Trends Toward 2047. *Mineral Processing and Extractive Metallurgy Review*, 1–24. <https://doi.org/10.1080/08827508.2025.2552149>

Jayawardena, D. (1984). The present status of the development of mineral resources in Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 12(1), 53–69. <https://doi.org/10.4038/jnsfsr.v12i1.8372>

Kröner, A. (1991). African linkage of precambrian Sri Lanka.

- Geologische Rundschau*, 80(2), 429–440. <https://doi.org/10.1007/BF01829375>
- Pardieu, V., Verriest, W., Weeramonkhonlert, V., Raynaud, V., Atikarnsakul, U., & Perkins, R. (2017). Sapphires from the gem rush Bemaity area, Ambatondrazaka (Madagascar). *GIA Research News*. <https://scholar.archive.org/work/kx-gh34kaoncerdscrr42qrxq/access/wayback/https://www.gia.edu/doc/Sapphires-Gem-Rush-Bemaity-area-Ambatondrazaka-Madagascar.pdf>
- Selberg, E. (1883). Plumbago, Ceylon. *RSA Journal of the Society of Arts*, 32, 151.
- Survey, U. S. G. (n.d.). Mineral Commodity Summaries: Graphite. *USGS.Gov*. Retrieved <https://pubs.usgs.gov/periodicals/mcs2024/mcs2024-graphite.pdf>
- 92 The Glorious Talipot**
- Bloss, J. (2018). *CRC World Dictionary of Palms: Common Names, Scientific Names, Etymology*. <https://doi.org/10.1108/RR-05-2018-0079>
- Davids, B. (2011). From Palm Leaf to Book: A South Asia Quest. *The Journal of the American History Association*, 10, 25–37.
- Geiger, W. (1912). *The Mahavamsa; or, The Great Chronicle of Ceylon*. Pali Text Society.
- Knox, R. (1681). *An Historical Relation of the Island Ceylon, in the East-Indies*. Richard Chiswell.
- 93 Tiny Terrors**
- Kularatne, S. A., Shahmy, S., Rathnayake, S. S., & Dawson, A. H. (2018). Clinico-epidemiology of arthropod stings and bites in primary hospitals of North Western province of Sri Lanka. *Clinical Toxicology*, 56(10), 880–885.
- Kumar, P. G., & Srinivasan, G. (2010). Taxonomic studies of hornet wasps (Hymenoptera: Vespidae) *Vespa* Linnaeus of India. In *Records of the Zoological Survey of India* (pp. 57–80).
- Ralapanawa, U., Kularatne, S. A. M., Basnayake, B. M. P. K. D., & Weerakoon, K. (2020). Social and Health Impact of Flying Hymenoptera Stings: Experience in a Region of Central Hill Country of Sri Lanka. *Asian Pacific Journal of Health Sciences*, 7(4), 23–28. <https://doi.org/10.21276/apjhs.2020.7.4.6>
- Wijerathne, B. T., Rathnayake, G. K., & Agampodi, S. B. (2014). Hornet stings presenting to a primary care hospital in Anuradhapura District, Sri Lanka. *Wilderness & Environmental Medicine*, 25(1), 122–126. <https://doi.org/10.1016/j.wem.2013.09.012>
- Witharana, E. W. R. A. (2023). Hymenoptera (wasps, bees and ants) envenomation; a neglected tropical disorder in Sri Lanka. *Journal of the Ceylon College of Physicians*, 54(1), 4–11. <https://doi.org/10.4038/jccp.v54i1.7992>
- 94 Romance of the Ocean**
- Delgado, M. L., & Ruzzante, D. E. (2020). Investigating diadromy in fishes and its loss in an-omics era. *Science*, 23(12), 101837. <https://doi.org/10.1016/j.isci.2020.101837>
- Fricke, R., Mahafina, J., Behivoke, F., Jaonalison, H., Léopold, M., & Ponton, D. (2018). Annotated checklist of the fishes of Madagascar, southwestern Indian Ocean, with 158 new records. *Journal of Fish Taxonomy*, 3(1), 1–432.
- Gross, M. R., Coleman, R. M., & McDowall, R. M. (1988). Aquatic productivity and the evolution of diadromous fish migration. *Science*, 239(4845), 1291–1293. <https://doi.org/10.1126/science.239.4845.1291>
- McDowall, R. M. (1988). *Diadromy in Fishes: Migrations Between Freshwater and Marine Environments*. Croom Helm.
- McDowall, R. M. (1997). The evolution of diadromy in fishes (revisited) and its place in phylogenetic analysis. *Reviews in Fish Biology and Fisheries*, 7(4), 443–462. <https://doi.org/10.1023/A:1018404331601>
- Myers, G. S. (1949). Usage of Anadromous, Catadromous and Allied Terms for Fish Migration. *Copeia*, (2), 89–97. <https://doi.org/10.2307/1438482>
- Oka, S. I., & Tachihara, K. (2008). Migratory history of the spotted flagtail, *Kuhlia marginata*. *Environmental Biology of Fishes*, 81(3), 321–327. <https://doi.org/10.1007/s10641-007-9203-z>
- Raghavan, R., Prasad, G., Ali, P. A., & Pereira, B. (2008). Fish fauna of Chalakudy River, part of Western Ghats biodiversity hotspot, Kerala, India: Patterns of distribution, threats and conservation needs. *Biodiversity and Conservation*, 17(13), 3119–3131. <https://doi.org/10.1007/s10531-007-9293-0>
- Sudasinghe, H., Pethiyagoda, R., & Meegaskumbura, M. (2025). Species without borders: The diversification of giant danios in Sri Lanka (Teleostei, Danionidae, *Devario*). *Evolutionary Systematics*, 9, 229–258. <https://doi.org/10.3897/evolsyst.9.162251>
- Sudasinghe, H., Ranasinghe, T., & Rüber, L. (2024). Rediscovery of the elusive moray *Gymnothorax polyuranodon* (Teleostei: Muraenidae) from Sri Lanka after 84 years. *Zootaxa*, 5415(4), 598–600. <https://doi.org/10.11646/zootaxa.5415.4.10>
- 95 Sweet Cinnamon**
- Blahová, J., & Svobodová, Z. (2012). Assessment of coumarin levels in ground cinnamon available in the Czech retail market. *The Scientific World Journal*, 2012(1), 263851. <https://doi.org/10.1100/2012/263851>
- Commission, E. (2022). Commission Implementing Regulation (EU) 2022/144 of 2 February 2022 entering a name in the register of protected designations of origin and protected geographical indications ('Ceylon cinnamon' (PGI)). *Official Journal of the European Union*. [https://eur-lex.europa.eu/eli/reg\\_impl/2022/144/oj/eng](https://eur-lex.europa.eu/eli/reg_impl/2022/144/oj/eng)
- Dalby, A. (2000). *Dangerous Tastes: The Story of Spices*. University of California Press.
- Donkin, R. A. (2003). *Between East and West: The Moluccas and the Traffic in Spices up to the Arrival of Europeans*. American Philosophical Society.
- Freedman, P. (2008). *Out of the East: Spices and the Medieval Imagination*. Yale University Press.
- Klein, E. (1987). *A Comprehensive Etymological Dictionary of the Hebrew Language for Readers of English*. University of Haifa.
- 96 Found Nowhere Else**
- Bossuyt, F., Meegaskumbura, M., Beenaerts, N., Gower, D. J., Pethiyagoda, R., Roelants, K., Mannaert, A., Wilkinson,

- M., Bahir, M. M., Manamendra-Arachchi, K., & Ng, P. K. (2004). Local endemism within the Western Ghats-Sri Lanka biodiversity hotspot. *Science*, 306(5695), 479–481. <https://doi.org/10.1126/science.110016>
- Premathilake, R., & Risberg, J. (2003). Late quaternary climate history of the Horton Plains, central Sri Lanka. *Quaternary Science Reviews*, 22(14), 1525–1541. [https://doi.org/10.1016/S0277-3791\(03\)00128-8](https://doi.org/10.1016/S0277-3791(03)00128-8)
- Sudasinghe, H. (2025). Sexual dimorphism and species divergence between a habitat generalist and a habitat specialist. *Ecology of Freshwater Fish*, 34(1), 12799. <https://doi.org/10.1111/eff.12799>
- Sudasinghe, H., Dahanukar, N., Raghavan, R., Senavirathna, T., Shewale, D. J., Paingankar, M. S., Amarasinghe, A., Pethiyagoda, R., Rüber, L., & Meegaskumbura, M. (2021). Island colonization by a 'rheophilic' fish: The phylogeography of *Garra ceylonensis* (Teleostei: Cyprinidae) in Sri Lanka. *Biological Journal of the Linnean Society*, 132(4), 872–893. <https://doi.org/10.1093/biolinnean/blaa221>
- Sudasinghe, H., Kottelat, M., & Pethiyagoda, R. (2025). The collection of Sri Lankan freshwater fishes reported on by Pieter Bleeker (1863) (Osteichthyes: Cyprinidae, Danionidae, Nemacheilidae). *Zootaxa*, 5647(5), 461–468. <https://doi.org/10.11646/zootaxa.5647.5.4>
- Sudasinghe, H., Pethiyagoda, R., & Meegaskumbura, M. (2020). Evolution of Sri Lanka's Giant Danios (Teleostei: Cyprinidae: *Devario*): Teasing apart species in a recent diversification. *Molecular Phylogenetics and Evolution*, 149, 106853. <https://doi.org/10.1016/j.ympev.2020.106853>
- Sudasinghe, H., Pethiyagoda, R., & Meegaskumbura, M. (2025). Species without borders: The diversification of giant danios in Sri Lanka (Teleostei, Danionidae, *Devario*). *Evolutionary Systematics*, 9, 229–258. <https://doi.org/10.3897/evolsyst.9.162251>
- 97 Plant warfare**
- Alemayehu, Y., Chimdesa, M., & Yusuf, Z. (2024). Allelopathic effects of *Lantana camara* L. leaf aqueous extracts on germination and seedling growth of *Capsicum annuum* L. and *Daucus carota* L. *Scientifica*, 2024(1), 9557081. <https://doi.org/10.1155/2024/9557081>
- Broadfield, N., & McHenry, M. T. (2019). A world of gorse: Persistence of *Ulex europaeus* in managed landscapes. *Plants*, 8(11), 523. <https://doi.org/10.3390/plants8110523>
- Chacón-Morales, P. A., Amaro-Luis, J. M., Fermín, L. B. R., Peixoto, P. A., Deffieux, D., Pouységu, L., & Quideau, S. (2019). Preparation and bactericidal activity of oxidation derivatives of austro eupatol, an ent-nor-furano diterpenoid of the labdane series from *Austro eupatorium inulifolium*. *Phytochemistry Letters*, 29, 47–52. <https://doi.org/10.1016/j.phytol.2018.11.007>
- Karunaratne, I., & Madawala, S. (2016). *Austro eupatorium inulifolium* invasion alters soil microbial populations to facilitate its own growth. *Ceylon Journal of Science*, 45(3), 85–92. <https://doi.org/10.4038/cjs.v45i3.7404>
- Kato-Noguchi, H., & Kurniadie, D. (2021). Allelopathy of *Lantana camara* as an invasive plant. *Plants*, 10(5), 1028. <https://doi.org/10.3390/plants10051028>
- Piyasinghe, I. P. K., Madawala, H. M. S. P., & Gunatilake, J. (2019). *Austro eupatorium inulifolium* invasion alters litter dynamics in *Cymbopogon nardus*-dominated man-made grasslands. *Journal of the National Science Foundation of Sri Lanka*, 47(1), 39–48. <https://doi.org/10.4038/jnsfr.v47i1.8926>
- 98 Mortal Combat**
- Barchan, D., Kachalsky, S., Neumann, D., Vogel, Z., Ovadia, M., Kochva, E., & Fuchs, S. (1992). How the mongoose can fight the snake: The binding site of the mongoose acetylcholine receptor. *Proceedings of the National Academy of Sciences*, 89(16), 7717–7721. <https://doi.org/10.1073/pnas.89.16.7717>
- 99 Shooting in the Dark**
- Fernando, P. (2015). Managing elephants in Sri Lanka: Where we are and where we need to be. *Ceylon Journal of Science (Biological Sciences)*, 44(1). <https://doi.org/10.4038/cjsbs.v44i1.7336>
- Fernando, P., Leimgruber, P., Prasad, T., & Pastorini, J. (2012). Problem-elephant translocation: Translocating the problem and the elephant? *PloS One*, 7(12), 50917. <https://doi.org/10.1371/journal.pone.0050917>
- Gunawansa, T. D., Perera, K., Apan, A., & Hettiarachchi, N. K. (2023). The human-elephant conflict in Sri Lanka: History and present status. *Biodiversity and Conservation*, 32(10), 3025–3052. <https://doi.org/10.1007/s10531-023-02650-7>
- Prakash, T. G. S. L., Wijeratne, A. W., & Fernando, P. (2020). Human-elephant conflict in Sri Lanka: Patterns and extent. *Gajah*, 51(12), 16–25.
- Presidential Committee for the Preparation of a National Action Plan for the Mitigation of the Human-Elephant Conflict. National Action Plan for the Mitigation of Human-Elephant Conflict in Sri Lanka.* (2020). Government of Sri Lanka.
- Wildlife Conservation, S. L. D. (2023). *Performance Report 2022. Ministry of Wildlife and Forest Resources Conservation.* <https://www.parliament.lk/uploads/documents/paperspresented/1734493018040553.pdf>
- 100 Salt & Pepper Crab**
- Birch, J., Burn, C., Schnell, A., Browning, H., & Crump, A. (2021). Review of the evidence of sentience in cephalopod molluscs and decapod crustaceans. *The London School of Economics and Political Science.* <https://www.lse.ac.uk/News/News-Assets/PDFs/2021/Sentience-in-Cephalopod-Molluscs-and-Decapod-Crustaceans-Final-Report-November-2021.pdf>
- RSPCA Australia (2018). *What is the most humane way to kill crustaceans for human consumption?* <https://kb.rspca.org.au/categories/farmed-animals/other-animals/what-is-the-most-humane-way-to-kill-crustaceans-for-human-consumption>
- Santhanam, R. (2018). *Biology and culture of portunid crabs of world seas.* Taylor & Francis.
- 101 Kingdom of Crabs**
- Beenaerts, N., Pethiyagoda, R., Ng, P. K., Yeo, D. C., Bex, G. J., Bahir, M. M., & Artois, T. (2010). Phylogenetic diversity of Sri Lankan freshwater crabs and its implications for conservation. *Molecular Ecology*, 19(1), 183–196. <https://doi.org/10.1111/j.1365-294X.2009.04439.x>

Wolfe, J. M., Ballou, L., Luque, J., Watson-Zink, V. M., Ahyong, S. T., Barido-Sottani, J., Chan, T. Y., Chu, K. H., Crandall, K. A., Daniels, S. R., & Felder, D. L. (2024). Convergent adaptation of true crabs (Decapoda: Brachyura) to a gradient of terrestrial environments. *Systematic Biology*, 73(2), 247–262. <https://doi.org/10.1093/sysbio/syad066>

### 102 Looking in the Mirror

- Akers, J. S., & Conaway, C. H. (1979). Female homosexual behaviour in *Macaca mulatta*. *Archives of Sexual Behaviour*, 8(1), 63–80. <https://doi.org/10.1007/BF01541214>
- Dittus, W., & Baker, A. (2024). Maternal care in wild toque macaques (*Macaca sinica*) involves prolonged lactation and interbirth intervals as adaptations to reduce maternal depletion and infant mortality in harsh environments. *American Journal of Primatology*, 86(2), 23584. <https://doi.org/10.1002/ajp.23584>
- Dittus, W. P. (1975). Population dynamics of the toque monkey, *Macaca sinica*; pp. 125–151 in Tuttle, R.H. (Ed.), *Socioecology and psychology of primates*. De Gruyter Mouton.
- Dixon, A. F. (2012). *Primate Sexuality: Comparative Studies of the Prosimians, Monkeys, Apes, and Humans* (2nd edn). Oxford University Press.
- Gallup Jr, G. G., Burch, R. L., Zappieri, M. L., Parvez, R. A., Stockwell, M. L. and Davis, J. A. (2003). The human penis as a semen displacement device. *Evolution and Human Behaviour*, 24(4), 277–289. [https://doi.org/10.1016/S1090-5138\(03\)00016-3](https://doi.org/10.1016/S1090-5138(03)00016-3)
- Hanby, J. P., & Brown, C. E. (1974). The development of sociosexual behaviours in Japanese macaques *Macaca fuscata*. *Behaviour*, 49(1–2), 152–195. <https://doi.org/10.1163/156853974X00444>
- Harcourt, A. H., Harvey, P. H., Larson, S. G., & Short, R. V. (1981). Testis weight, body weight and breeding system in primates. *Nature*, 293(5827), 55–57. <https://doi.org/10.1038/293055a0>
- Hrdy, S. B., & Hausfater, G. (1984). Comparative and evolutionary perspectives on infanticide: Introduction and overview. In G. Hausfater & S. B. Hrdy (Eds), *Infanticide: Comparative and evolutionary perspectives*. Routledge (pp. 31–42). <https://doi.org/10.4324/9780203788608>
- Jackson, C. P., & Schaik, C. P. (2007). Evolutionary perspectives on infanticide by males. In C. J. Campbell (Ed.), *Primates in Perspective* (pp. 445–464). Oxford University Press.
- Keane, B., Dittus, W.P.J. and Melnick, D.J. (1997). Paternity assessment in wild groups of toque macaques *Macaca sinica* at Polonnaruwa, Sri Lanka using molecular markers. *Molecular Ecology*, 6(3), 267–282. <https://doi.org/10.1046/j.1365-294X.1997.00178.x>
- Rind, B. (2024). Same-sex sexual behaviour, age-class, and coalitions in male Rhesus Macaques (*Macaca mulatta*). *Archives of Sexual Behaviour*, 53(10), 3855–3874. <https://doi.org/10.1007/s10508-024-02983-6>
- Weerasekara, L. S., Wijesooriya, K., Huffman, M. A., & Ranawana, K. B. (2026). Same-sex sexual behaviour in male Toque macaques (*Macaca sinica aurifrons*) of Lower Hanthana, Sri Lanka. *Archives of Sexual Behaviour* (pp. 1–7). <https://doi.org/10.1007/s10508-025-03374-1>

### 103 Monkey Kingdom

- Anderson, J. R., & Gallup Jr, G. G. (2011). Do rhesus monkeys recognise themselves in mirrors? *American Journal of Primatology*, 73(7), 603–606. <https://doi.org/10.1002/ajp.20950>
- Chapais, B. (1992). The role of alliances and coalitions in the maintenance of dominance hierarchy. In A. H. Harcourt & F. B. M. Waal (Eds), *Coalitions and alliances in humans and other animals* (pp. 25–59). Oxford University Press.
- Dittus, W. P. (1987). Group fusion among wild toque macaques: An extreme case of inter-group resource competition. *Behaviour*, 247–291.
- Dittus, W. P. J. (1975). *The ecology and behaviour of the Toque Monkey, Macaca sinica* [PhD dissertation]. University of Maryland.
- Dittus, W. P. J. (1977). The social regulation of population density and age-sex distribution in the Toque monkey, *Macaca sinica*. *Behaviour*, 62(1–2), 2–31.
- Rajala, A. Z., Reininger, K. R., Lancaster, K. M., & Populin, L. C. (2010). Rhesus monkeys (*Macaca mulatta*) do recognise themselves in the mirror: Implications for the evolution of self-recognition. *PLoS One*, 5(9), 12865. <https://doi.org/10.1371/journal.pone.0012865>
- Reiss, D., & Morrison, R. (2017). Reflecting on mirror self-recognition: A comparative view. In J. Call, G. M. Burghardt, I. M. Pepperberg, C. T. Snowdon, & T. Zentall (Eds), *APA handbook of comparative psychology: Perception, learning, and cognition* (pp. 745–763). American Psychological Association. <https://doi.org/10.1037/0000012-033>
- Tennenhouse, E. M. (2014). Inbreeding avoidance in male primates: A response to female mate choice? *Ethology*, 120(2), 111–119. <https://doi.org/10.1111/eth.12187>
- Veer, M. W., & Bos, R. (1999). A critical review of methodology and interpretation of mirror self-recognition in nonhuman primates. *Animal Behaviour*, 58(3), 459–468. <https://doi.org/10.1006/anbe.1999.1166>

### 104 Thermidor? Newburg? Try the Lobster Nein Danke

- Basnayake, B. M. R. L., Silva, D. A. M., & Liyanage, U. S. P. K. (2025). *Building Resilience for Adaptation to Climate Change in High Value Marine Fisheries: A Case on Lobster Fisheries* (pp. 643–668).
- Bruin, G. H. P. (1962). Spiny lobsters of Ceylon'. *Bulletin of the Fisheries Research Station, Ceylon*, 14, 1–28.
- Crump, A., Browning, H., Schnell, A., Burn, C., & Birch, J. (2022). Sentience in decapod crustaceans: A general framework and review of the evidence. *Animal Sentience*, 7(32), 1–35. <https://doi.org/10.51291/2377-7478.1691>
- Kumar, P., & Daniel, A. (1975). Distribution pattern of the economically important Spiny lobsters of the genus *Panulirus* White, in the Indian Ocean. *Journal of the Marine Biological Association of India*, 17(2), 36–40.
- Malalgoda, C., Amaratunga, D., Haight, R., Nissanka, S., Fernando, N., Borg, R. P., & Hamza, M. (n.d.). In Eds. (Ed.), *Climate Change Adaptation in the Built Environment: Transdisciplinary and Innovative Learning*. Springer Nature. <https://doi.org/10.1007/978-3-031-75826-3>
- Sanders, M., & Liyanage, U. (2009). Preliminary assessment

- for the spiny lobster fishery of the south coast (Sri Lanka). In *The project report of National Aquatic Resources Research and Development Agency (NARA)*.
- Senevirathna, J. D. M., Kodikara, G. R., & Munasinghe, D. H. N. (2017). Analysis of habitat characteristics of the scalloped spiny lobster *Panulirus homarus* (Linnaeus, 1758) in their home range along the southern coast of Sri Lanka. *Indian Journal of Fisheries*, 64(1), 1–8. <https://doi.org/10.21077/ijf.2017.64.1.47483-01>
- Senevirathna, J. D. M., & Munasinghe, D. H. N. (2015). Identification of taxonomic status of spiny lobster species in Sri Lanka using DNA barcoding and its implications on fisheries and conservation programs. *Tropical Agricultural Research*, 25(1), 96–108. <https://doi.org/10.4038/tar.v25i1.8033>
- Senevirathna, J. D. M., Thushari, G. G. N., & Munasinghe, D. H. N. (2014). Length-weight relationship of spiny lobster, *Panulirus homarus* population inhabiting southern coastal region of Sri Lanka. *International Journal of Science, Environment and Technology*, 3(2), 607–614.
- Weerakkody, P. (n.d.). Provisional check list of the marine crustaceans (Arthropoda; Crustacea). In *Sri Lanka. The National Red List 2012 of Sri Lanka* (p. 396).
- 105 The Mind of an Elephant**
- Dale, R., & Plotnik, J. M. (2017). Elephants know when their bodies are obstacles to success in a novel transfer task. *Scientific Reports*, 7(1), 46309. <https://doi.org/10.1038/srep46309>
- de Mel, S.J.C., Seneweera, S., de Mel, R.K., Medawala, M., Abeysinghe, N., Dangolla, A., Weerakoon, D.K., Maraseni, T. and Allen, B.L., 2023. Virtual fencing of captive Asian elephants fitted with an aversive geofencing device to manage their movement. *Applied Animal Behaviour Science*, 258, p.105822. <https://doi.org/10.1016/j.applanim.2022.105822>
- Jacobson, S. L., Dechanupong, J., Horpiencharoen, W., Yindee, M., & Plotnik, J. M. (2023). Innovating to solve a novel puzzle: Wild Asian elephants vary in their ability to problem solve. *Animal Behaviour*, 205, 227–239. <https://doi.org/10.1016/j.anbehav.2023.08.019>
- McComb, K., Shannon, G., Sayialel, K. N., & Moss, C. (2014). Elephants can determine ethnicity, gender, and age from acoustic cues in human voices. *Proceedings of the National Academy of Sciences*, 111(14), 5433–5438. <https://doi.org/10.1073/pnas.1321543111>
- Plotnik, J. M., Lair, R., Suphachoksakun, W., & Waal, F. B. (2011). Elephants know when they need a helping trunk in a cooperative task. *Proceedings of the National Academy of Sciences*, 108(12), 5116–5121. <https://doi.org/10.1073/pnas.1101765108>
- Plotnik, J. M., Shaw, R. C., Brubaker, D. L., Tiller, L. N., & Clayton, N. S. (2014). Thinking with their trunks: Elephants use smell but not sound to locate food and exclude nonrewarding alternatives. *Animal Behaviour*, 88, 91–98. <https://doi.org/10.1016/j.anbehav.2013.11.011>
- Plotnik, J. M., & Waal, F. B. (2014). Asian elephants (*Elephas maximus*) reassure others in distress. *PeerJ*, 2, 278. <https://doi.org/10.7717/peerj.278>
- Plotnik, J. M., Waal, F. B., & Reiss, D. (2006). Self-recognition in an Asian elephant. *Proceedings of the National Academy of Sciences*, 103(45), 17053–17057. <https://doi.org/10.1073/pnas.0608062103>
- Shah, M., Heise, O., Buss, P., Klerk-Lorist, L. M., Hetzer, S., Haynes, J. D., Hildebrandt, T., & Brecht, M. (2025). Larger brains and relatively smaller cerebella in Asian elephants compared with African savanna elephants. *PNAS Nexus*, 4(5), 141. <https://doi.org/10.1093/pnasnexus/pgaf141>
- Smet, A. F., & Byrne, R. W. (2013). African elephants can use human pointing cues to find hidden food. *Current Biology*, 23(20), 2033–2037. <https://doi.org/10.1016/j.cub.2013.08.037>
- 106 The Mile High Club**
- Corbet, P. S. (1999). *Dragonflies: Behaviour and Ecology of Odonata*. Cornell University Press.
- Córdoba-Aguilar, A., Uhía, E., & Rivera, A. C. (2003). Sperm competition in Odonata (Insecta): The evolution of female sperm storage and rivals' sperm displacement. *Journal of Zoology*, 261(4), 381–398. <https://doi.org/10.1017/S0952836903004357>
- Stoks, R., & Córdoba-Aguilar, A. (2012). Evolutionary ecology of Odonata: A complex life cycle perspective. *Annual Review of Entomology*, 57(1), 249–265. <https://doi.org/10.1146/annurev-ento-120710-100557>
- Waage, J. K. (1979). Dual function of the damselfly penis: Sperm removal and transfer. *Science*, 203(4383), 916–918. <https://doi.org/10.1126/science.203.4383.91>
- Waage, J. K. (1984). Sperm competition and the evolution of odonate mating systems. In R. L. Smith (Ed.), *Sperm competition and the evolution of animal mating systems*. Academic Press (pp. 251–290). <https://doi.org/10.1016/B978-0-12-652570-0.X5001-5>
- 107 Could You Pass the Pepper, Please?**
- Butt, M. S., Pasha, I., Sultan, M. T., Randhawa, M. A., Saeed, F., & Ahmed, W. (2013). Black pepper and health claims: A comprehensive treatise. *Critical Reviews in Food Science and Nutrition*, 53(9), 875–886. <https://doi.org/10.1080/10408398.2011.571799>
- Dalby, A. (2000). *Dangerous Tastes: The Story of Spices*. British Museum.
- Freedman, P. (2008). *Out of the East: Spices and the Medieval Imagination*. Yale University Press.
- Gopallawa, B., Metschina, D., Wickramasuriya, A. M., Cauz-Santos, L. A., Wimalarathna, N. A., Ravikanth, G., Chase, M. W., Samuel, R., & Yakandawala, D. (2025). Phylogenomics and age estimation for Sri Lankan *Piper* (Piperaceae) species using genotyping-by-sequencing. *Plant Systematics and Evolution*, 311(5), 1–12. <https://doi.org/10.1007/s00606-025-01962-1>
- Mittal, R., & Gupta, R. (2000). In vitro antioxidant activity of piperine. *Methods and Findings in Experimental and Clinical Pharmacology*, 22(5), 271–274. <https://doi.org/10.1358/mf.2000.22.5.796644>
- Platel, K., & Srinivasan, K. (2000). Influence of dietary spices and their active principles on pancreatic digestive enzymes in albino rats. *Nahrung*, 44, 42–46. [https://doi.org/10.1002/\(SICI\)1521-3803\(20000101\)44:1](https://doi.org/10.1002/(SICI)1521-3803(20000101)44:1)
- Selvendiran, K., Padmavathi, R., Magesh, V., & Sakthisakaran,

- D. (2005). Preliminary study on inhibition of genotoxicity by piperine in mice. *Fitoterapia*, 76(3–4), 296–300. <https://doi.org/10.1016/j.fitote.2005.03.016>
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., & Srinivas, P. S. S. R. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 64(4), 353–356. <https://doi.org/10.1055/s-2006-957450>
- Ying, H., Jin, Y., & Li, R. (2013). Piperine inhibits LPS-induced expression of inflammatory mediators in RAW 264.7 cells. *Cellular Immunology*, 285(1–2), 49–54. <https://doi.org/10.1016/j.cellimm.2013.09.001>
- 108 Incredible Journeys**
- Axelrod, D. I. (1970). Mesozoic paleogeography and early angiosperm history. *The Botanical Review*, 36(3), 277–319. <https://doi.org/10.1007/BF02858880>
- Bobrov, A. V., Iurmanov, A. A., & Lorence, D. H. (2017). Phylogenetic biogeography of the family Monimiaceae. *Geography, Environment, Sustainability*, 10(4), 16–26. <https://doi.org/10.24057/2071-9388-2017-11-4-16-26>
- Conti, E., Eriksson, T., Schönenberger, J., Sytsma, K. J., & Baum, D. A. (2002). Early Tertiary out-of-India dispersal of Crypteroniaceae: Evidence from phylogeny and molecular dating. *Evolution*, 56(10), 1931–1942. <https://doi.org/10.1111/j.0014-3820.2002.tb00119.x>
- Datta-Roy, A., & Praveen Karanth, K. (2009). The Out-of-India hypothesis: What do molecules suggest? *Journal of Biosciences*, 34(5), 687–697. <https://doi.org/10.1007/s12038-009-0057-8>
- Dayanandan, S., Ashton, P. S., Williams, S. M., & Primack, R. B. (1999). Phylogeny of the tropical tree family Dipterocarpaceae based on nucleotide sequences of the chloroplast rbcL gene. *American Journal of Botany*, 86(8), 1182–1190. <https://doi.org/10.2307/2656982>
- Klaus, S., Morley, R. J., Plath, M., Zhang, Y. P., & Li, J. T. (2016). Biotic interchange between the Indian subcontinent and mainland Asia through time. *Nature Communications*, 7(1), 12132. <https://doi.org/10.1038/ncomms12132>
- Poole, I., & Gottwald, H. (2001). Monimiaceae sensu lato, an element of Gondwanan polar forests: Evidence from the Late Cretaceous–Early Tertiary wood flora of Antarctica. *Australian Systematic Botany*, 14(2), 207–230. <https://doi.org/10.1071/SB00022>
- Raven, P. H., & Axelrod, D. I. (1974). Angiosperm biogeography and past continental movements. *Annals of the Missouri Botanical Garden*, 61(3), 539–673. <https://doi.org/10.2307/2395021>
- Renner, S. (2004). Plant dispersal across the tropical Atlantic by wind and sea currents. *International Journal of Plant Sciences*, 165(S4), 23–33. <https://doi.org/10.1086/383334>
- Renner, S. S. (1998). Phylogenetic affinities of Monimiaceae based on cpDNA gene and spacer sequences. *Perspectives in Plant Ecology, Evolution and Systematics*, 1(1), 61–77. <https://doi.org/10.1078/1433-8319-00052>
- Renner, S. S., Strijk, J. S., Strasberg, D., & Thébaud, C. (2010). Biogeography of the Monimiaceae (Laurales): A role for East Gondwana and long-distance dispersal, but not West Gondwana. *Journal of Biogeography*, 37(7), 1227–1238. <https://doi.org/10.1111/j.1365-2699.2010.02319.x>
- Rüber, L., Britz, R., & Zardoya, R. (2006). Molecular phylogenetics and evolutionary diversification of labyrinth fishes (Perciformes: Anabantoidei). *Systematic Biology*, 55(3), 374–397. <https://doi.org/10.1080/10635150500541664>
- 109 Should Scientific Names be ‘Woke’?**
- See references in:
- Lee, S., Bai, M., Zhu, C. D., Lee, S., Zhang, Y. M., Mosyakin, S. L., Vogler, A. P., & Orr, M. (2025). Rethinking Changing “Unethical” Names in Taxonomy: An Asian Perspective. *BioScience*, p. biaf171. <https://doi.org/10.1093/biosci/biaf171>
- Pethiyagoda, R. (2023). Policing the scientific lexicon: The new colonialism? *Megataxa*, 10(1), 20–25. <https://doi.org/10.11646/megataxa.10.1.4>
- 110 Portia**
- Cerveira, A. M., Nelson, X. J., & Jackson, R. R. (2021). Spatial acuity-sensitivity trade-off in the principal eyes of a jumping spider: Possible adaptations to a ‘blended’ lifestyle. *Journal of Comparative Physiology A*. <https://doi.org/10.1007/s00359-021-01486-2>
- Clark, R. J., & Jackson, R. R. (1995). Dragline-mediated sex recognition in two species of jumping spiders (Araneae Salticidae), *Portia labiata* and *P. fimbriata*. *Ethology Ecology & Evolution*, 7, 73–77. <https://doi.org/10.1080/08927014.1995.9522970>
- Cross, F. R., Carvell, G. E., Jackson, R. R., & Grace, R. C. (2020). Arthropod Intelligence? The Case for *Portia*. *Frontiers in Psychology*, 11, 1. <https://doi.org/10.3389/fpsyg.2020.568049>
- Cross, F. R., & Jackson, R. R. (2016). The execution of planned detours by spider-eating predators. *Journal of the Experimental Analysis of Behaviour*, 105, 195. <https://doi.org/10.1002/jeab.189>
- Foelix, R. F., Jackson, R. R., Henksmeyer, A., & Hallas, S. (1984). Tarsal hairs specialised for prey capture in the Salticid *Portia*. *Revue Arachnologique*, 5(4), 329–334.
- Hallas, S. E. A. (1988). The ontogeny of behaviour in *Portia fimbriata*, *P. labiata* and *P. schultzi*, web-building jumping spiders (Araneae: Salticidae). *Journal of Zoology*, 215, 231–238. <https://doi.org/10.1111/j.1469-7998.1988.tb04897.x>
- Harland, D. P., & Jackson, R. R. (2000). Cues by Which *Portia fimbriata*, an Araneophagic Jumping Spider, Distinguishes Jumping-Spider Prey from Other Prey. *The Journal of Experimental Biology*, 203, 3485. <https://doi.org/10.1242/jeb.203.22.3485>
- Harland, D. P., & Jackson, R. R. (2001). Prey classification by *Portia fimbriata*, a salticid spider that specialises at preying on other salticids: Species that elicit cryptic stalking. *Journal of Zoology*, 255, 446. <https://doi.org/10.1017/S0952836901001534>
- Jackson, R. R. (1981). Notes on the reproductive biology of a web-building jumping spider, *Portia fimbriata*. *Peckhamia*, 2(2), 24.
- Jackson, R. R., & Blest, A. D. (1982a). The biology of *Portia fimbriata*, a web-building jumping spider (Araneae, Salticidae) from Queensland: Utilization of webs and predatory versatility. *Journal of Zoology*, 196, 256. <https://doi.org/10.1017/S0952836901001534>

- [org/10.1111/j.1469-7998.1982.tb03504.x](https://doi.org/10.1111/j.1469-7998.1982.tb03504.x)
- Jackson, R. R., & Blest, A. D. (1982b). The distances at which a primitive jumping spider, *Portia fimbriata*, makes visual discriminations. *The Journal of Experimental Biology*, 97, 441. <https://doi.org/10.1242/jeb.97.1.441a>
- Jackson, R. R., Carter, C. M., & Tarsitano, M. S. (2001). Trial-and-error solving of a confinement problem by a jumping spider, *Portia fimbriata*. *Behaviour*, 138, 1230.
- Jackson, R. R., & Hallas, S. E. (1986). Comparative biology of *Portia africana*, P. *New Zealand Journal of Zoology*, 13(4), 423–489. <https://doi.org/10.1080/03014223.1986.10422978>
- Jackson, R. R., Li, D., & Robertson, M. B. (1997). Cues by which suspended-leaf nests of *Euryattus* (Araneae: Salticidae) females are recognised by conspecific males and by an aggressive-mimic salticid, *Portia fimbriata*. *Journal of Zoology*, 243, 29. <https://doi.org/10.1111/j.1469-7998.1997.tb05754.x>
- Jackson, R. R., & Wilcox, R. S. (1990). Aggressive mimicry, prey-specific predatory behaviour and predator-recognition in the predator-prey interactions of *Portia fimbriata* and *Euryattus* sp., jumping spiders from Queensland. *Behavioural Ecology and Sociobiology*, 26, 111–119. <https://doi.org/10.1007/BF00171580>
- Jackson, R. R., & Wilcox, R. S. (1993). Observations in nature of detouring behaviour by *Portia fimbriata*, a web-invading aggressive mimic jumping spider from Queensland. *Journal of Zoology*, 230, 135–139. <https://doi.org/10.1111/j.1469-7998.1993.tb02677.x>
- Kohda, M., Sogawa, S. and Bshary, R. (2025). On the mirror test and the evolutionary origin of self-awareness in vertebrates. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 380(1939). <https://doi.org/10.1098/rstb.2024.0312>
- Land, M. F. (1985). Fields of view of the eyes of primitive jumping spiders. *Journal of Experimental Biology*, 119, 382.
- Li, D., & Jackson, R. R. (1996). Prey Preferences of *Portia fimbriata*, an Araneophagic, Web-Building Jumping Spider (Araneae: Salticidae) from Queensland. *Journal of Insect Behaviour*, 9(4), 627. <https://doi.org/10.1007/BF02213884>
- Li, D., & Jackson, R. R. (1997). Influence of diet on survivorship and growth in *Portia fimbriata*, an araneophagic jumping spider (Araneae: Salticidae). *Canadian Journal of Zoology*, 75, 1652–1658. <https://doi.org/10.1139/z97-79>
- Nelson, X. J. (2012). A Predator's Perspective of the Accuracy of Ant Mimicry in Spiders. *Psyche*. <https://doi.org/10.1155/2012/168549>
- Nelson, X. J. (2022). A road map of jumping spider behaviour. *The Journal of Arachnology*, 51(2), 139. <https://doi.org/10.1636/JoA-S-22-011>
- Nelson, X. J., & Jackson, R. R. (2006). Compound mimicry and trading predators by the males of sexually dimorphic Batesian mimics. *Proceedings of the Royal Society B: Biological Sciences*, 273, 370. <https://doi.org/10.1098/rspb.2005.3340>
- Nelson, X. J., Li, D., & Jackson, R. R. (2006). Salticids that Mimic Ants and Get Eaten by Ant Specialists. *Ethology*, 112, 273.
- Ramesh, A., Vijayan, S., Sreedharan, S., Somanathan, H., & Uma, D. (2016). Similar yet different: Differential response of a praying mantis to ant-mimicking spiders. *Biological Journal of the Linnean Society*, 119, 159. <https://doi.org/10.1111/bij.12793>
- Tarsitano, M., Jackson, R. R., & Kirchner, W. H. (2000). Signals and Signal Choices made by the Araneophagic Jumping Spider *Portia fimbriata* while Hunting the Orb-Weaving Web spiders *Zygiella x-notata* and *Zosis geniculatus*. *Ethology*, 106, 596. <https://doi.org/10.1046/j.1439-0310.2000.00570.x>
- Tarsitano, M. S., & Jackson, R. R. (1994). Jumping spiders make predatory detours requiring movement away from prey. *Behaviour*, 131(1–2), 65–73.
- Wilcox, R. S., Jackson, R. R., & Gentile, K. (1996). Spiderweb smokescreens: Spider trickster uses background noise to mask stalking movements. *Animal Behaviour*, 51, 313. <https://doi.org/10.1006/anbe.1996.0031>
- Williams, D. S., & McIntyre, P. (1980). The principal eyes of a jumping spider have a telephoto component. *Nature*, 288, 578–580. <https://doi.org/10.1038/288578a0>

### 111 Sentient Beings

- Bedore, C. N., Kajiura, S. M., & Johnsen, S. (2015). Freezing behaviour facilitates bioelectric crypsis in cuttlefish faced with predation risk. *Proceedings of the Royal Society B: Biological Sciences*, 282(1820), 20151886. <https://doi.org/10.1098/rspb.2015.1886>
- Carere, C., Grignani, G., Bonanni, R., Della Gala, M., Carlini, A., Angeletti, D., Cimmaruta, R., Nascetti, G., & Mather, J. A. (2015). Consistent individual differences in the behavioural responsiveness of adult male cuttlefish (*Sepia officinalis*). *Applied Animal Behaviour Science*, 167, 89–95. <https://doi.org/10.1016/j.applanim.2015.03.005>
- Chung, W. S., López-Galán, A., Kurniawan, N. D., & Marshall, N. J. (2023). The brain structure and the neural network features of the diurnal cuttlefish *Sepia plangon*. *Iscience*, 26(1). <https://doi.org/10.48610/0f9fcbe>
- Deravi, L. F., Magyar, A. P., Sheehy, S. P., Bell, G. R., Mähger, L. M., Senft, S. L., Wardill, T. J., Lane, W. S., Kuzirian, A. M., Hanlon, R. T., & Hu, E. L. (2014). The structure–function relationships of a natural nanoscale photonic device in cuttlefish chromatophores. *Journal of The Royal Society Interface*, 11(93), 20130942. <https://doi.org/10.1098/rsif.2013.0942>
- Huang, K. L., & Chiao, C. C. (2013). Can cuttlefish learn by observing others? *Animal Cognition*, 16(3), 313–320. <https://doi.org/10.1007/s10071-012-0573-z>
- Hvorecny, L. M., Grudowski, J. L., Blakeslee, C. J., Simmons, T. L., Roy, P. R., Brooks, J. A., Hanner, R. M., Beigel, M. E., Karson, M. A., Nichols, R. H., & Holm, J. B. (2007). Octopuses (*Octopus bimaculoides*) and cuttlefishes (*Sepia pharaonis*, *S. officinalis*) can conditionally discriminate. *Animal Cognition*, 10(4), 449–459. <https://doi.org/10.1007/s10071-007-0085-4>
- Key, B. (2015). Fish do not feel pain and its implications for understanding phenomenal consciousness. *Biology & Philosophy*, 30(2), 149–165. <https://doi.org/10.1007/s10539-014-9469-4>
- Kuo, T. H., Sneddon, L. U., Spencer, J. W., & Chiao, C. C.

- (2022). Impact of lidocaine on pain-related grooming in cuttlefish. *Biology*, 11(11). <https://doi.org/10.3390/biology11111560>
- Mann, J., & Patterson, E. M. (2013). Tool use by aquatic animals. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 368(1630), 20120424. <https://doi.org/10.1098/rstb.2012.0424>
- Mather, J. A., & Dickel, L. (2017). Cephalopod complex cognition. *Current Opinion in Behavioural Sciences*, 16, 131–137. <https://doi.org/10.1016/j.cobeha.2017.06.008>
- Mäthger, L. M., Hanlon, R. T., Håkansson, J., & Nilsson, D. E. (2013). The W-shaped pupil in cuttlefish (*Sepia officinalis*): Functions for improving horizontal vision. *Vision Research*, 83, 19–24. <https://doi.org/10.1016/j.visres.2013.02.016>
- Pedersen, T. R., Berendt, M., & Rusbridge, C. (2025). Neuroanatomy of spinal nociception and pain in dogs and cats: A practical review for the veterinary clinician. *Frontiers in Veterinary Science*, 12, 1534685. <https://doi.org/10.3389/fvets.2025.1534685>
- Roth, G. (2015). Convergent evolution of complex brains and high intelligence. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1684), 20150049. <https://doi.org/10.1098/rstb.2015.0049>
- Schnell, A. K., Boeckle, M., Rivera, M., Clayton, N. S., & Hanlon, R. T. (2021). Cuttlefish exert self-control in a delay of gratification task. *Proceedings of the Royal Society B*, 288(1946), 20203161. <https://doi.org/10.1098/rspb.2020.3161>
- Schnell, A. K., Clayton, N. S., Hanlon, R. T., & Jozet-Alves, C. (2021). Episodic-like memory is preserved with age in cuttlefish. *Proceedings of the Royal Society B*, 288(1957), 20211052. <https://doi.org/10.1098/rspb.2021.1052>
- Shigeno, S., Andrews, P. L., Ponte, G., & Fiorito, G. (2018). Cephalopod brains: An overview of current knowledge to facilitate comparison with vertebrates. *Frontiers in Physiology*, 9, 952. <https://doi.org/10.3389/fphys.2018.00952>
- Yoshida, M. A., Ogura, A., Ikeo, K., Shigeno, S., Moritaki, T., Winters, G. C., Kohn, A. B., & Moroz, L. L. (2015). Molecular evidence for convergence and parallelism in evolution of complex brains of cephalopod molluscs: Insights from visual systems. *Integrative and Comparative Biology*, 55(6), 1070–1083. <https://doi.org/10.1093/icb/icv049>
- Zylinski, S., Osorio, D., & Shohet, A. J. (2009). Cuttlefish camouflage: Context-dependent body pattern use during motion. *Proceedings of the Royal Society B: Biological Sciences*, 276(1675), 3963–3969. <https://doi.org/10.1098/rspb.2009.1083>
- 112 A Paper Wasp's Tale**
- Abbot, P., Abe, J., Alcock, J., Alizon, S., Alpedrinha, J. A., Andersson, M., Andre, J. B., Baalen, M., Balloux, F., Balshine, S., & Barton, N. (2011). Inclusive fitness theory and eusociality. *Nature*, 471(7339), 1–4. <https://doi.org/10.1038/nature09831>
- Bourke, A. F. G. (2011). *Principles of social evolution*. Oxford University Press.
- Eberhard, M. J. W. (1975). The evolution of social behaviour by kin selection. *The Quarterly Review of Biology*, 50(1), 1–33. <https://doi.org/10.1086/408298>
- Gadagkar, R. (1991). The role of larval nutrition in pre-imaginal biasing of caste in the primitively eusocial wasp *Ropalidia marginata* (Hymenoptera: Vespidae). *Ecological Entomology*, 16, 435–440.
- Gadagkar, R. (2001). *The social biology of Ropalidia marginata: Toward understanding the evolution of eusociality*. Harvard University Press.
- Gadagkar, R. (2016). Evolution of social behaviour in the primitively eusocial wasp *Ropalidia marginata*: Do we need to look beyond kin selection? *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1687), 20150094. <https://doi.org/10.1098/rstb.2015.0094>
- Gadagkar, R., Sharma, N., & Pinter-Wollman, N. (2022). Queen succession in the Indian paper wasp *Ropalidia marginata*: On the trail of the potential queen: R Gadagkar et al. *Journal of Biosciences*, 47(2), 18. <https://doi.org/10.1007/s12038-021-00250-7>
- Holldobler, B., & Wilson, E. O. (2009). *The superorganism: The beauty elegance and strangeness of insect societies*. WW Norton & Company.
- Wenseleers, T. (2006). Conflict resolution in insect societies. *Annual Review of Entomology*, 51, 581–608. <https://doi.org/10.1146/annurev.ento.51.110104.151003>
- 113 Evolutionary Masterstroke**
- Corner, E. J. H. (1940). *Wayside Trees of Malaya*. Government Printer.
- Cruaud, A., Rønsted, N., Chantarasuwan, B., Chou, L. S., Clement, W. L., Couloux, A., Cousins, B., Genson, G., Harrison, R. D., Hanson, P. E., & Hossaert-Mckey, M. (2012). An extreme case of plant–insect codiversification: Figs and fig-pollinating wasps. *Systematic Biology*, 61(6), 1029–1047. <https://doi.org/10.1093/sysbio/sys068>
- Harrison, R. D. (2005). Figs and the diversity of tropical rainforests. *Bioscience*, 55(12), 1053–1064. [https://doi.org/10.1641/0006-3568\(2005\)055](https://doi.org/10.1641/0006-3568(2005)055)
- Laman, T. G. (1995). The ecology of strangler fig seedling establishment. *Selbyana*, 223–229.
- Shanahan, M., So, S., Compton, S. G., & Corlett, R. (2001). Fig-eating by vertebrate frugivores: A global review. *Biological Reviews*, 76(4), 529–572. <https://doi.org/10.1017/S1464793101005760>
- Terborgh, J. (1986). *Keystone plant resources in the tropical forest*. Pages 330–344 (M. E. Soulé, Ed.). Sinauer Associates.
- 114 When a Fish Stings**
- Agrawal, V. P., & Sharma, R. S. (1965). Sound producing organs of an Indian catfish, *Heteropneustes fossilis*. *Journal of Natural History*, 8(90), 339–344. <https://doi.org/10.1080/00222936508651578>
- Flat Bush, M. (2015). The Indian catfish, *Heteropneustes fossilis* (Bloch, 1794) Envenomation—A report of four cases from Basrah and Maysan, south of Iraq. *TOFIQ Journal of Medical Sciences*, 2(2), 52–61.
- Satora, L., Kuciel, M., & Gawlikowski, T. (2008). Catfish stings and the venom apparatus of the African catfish *Clarias gariepinus* (Burchell, 1822), and stinging catfish *Heteropneustes fossilis* (Bloch, 1794). *Annals of Agricultural and Environmental Medicine*, 15, 163–166.
- Satora, L., Pach, J., Targosz, D., & Szkolnicka, B. (2005). Sting-

ing catfish poisoning. *Clinical Toxicology*, 43(7), 893–894. <https://doi.org/10.1080/15563650500357693>

### 115 Some Like it Hot

Anand, P., & Bley, K. (2011). Topical capsaicin for pain management: Therapeutic potential and mechanisms of action of the new high-concentration capsaicin 8% patch. *British Journal of Anaesthesia*, 107(4), 490–502. <https://doi.org/10.1093/bja/aer260>

Bag, A., & Chattopadhyay, R. R. (2015). Evaluation of synergistic antibacterial and antioxidant efficacy of essential oils of spices and herbs in combination. *PLoS One*, 10(7), 0131321. <https://doi.org/10.1371/journal.pone.0131321>

Billing, J., & Sherman, P. W. (1998). Antimicrobial functions of spices: Why some like it hot. *The Quarterly Review of Biology*, 73(1), 3–49. <https://doi.org/10.1086/420058>

Collingham, L. (2006). *Curry: A tale of cooks and conquerors*. Oxford University Press.

Sherman, P. W., & Hash, G. A. (2001). Why vegetable recipes are not very spicy. *Evolution and Human Behaviour*, 22(3), 147–163. [https://doi.org/10.1016/S1090-5138\(00\)00068-4](https://doi.org/10.1016/S1090-5138(00)00068-4)

Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., & Srinivas, P. S. S. R. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Medica*, 64(04), 353–356. <https://doi.org/10.1055/s-2006-957450>

### 116 Sharing the Spoils

Ashton, M., Gunatilleke, S., Zoysa, N. D., Dassanayake, M. D., Gunatilleke, N., & Wijesundera, S. (1997). *A field guide to the common trees and shrubs of Sri Lanka*. WHT Publications. [https://www.hiranya.me/uploads/1/2/1/5/121509091/trees\\_shrubs.pdf](https://www.hiranya.me/uploads/1/2/1/5/121509091/trees_shrubs.pdf)

Bock, W. J. (1999). Functional and evolutionary morphology of woodpeckers. *Ostrich*, 70(1), 71–85. <https://doi.org/10.1080/00306525.1999.9639746>

Kotagama, S., & Ratnavira, G. (2017). *An illustrated guide to the birds of Sri Lanka*. Field Ornithology Group of Sri Lanka.

Matthysen, E. (1998). *The nuthatches*. Academic Press.

Winkler, H., & Christie, D. A. (2002). Family Picidae (Woodpeckers). In J. Hoyo, A. Elliott, & J. Sargatal (Eds), *Handbook of the Birds of the world* (Vol. 7). Lynx Edicions.

### 117 An Eye for Detail

Banks, M. S., Sprague, W. W., Schmoll, J., Parnell, J. A., & Love, G. D. (2015). Why do animal eyes have pupils of different shapes? *Science Advances*, 1(7), 1500391. <https://doi.org/10.1126/sciadv.1500391>

Brischoux, F., Pizzatto, L., & Shine, R. (2010). Insights into the adaptive significance of vertical pupil shape in snakes. *Journal of Evolutionary Biology*, 23(9), 1878–1885. <https://doi.org/10.1111/j.1420-9101.2010.02046.x>

Burt, W. H. (1930). Adaptive modifications in the woodpeckers. *University of California Publications in Zoology*, 32, 455–524.

González-Martín-Moro, J., Gómez-Sanz, F., Sales-Sanz, A., Hugué-Baudin, E., & Murube-del-Castillo, J. (2014). Pupil shape in the animal kingdom: From the pseudopupil to

the vertical pupil. *Archivos de la Sociedad Española de Oftalmología (English Edition)*, 89(12), 484–494. <https://doi.org/10.1016/j.oftale.2014.11.009>

Goodale, E., & Kotagama, S. W. (2005). Testing the roles of species in mixed-species bird flocks of a Sri Lankan rain forest. *Journal of Tropical Ecology*, 21(6), 669–676. <https://doi.org/10.1017/S0266467405002609>

Lazar, R., Degen, J., Fiechter, A. S., Monticelli, A., & Spitschan, M. (2024). Regulation of pupil size in natural vision across the human lifespan. *Royal Society Open Science*, 11(6), 191613. <https://doi.org/10.1098/rsos.191613>

Malmström, T., & Kröger, R. H. (2006). Pupil shapes and lens optics in the eyes of terrestrial vertebrates. *Journal of Experimental Biology*, 209(1), 18–25. <https://doi.org/10.1242/jeb.01959>

Roth, L. S., Lundström, L., Kelber, A., Kröger, R. H., & Unsbo, P. (2009). The pupils and optical systems of gecko eyes. *Journal of Vision*, 9(3), 27–27. <https://doi.org/10.1167/9.3.27>

Seigel, R. A., & Collins, J. T. (1993). *Behaviour and functional ecology of arboreal snakes. Pages 1-48 in Seigel, R.A. and Collins. Ecology and behaviour*. McGraw Hill.

Zhao, Y., & Fang, F. (2020). Measurement of the peripheral aberrations of human eyes: A comprehensive review. *Nanotechnology and Precision Engineering*, 3(2), 53–68. <https://doi.org/10.1016/j.npe.2020.05.001>

### 118 Pitch, Roll and Yaw: The Eyes Have It

Banks, M. S., Sprague, W. W., Schmoll, J., Parnell, J. A., & Love, G. D. (2015). Why do animal eyes have pupils of different shapes? *Science Advances*, 1(7), 1500391. <https://doi.org/10.1126/sciadv.1500391>

Campbell, A. L., Naik, R. R., Sowards, L., & Stone, M. O. (2002). Biological infrared imaging and sensing. *Micron*, 33(2), 211–225. [https://doi.org/10.1016/S0968-4328\(01\)00010-5](https://doi.org/10.1016/S0968-4328(01)00010-5)

Goris, R. C. (2011). Infrared organs of snakes: An integral part of vision. *Journal of Herpetology*, 45(1), 2–14. <https://doi.org/10.1670/10-238.1>

Hartline, P. H., Kass, L., & Loop, M. S. (1978). Merging of modalities in the optic tectum: Infrared and visual integration in rattlesnakes. *Science*, 199(4334), 1225–1229. <https://doi.org/10.1126/science.62883>

Kass, L., Loop, M. S., & Hartline, P. H. (1978). Anatomical and physiological localization of visual and infrared cell layers in tectum of pit vipers. *Journal of Comparative Neurology*, 182(5), 811–820. <https://doi.org/10.1002/cne.901820505>

Malmström, T., & Kröger, R. H. (2006). Pupil shapes and lens optics in the eyes of terrestrial vertebrates. *Journal of Experimental Biology*, 209(1), 18–25. <https://doi.org/10.1242/jeb.01959>

Pansell, T. (2003). Ocular counter-rolling during head tilt. *Karolinska Institutet*. <https://hdl.handle.net/10616/37920>

Terauchi, R., Horiguchi, H., Ogawa, T., Shiba, T., Tsuneoka, H., & Nakano, T. (2020). Posture-related ocular cyclotorsion during cataract surgery with an ocular registration system. *Scientific Reports*, 10(1), 2136. <https://doi.org/10.1038/s41598-020-59118-9>

### 119 Moochers, Spongers, Angels, Scroungers

Anderson, J. P., Gleason, C. A., Foley, R. C., Thrall, P. H., Bur-

- don, J. B., & Singh, K. B. (2010). Plants versus pathogens: An evolutionary arms race. *Functional Plant Biology*, 37(6), 499–512. <https://doi.org/10.1071/FP09304>
- Bouwmeester, H., Sinha, N., & Scholes, J. (2021). Parasitic plants: Physiology, development, signaling, and ecosystem interactions. *Plant Physiology*, 185(4), 1267–1269. <https://doi.org/10.1093/plphys/kiab055>
- Chen, X., Fang, D., Xu, Y., Duan, K., Yoshida, S., Yang, S., Sahu, S. K., Fu, H., Guang, X., Liu, M., & Wu, C. (2023). Balanophora genomes display massively convergent evolution with other extreme holoparasites and provide novel insights into parasite–host interactions. *Nature Plants*, 9(10), 1627–1642. <https://doi.org/10.1038/s41477-023-01517-7>
- Davis, C. C., & Xi, Z. (2015). Horizontal gene transfer in parasitic plants. *Current Opinion in Plant Biology*, 26, 14–19. <https://doi.org/10.1016/j.pbi.2015.05.008>
- Mapuranga, J., Zhang, L., Zhang, N., & Yang, W. (2022). The haustorium: The root of biotrophic fungal pathogens. *Frontiers in Plant Science*, 13, 963705. <https://doi.org/10.3389/fpls.2022.963705>
- Nickrent, D. L. (2020). Parasitic angiosperms: How often and how many? *Taxon*, 69(1), 5–27. <https://doi.org/10.1002/tax.12195>
- Tennakoon, K., & Weerasooriya, A. (1998). Nature's scroungers. The fascinating world of plant parasites. *Sri Lanka Nature*, 2, 44–58.
- Těšitel, J. (2016). Functional biology of parasitic plants: A review. *Plant Ecology and Evolution*, 149(1), 5–20. <https://doi.org/10.5091/plecevo.2016.1097>
- Těšitel, J., Li, A. R., Knotková, K., McLellan, R., Bandaranayake, P. C., & Watson, D. M. (2021). The bright side of parasitic plants: What are they good for? *Plant Physiology*, 185(4), 1309–1324. <https://doi.org/10.1093/plphys/kiaa069>
- Watson, D. M., McLellan, R. C., & Fontúrbel, F. E. (2022). Functional roles of parasitic plants in a warming world. *Annual Review of Ecology, Evolution, and Systematics*, 53(1), 25–45. <https://doi.org/10.1146/annurev-ecol-sys-102320-115331>
- Westwood, J. H., Yoder, J. I., Timko, M. P., & Depamphilis, C. W. (2010). The evolution of parasitism in plants. *Trends in Plant Science*, 15(4), 227–235.
- Yapa, S. S., Mohotti, A. J., Seneviratne, M. A. P. K., Peiris, B. L., & Tennakoon, K. U. (2018). Prevalence of mistletoes in fruit and timber trees in the wet and intermediate zone of Sri Lanka. *Tropical Agricultural Research*, 29(4), 330–340.
- Zhang, Y. B., Huang, X. Y., Corrêa Scalón, M., Ke, Y., Liu, J. X., Wang, Q., Li, W. H., Yang, D., Ellsworth, D. S., Zhang, Y. J., & Zhang, J. L. (2025). Mistletoes have higher hydraulic safety but lower efficiency in xylem traits than their hosts. *New Phytologist*, 245(2), 607–624. <https://doi.org/10.1111/nph.20257>
- 120 Singing for Sex and Survival**
- Arditi, G., Weiss, A. J., & Yovel, Y. (2015). Object localization using a biosonar beam: How opening your mouth improves localization. *Royal Society Open Science*, 2(8), 150225.
- Bee, M. A., & Micheyl, C. (2008). The cocktail party problem: What is it? How can it be solved? And why should animal behaviourists study it? *Journal of Comparative Psychology*, 122(3), 235. <https://doi.org/10.1037/0735-7036.122.3.235.NIH-PA>
- Fugazza, C., Dror, S., Sommese, A., Temesi, A., & Miklósi, Á. (2021). Word learning dogs (*Canis familiaris*) provide an animal model for studying exceptional performance. *Scientific Reports*, 11(1), 14070.
- Gerhardt, H. C., & Huber, F. (2002). *Acoustic Communication in Insects and Anurans: Common Problems and Diverse Solutions*. University of Chicago Press.
- Lardner, B., & Lakim, M. (2002). Tree-hole frogs exploit resonance effects. *Nature*, 420(6915), 475–475. <https://doi.org/10.1038/420475a>
- Manamendra-Arachchi, K., & Pethiyagoda, R. (2001). *Ramanella nagaai*, a new tree-hole frog (Microhylidae) from southern Sri Lanka. *Journal of South Asian Natural History*, 5(2), 121–133.
- Morrell, L. J., Ruxton, G. D., & James, R. (2011). The temporal selfish herd: Predation risk while aggregations form. *Proceedings of the Royal Society B: Biological Sciences*, 278(1705). <https://doi.org/10.1098/rspb.2010.1605>
- Tuttle, M. D., & Ryan, M. J. (1981). Bat predation and the evolution of frog vocalizations in the Neotropics. *Science*, 214(4521), 677–678. <https://doi.org/10.1126/science.214.4521.677>
- 121 Water Ballet**
- Bush, J. W., & Hu, D. L. (2006). Walking on water: Bioloocomotion at the interface. *Annu. Rev. Fluid Mech*, 38(1), 339–369. <https://doi.org/10.1146/annurev.fluid.38.050304.092157>
- Gao, X., & Jiang, L. (2004). Water-repellent legs of water striders. *Nature*, 432(7013), 36–36. <https://doi.org/10.1038/432036a>
- Ke, X., Yong, H., Xu, F., Ding, H., & Wu, Z. (2024). *Stenus*-inspired, swift, and agile untethered insect-scale soft propulsors. *Nature Communications*, 15(1).
- Lafuma, A., & Quéré, D. (2003). Superhydrophobic states. *Nature Materials*, 2(7), 457–460. <https://doi.org/10.1038/nmat924>
- Ortega-Jimenez, V. M., Rabenau, L., & Dudley, R. (2017). Escape jumping by three age-classes of water striders from smooth, wavy and bubbling water surfaces. *Journal of Experimental Biology*, 220(15), 2809–2815.
- 122 Re-inventing the Wheel**
- Bartholomew, G. A., & Lighton, J. R. (1986). Oxygen consumption during hover-feeding in free-ranging *Anna* hummingbirds. *Journal of Experimental Biology*, 123(1), 191–199. <https://doi.org/10.1242/jeb.123.1.191>
- Koli, V. K., Bhatnagar, C., & Mali, D. (2011). Gliding behaviour of Indian giant flying squirrel *Petaurista philippensis* Elliot. *Current Science*, 1563–1568.
- Kularatne, S. A. M., Hettiarachchi, R., Dalpathadu, J., Mendis, A. S. V., Appuhamy, P. D. S. A. N., Zoysa, H. D. J., Maduwage, K., Weerasinghe, V. S., & Silva, A. (2014). *Enhydrina schistosa* (Elapidae: Hydrophiinae) the most dangerous sea snake in Sri Lanka: Three case studies of severe envenoming. *Toxicon*, 77, 78–86. <https://doi.org/10.1016/j.toxicon.2013.10.031>

- Laurie, A., & Seidensticker, J. (1977). Behavioural ecology of the sloth bear (*Melursus ursinus*). *Journal of Zoology*, 182(2), 187–204. <https://doi.org/10.1111/j.1469-7998.1977.tb04155.x>
- Mallik, A. K., Achyuthan, N. S., Ganesh, S. R., Pal, S. P., Vijayakumar, S. P., & Shanker, K. (2019). Discovery of a deeply divergent new lineage of vine snake (Colubridae: Ahaetuliinae: *Proahaetulla* gen. Nov.) from the southern Western Ghats of Peninsular India with a revised key for Ahaetuliinae. *PLoS One*, 14(7), 0218851. <https://doi.org/10.1371/journal.pone.0218851>
- Prinzinger, R. (1988). Energy metabolism, body-temperature and breathing parameters in nontorpid blue-naped mousebirds *Urocolius macrourus*. *Journal of Comparative Physiology B*, 157(6), 801–806. <https://doi.org/10.1007/BF00691011>
- Raheem, D. C., Gower, D. J., Breugelmanns, K., Ranawana, K. B., & Backeljau, T. (2023). The systematics and evolution of the Sri Lankan rainforest land snail *Corilla*: New insights from RADseq-based phylogenetics. *Molecular Phylogenetics and Evolution*, 182, 107731. <https://doi.org/10.1016/j.ympev.2023.107731>
- Sanders, K. L. (2013). Molecular evidence that the deadliest sea snake *Enhydrina schistosa* (Elapidae: Hydrophiinae) consists of two convergent species. *Molecular Phylogenetics and Evolution*, 66, 262–269. <https://doi.org/10.1016/j.ympev.2012.09.031>
- Socha, J. J. (2011). Gliding flight in *Chrysopelea*: Turning a snake into a wing. *Integrative and Comparative Biology*, 51(6), 969–982. <https://doi.org/10.1093/icb/icr092>
- Socha, J. J., & LaBarbera, M. (2005). Effects of size and behaviour on aerial performance of two species of flying snakes (*Chrysopelea*). *Journal of Experimental Biology*, 208(10), 1835–1847. <https://doi.org/10.1242/jeb.01580>
- Ukuwela, K. D., Silva, A., Fry, B. G., Lee, M. S., & Sanders, K. L. (2013). Molecular evidence that the deadliest sea snake *Enhydrina schistosa* (Elapidae: Hydrophiinae) consists of two convergent species. *Molecular Phylogenetics and Evolution*, 66(1), 262–269. <https://doi.org/10.1016/j.ympev.2012.09.031>
- 123 Mind Control**
- Alvarado-Esquivel, C., Estrada-Martínez, S., Ramos-Nevárez, A., Pérez-Álamos, A. R., Beristain-García, I., Alvarado-Félix, Á. O., Cerrillo-Soto, S. M., Alvarado-Félix, G. A., Guido-Arreola, C. A., Sáenz-Soto, L., & Sifuentes-Álvarez, A. (2021). Is *Toxoplasma gondii* Infection Associated with Sexual Promiscuity? A Cross-Sectional Study. *Pathogens*, 10(11). <https://doi.org/10.3390/pathogens10111393>
- Borráz-León, J. I., Rantala, M. J., Krams, I. A., Cerda-Molina, A. L., & Contreras-Garduño, J. (2022). Are *Toxoplasma*-infected subjects more attractive, symmetrical, or healthier than non-infected ones? Evidence from subjective and objective measurements. *PeerJ*, 10, 13122. <https://doi.org/10.7717/peerj.13122>
- Calvo-Urbano, B., Kaushik, M., Cheng, A. C., Bristow, G. C., Prandovszky, E., Walker, M., Lamberton, P. H., McConkey, G. A., & Webster, J. P. (2025). The role of parasite-produced dopamine in *Toxoplasma gondii*-altered host behaviour. *Nature Communications*, 16(1), 10906. <https://doi.org/10.1038/s41467-025-66139-3>
- Flegr, J. (2007). Effects of *Toxoplasma* on human behaviour. *Schizophrenia bulletin*, 33(3), 757–760. <https://doi.org/10.1093/schbul/sbl074>
- Flegr, J. (2024). *Toxoplasma* Infection. In T. K. Shackelford (Ed.), *Encyclopedia of sexual psychology and behaviour*. Springer. <https://www.doi.org/ccrcr.2025.tgc.0353>
- Flegr, J., & Kuba, R. (2016). The relation of *Toxoplasma* infection and sexual attraction to fear, danger, pain, and submissiveness. *Evolutionary Psychology*, 14(3), 1474704916659746. <https://doi.org/10.1177/1474704916659746>
- Flegr, J., & Preiss, M. (2019). Friends with malefit. The effects of keeping dogs and cats, sustaining animal-related injuries and *Toxoplasma* infection on health and quality of life. *PLoS One*, 14(11), 0221988. <https://doi.org/10.1371/journal.pone.0221988>
- Goczol, M. (2025). Sexually aggressive behaviour triggered by parasitic infection—how parasites can influence our personality. *Frontiers in Psychiatry*, 16, 1555024. <https://doi.org/10.3389/fpsyt.2025.1555024>
- Johnson, S. K., Fitza, M. A., Lerner, D. A., Calhoun, D. M., Beldon, M. A., Chan, E. T., & Johnson, P. T. (2018). Risky business: Linking *Toxoplasma gondii* infection and entrepreneurship behaviours across individuals and countries. *Proceedings of the Royal Society B: Biological Sciences*, 285(1883), 20180822. <https://doi.org/10.1098/rspb.2018.0822>
- Poirotte, C., Kappeler, P. M., Ngoubangoye, B., Bourgeois, S., Moussodji, M., & Charpentier, M. J. (2016). Morbid attraction to leopard urine in *Toxoplasma*-infected chimpanzees. *Current Biology*, 26(3), 98–99. <https://doi.org/10.1016/j.cub.2015.12.020>
- Rojas-Barón, L., Tana-Hernandez, L., Nguele Ampama, M. H., Sánchez, R., Gärtner, U., Wagenlehner, F. M., Preußner, C., Strandmann, E., Hermosilla, C., Taubert, A., & Francia, M. E. (2025). Adverse impact of acute *Toxoplasma gondii* infection on human spermatozoa. *The FEBS Journal*, 292(17), 4720–4736. <https://doi.org/10.1111/febs.70097>
- Samani, F. E., Kheiri, S., Dezak, E. S., Seif, F., Dehkordi, M. N., & Mokhtarian, K. (2023). The relationship of *Toxoplasma gondii* Infection with men infertility: A serological and molecular study. *International Journal of Medical Laboratory*. <https://doi.org/10.18502/ijml.v10i4.15009>
- Tabares Tejada, P., & Cardona Maya, W. D. (2025). *Toxoplasma gondii* Infection in the Male Reproductive System: A Systematic Review. *Acta Parasitologica*, 70, 29. <https://doi.org/10.1007/s11686-024-00978-w>
- Tong, W. H., Hlaváčková, J., Abdulai-Saiku, S., Kaňková, Š., Flegr, J., & Vyas, A. (2023). Presence of *Toxoplasma gondii* tissue cysts in human semen: Toxoplasmosis as a potential sexually transmissible infection. *Journal of Infection*, 86(1), 60–65. <https://doi.org/10.1016/j.jinf.2022.10.034>
- Yin, K., Xu, C., Zhao, G., & Xie, H. (2022). Epigenetic manipulation of psychiatric behavioural disorders induced by *Toxoplasma gondii*. *Frontiers in Cellular and Infection Microbiology*, 12, 803502. <https://doi.org/10.3389/fcimb.2022.803502>

## 124 Pampered Pollinators

- Goodrich, K. R. (2012). Floral scent in Annonaceae. *Botanical Journal of the Linnean Society*, 169(1), 262–279. <https://doi.org/10.1111/j.1095-8339.2012.01220.x>
- Gottsberger, G. (2012). How diverse are Annonaceae with regard to pollination? *Botanical Journal of the Linnean Society*, 169(1), 245–261. <https://doi.org/10.1111/j.1095-8339.2011.01209.x>
- Ratnayake, R. M. C. S., Gunatilleke, I. A. U. N., Wijesundara, D. S. A., & Saunders, R. M. K. (2006). Reproductive biology of two sympatric species of *Polyalthia* (Annonaceae) in Sri Lanka. I. Pollination by curculionid beetles. *International Journal of Plant Sciences*, 167(3), 483–493. <https://doi.org/10.1086/502715>
- Saunders, R. M. (2012). The diversity and evolution of pollination systems in Annonaceae. *Botanical Journal of the Linnean Society*, 169(1), 222–244. <https://doi.org/10.1111/j.1095-8339.2011.01208.x>
- 125 Brainwashed**
- Böge, I., Pfeffer, M., Htwe, N. M., Maw, P. P., Sarathchandra, S. R., Sluydts, V., Piscitelli, A. P., Jacob, J., & Obiegala, A. (2021). First detection of *Bartonella* spp. in small mammals from rice storage and processing facilities in Myanmar and Sri Lanka. *Microorganisms*, 9(3), 658. <https://doi.org/10.3390/microorganisms9030658>
- Breitschwerdt, E. B. (2017). Bartonellosis, One Health and all creatures great and small. *Advances in Veterinary Dermatology*, 8, 111–121. <https://doi.org/10.1002/9781119278368.ch5.2>
- Brenner, E. C., Chomel, B. B., Singhasivanon, O. U., Namekata, D. Y., Kasten, R. W., Kass, P. H., Cortés-Vecino, J. A., Gennari, S. M., Rajapakse, R. P., Huong, L. T., & Dubey, J. P. (2013). *Bartonella* infection in urban and rural dogs from the tropics: Brazil, Colombia. *Sri Lanka and Vietnam. Epidemiology & Infection*, 141(1), 54–61. <https://doi.org/10.1017/S0950268812000519>
- Hughes, D. (2013). Pathways to understanding the extended phenotype of parasites in their hosts. *Journal of Experimental Biology*, 216(1), 142–147. <https://doi.org/10.1242/jeb.077461>
- Hughes, D. P. (2014). On the origins of parasite-extended phenotypes. *American Zoologist*, 17;54(2):210-7. <https://doi.org/10.1093/icb/icu079>
- Hughes, D. P., Andersen, S. B., Hywel-Jones, N. L., Himaman, W., Billen, J., & Boomsma, J. J. (2011). Behavioural mechanisms and morphological symptoms of zombie ants dying from fungal infection. *BMC Ecology*, 11(1), 13. <https://doi.org/10.1186/1472-6785-11-13>
- Mishina, T., Chiu, M. C., Hashiguchi, Y., Oishi, S., Sasaki, A., Okada, R., Uchiyama, H., Sasaki, T., Sakura, M., Takeshima, H., & Sato, T. (2023). Massive horizontal gene transfer and the evolution of nematode-driven behavioural manipulation of mantids. *Current Biology*, 33(22), 4988–4994. <https://doi.org/10.1016/j.cub.2023.09.052>
- Nandy, G., Barman, H., Pramanik, S., Paul, K., Kundu, D., Ash, A., & Aditya, G. (2022). Infestation of sporocysts of parasite *Leucochloridium* in the snails *Succinea daucina* and *Indosuccinea semiserica*. *Journal of Environmental Biology*, 43(5), 722–726. <https://doi.org/10.22438/jeb/43/5/MRN-3079>
- Obayashi, N., Iwatani, Y., Sakura, M., Tamotsu, S., Chiu, M. C., & Sato, T. (2021). Enhanced polarotaxis can explain water-entry behaviour of mantids infected with nematode parasites. *Current Biology*, 31(12), 777–778. <https://doi.org/10.1016/j.cub.2021.05.001>
- Vyas, A., Kim, S. K., Giacomini, N., Boothroyd, J. C., & Sapolsky, R. M. (2007). Behavioural changes induced by *Toxoplasma* infection of rodents are highly specific to aversion of cat odors. *Proceedings of the National Academy of Sciences*, 104(15), 6442–6447. <https://doi.org/10.1073/pnas.0608310104>
- 126 Know them by their deeds**
- Aamodt, C. M., Farias-Virgens, M., & White, S. A. (2020). Birdsong as a window into language origins and evolutionary neuroscience. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 375(1789). <https://doi.org/10.1098/rstb.2019.0060>
- Barber, I. (2013). The evolutionary ecology of nest construction: Insight from recent fish studies. *Avian Biology Research*, 6(2), 83–98. <https://doi.org/10.3184/175815513X13609538379>
- Dawkins, R. (1982). *The Extended Phenotype: The Long Reach of the Gene*. Oxford University Press.
- Korb, J., & Linsenmair, K. E. (2000). Ventilation of termite mounds: New results require a new model. *Behavioural Ecology*, 11(5), 486–494. <https://doi.org/10.1093/beheco/11.5.486>
- Mota-Rojas, D., Marcet-Rius, M., Domínguez-Oliva, A., Buenhombre, J., Daza-Cardona, E. A., Lezama-García, K., Olmos-Hernández, A., Verduzco-Mendoza, A., & Bienboire-Frosini, C. (2023). Parental behaviour and newborn attachment in birds: Life history traits and endocrine responses. *Frontiers in Psychology*, 14, 1183554. <https://doi.org/10.3389/fpsyg.2023.1183554>
- Sakata, J. T., & Birdsong, D. (2021). Vocal learning and behaviours in birds and human bilinguals: Parallels, divergences and directions for Research. *Languages*, 7(1), 5. <https://doi.org/10.3390/languages7010005>
- 127 An Island Laboratory**
- Ellepola, G., Herath, J., Manamendra-Arachchi, K., Wijayathilaka, N., Seneviratne, G., Pethiyagoda, R., & Meegaskumbura, M. (2021). Molecular species delimitation of shrub frogs of the genus *Pseudophilautus* (Anura, Rhacophoridae). *PLoS One*, 16(10), 0258594. <https://doi.org/10.1371/journal.pone.0258594>
- Ranasinghe, R. W., Seneviratne, S. S., & Irwin, D. (2024). Cryptic hybridization dynamics in a three-way hybrid zone of *Dinopium* flamebacks on a tropical island. *Ecology and Evolution*, 14(12), 70716. <https://doi.org/10.1002/ece3.70716>
- Seltzer, A. M., Ng, J., Aeschbach, W., Kipfer, R., Kulongoski, J. T., Severinghaus, J. P., & Stute, M. (2021). Widespread six degrees Celsius cooling on land during the Last Glacial Maximum. *Nature*, 593(7858), 228–232. <https://doi.org/10.1038/s41586-021-03467-6>
- Stoddard, M. C., & Prum, R. O. (2011). How colorful are birds? Evolution of the avian plumage color gamut. *Behavioural Ecology*, 22(5), 1042–1052. <https://doi.org/10.1093/beheco/arr088>

Sudasinghe, H., Dahanukar, N., Raghavan, R., Senavirathna, T., Shewale, D. J., Paingankar, M. S., Amarasinghe, A., Pethiyagoda, R., Rüber, L., & Meegaskumbura, M. (2021). Island colonization by a 'rheophilic' fish: The phylogeography of *Garra ceylonensis* (Teleostei: Cyprinidae) in Sri Lanka. *Biological Journal of the Linnean Society*, 132(4), 872–893. <https://doi.org/10.1093/biolinnean/blaa221>

Sudasinghe, H., Ranasinghe, R. T., Pethiyagoda, R., Meegaskumbura, M., & Britz, R. (2021). Genetic diversity and morphological stasis in the Ceylon Snakehead, *Channa orientalis* (Teleostei: Channidae). *Ichthyological Research*, 68(1), 67–80. <https://doi.org/10.1007/s10228-020-00768-0>

### FILLER 3: Life on Man 2

Armstrong, N. R., & Wilson, J. D. (2006). Did the “Brazilian” kill the pubic louse? *Sexually Transmitted Infections*, 82(3), 265–266. <https://doi.org/10.1136/sti.2005.018671>

Bonilla, D. L., Durden, L. A., Eremeeva, M. E., & Dasch, G. A. (2013). The biology and taxonomy of head and body lice—Implications for louse-borne disease prevention. *PLoS Pathogens*, 9(11), 1003724. <https://doi.org/10.1371/journal.ppat.1003724>

Dholakia, S., Buckler, J., Jeans, J. P., Pillai, A., Eagles, N., & Dholakia, S. (2014). Pubic lice: An endangered species? *Sexually Transmitted Diseases*, 41(6), 388–391. <https://doi.org/10.1097/OLQ.0000000000000142>

Kittler, R., Kayser, M., & Stoneking, M. (2003). Molecular evolution of Pediculus humanus and the origin of clothing. *Current Biology*, 13(16), 1414–1417. [https://doi.org/10.1016/S0960-9822\(03\)00507-4](https://doi.org/10.1016/S0960-9822(03)00507-4)

Raoult, D., & Roux, V. (1999). The body louse as a vector of reemerging human diseases. *Clinical Infectious Diseases*, 29(4), 888–911. <https://doi.org/10.1086/520454>

Reed, D. L., Light, J. E., Allen, J. M., & Kirchman, J. J. (2007). Pair of lice lost or parasites regained: The evolutionary history of anthropoid primate lice. *BMC Biology*, 5(1), 7. <https://doi.org/10.1186/1741-7007-5-7>

Reed, D. L., Smith, V. S., Hammond, S. L., Rogers, A. R., & Clayton, D. H. (2004). Genetic analysis of lice supports direct contact between modern and archaic humans. *PLoS Biology*, 2(11), 340. <https://doi.org/10.1371/journal.pbio.0020340>

Toups, M. A., Kitchen, A., Light, J. E., & Reed, D. L. (2011). Origin of clothing lice indicates early clothing use by anatomically modern humans in Africa. *Molecular Biology and Evolution*, 28(1), 29–32. <https://doi.org/10.1093/molbev/msq234>

### FILLER 4: A Parting Shot

Arvidson, R., Kaiser, M., Lee, S.S., Urenda, J.P., Dail, C., Mohammed, H., Nolan, C., Pan, S., Stajich, J.E., Libersat, F. and Adams, M.E., 2019. Parasitoid Jewel Wasp mounts multipronged neurochemical attack to hijack a host Brain. *Molecular & Cellular Proteomics*, 18(1), 99-114. <https://doi.org/10.1074/mcp.RA118.000908>

Catania, K.C., 2025. The Cocoon of the Developing Emerald Jewel Wasp (*Ampulex compressa*) Resists Cannibalistic Predation of the Zombified Host. *Brain Behaviour and Evolution*, 100(1), 1-10. <https://doi.org/10.1159/000540971>

Emanuel, S. and Libersat, F., 2017. Do quiescence and wasp venom-induced lethargy share common neuronal mech-

anisms in cockroaches?. *Plos one*, 12(1), p.e0168032. <https://doi.org/10.1371/journal.pone.0168032>

Haspel, G., Rosenberg, L.A. and Libersat, F., 2003. Direct injection of venom by a predatory wasp into cockroach brain. *Journal of Neurobiology*, 56(3), 287-292. <https://doi.org/10.1002/neu.10238>

Krombein, K.V. (1979). Biosystematic Studies of Ceylonese Wasps: IV. A Monograph of the Ampulicidae (Hymenoptera: Sphecoidea). *Smithsonian Contributions to Zoology*, 298, 1-29. <https://doi.org/10.5479/si.00810282.298>

Moore, E.L., Haspel, G., Libersat, F. and Adams, M.E., 2006. Parasitoid wasp sting: A cocktail of GABA, taurine, and β-alanine opens chloride channels for central synaptic block and transient paralysis of a cockroach host. *Journal of Neurobiology*, 66(8), 811-820. <https://doi.org/10.1002/neu.2025>

### FILLER 5: Colours of the Sri Lanka Blue Magpie

Dickinson, E., Eck, S., & Martens, J. (2004). Systematic notes on Asian birds. 44. A preliminary review of the Corvidae. *Zoologische Verhandlungen*, 350, 85–109.

Goodale, E., & Kotagama, S. W. (2006a). Context-dependent vocal mimicry in a passerine bird. *Proceedings of the Royal Society B: Biological Sciences*, 273(1588), 875–880. <https://doi.org/10.1098/rspb.2005.3392>

Goodale, E., & Kotagama, S. W. (2006b). Vocal mimicry by a passerine bird attracts other species involved in mixed-species flocks. *Animal Behaviour*, 72(2), 471–477. <https://doi.org/10.1016/j.anbehav.2006.02.004>

Goodale, E., Ratnayake, C. P., & Kotagama, S. W. (2014). Vocal mimicry of alarm-associated sounds by a drongo elicits flee and mobbing responses from other species that participate in mixed-species bird flocks. *Ethology*, 120(3), 266–274. <https://doi.org/10.1111/eth.12202>

Wascher, C. A., Waterhouse, G., & Beheim, B. A. (2025). Vocal mimicry in corvids. *Animal Cognition*, 28(1), 88. <https://doi.org/10.1007/s10071-025-02006-4>

### Appendix: From Ceylon to Sri Lanka

Gunaratna, R. (1998). *Sri Lanka's ethnic crisis and national security*. S Asian Network on Conflict Research.

Silva, K. M. (2005). *A History of Sri Lanka*. C Hurst & Co Publishers Ltd.

Silver, S. (2015). The prehistory of serendipity, from Bacon to Walpole. *Isis*, 106(2), 235–256. <https://doi.org/10.1086/681977>

Sumanasuriya, K. T. W. (1986). Some Beliefs and Practices Among the Sinhala People. *Journal of the Royal Asiatic Society Sri Lanka Branch*, 31, 115–154.